



ECMWF Global Data Monitoring Report

December 2022

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

**European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme**

Contents

1	Introduction	4
2	Data summary - History of events	5
2.1	Radiosondes	5
2.2	Drifting Buoys	7
3	Global monitoring statistics	7
3.1	Data Availability	7
3.2	Data Quality	7
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	9
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	10
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	11
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	12
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	13
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	14
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	15
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	16
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	17
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	18
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	19
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	20
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	22
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	23
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	24
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	25
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	26
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	27
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	28
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	29
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	30
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	31
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	32
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	33
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	34
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	36
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	38
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	39
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	40
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	41
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	42
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	43
4	EUCOS Area Monitoring Statistics	51
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	52
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)	55
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	58
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	61
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	64
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	67
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	70
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	73
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	76
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	87
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	91
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	96
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	97

5 Annex - Explanations of figures and tables	98
5.1 General	98
5.2 Data Availability	98
5.3 Data Quality	98

Summary of Revisions (in reverse order)

- Revision 29 (Dec 22) - Coverage charts for ATOVS AMSU-A updated:
METOP-C replaces Aqua-ATOVS (Figure 9.2)
METOP-B replaces METOP-ATOVS (Figure 9.3)
SATOB figures updated with METEOSAT-9, Dual-Metop,
METEOSAT-11, GOES-16, HIMAWARI-9, GOES-17 satellites
- Revision 28 (Jun 15) - Monitoring of SYNOP and SYNOP-SHIPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
- Revision 27 (Feb 15) - Selection criteria for SHIPs are modified as per SOT-7/Doc.9.1.1.
Different criteria applied to Manual and Automatic SHIPs.
- Revision 26 (Dec 14) - Coverage chart for ATOVS AMSU-A for Noaa_16 removed
- Revision 25 (Mar 13) - Monitoring of Radiosondes and ASAPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
Tables 24 and 25 are also added to show the identifiers of these BUFR observations separately.
- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23).
Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for Noaa_14 MSU replaced by ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100 hPa replaced by (A) TOVS AMSU-A and MSU (Noaa_15 and Noaa_14).
- Revision 21 (May 99) - Monitoring statistics ceased for Noaa_11 as satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.
- Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of percentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Nov	Dec	Ident	Time	Nov	Dec
03743	(12)	20	6	06011	(00)	5	27
34858	(00)	29	18	06011	(12)	11	27
42101	(00)	14	0	12575	(00)	21	32
61291	(00)	30	17	12575	(12)	22	33
68906	(00)	11	0	25428	(00)	7	30
68906	(12)	12	0	25428	(12)	7	29
72235	(00)	30	14	42379	(00)	2	30
72235	(12)	29	13	65548	(12)	6	28
72274	(00)	30	0	71907	(00)	5	29
72274	(12)	30	1	71907	(12)	7	29
72518	(12)	32	0	72250	(00)	14	31
78897	(00)	30	1	72250	(12)	14	31
80028	(12)	27	16	72403	(00)	2	30
80094	(12)	21	0	72403	(12)	1	30
80259	(12)	29	4	76654	(00)	7	21
82705	(00)	29	7	89022	(12)	1	21
82965	(12)	13	2	96315	(00)	0	24
83768	(12)	27	10	96315	(12)	0	24
85586	(00)	25	0	96481	(00)	2	31
91680	(00)	30	19	96481	(12)	1	31
94374	(00)	35	4	-	-	-	-
97900	(00)	27	10	-	-	-	-
97900	(12)	29	9	-	-	-	-

2.2 Drifting Buoys

Surface pressure observations from **1375** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext(85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.


Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE

ECMWF Monitoring Statistics - DEC 2022
Availability - SYNOP/SHIP (manual, auto) pressure
Average number of observations in 24 hours - 105101
LAND - WMO Region I: 5096 II:19655 III: 4767 IV: 7354
Region V:14729 VI:41313 Antarctic: 1133
Oceans - N. Atlantic 5871 S. Atlantic 198 Indian 680 Pacific 4305


Figure 1




3.2.2 Figure 2 - Availability - DRIFTER PRESSURE

Figure 2


ECMWF Monitoring Statistics - DEC 2022
 Availability - DRIFTER PRESSURE
 Average number of observations in 24 hours - 20158
 Oceans - N. Atlantic 6362 S. Atlantic 2570 Indian 2794 Pacific 8431



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential




3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5

ECMWF Monitoring Statistics - DEC 2022
Availability - Aircraft winds 300-150 hPa
Average number of observations in 24 hours - 192470




Magics 4.9.4

3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6


ECMWF Monitoring Statistics - DEC 2022
Availability - AMV winds 400-150 hPa
Average number of observations in 24 hours - 3066494



3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7


ECMWF Monitoring Statistics - DEC 2022
Availability - AMV winds 1000-700 hPa
Average number of observations in 24 hours - 6722489



3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8


ECMWF Monitoring Statistics - DEC 2022
 Availability - NOAA15 ATOVS : AMSU-A
 Average number of observations in 24 hours - 304154



3.2.9 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A

Figure 9.1

ECMWF Monitoring Statistics - DEC 2022
Availability - NOAA18 ATOVS : AMSU-A
Average number of observations in 24 hours - 475506




3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2

ECMWF Monitoring Statistics - DEC 2022
Availability - METOP-C ATOVS : AMSU-A

Average number of observations in 24 hours - 310912




3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - DEC 2022
Availability - METOP-B ATOVS : AMSU-A

Average number of observations in 24 hours - 313843



Magics 4.9.4



3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
00000	99	P	SUR	102	10	0.5	-14.2	14.2
3E3566	99	P	SUR	23	0	2.8	3.8	4.7
3FJB3	99	P	SUR	38	0	0.6	3.3	3.3
44034	99	P	SUR	87	1	5.0	-3.1	5.8
44064	99	P	SUR	124	32	5.3	-0.5	5.3
45132	99	P	SUR	46	0	5.7	3.0	6.4
45147	99	P	SUR	46	0	5.7	2.8	6.3
5LBU2	99	P	SUR	31	0	1.8	3.5	3.9
7JMV	99	P	SUR	27	0	0.5	3.1	3.1
7JQF	99	P	SUR	22	0	1.7	-5.9	6.1
7JWH	99	P	SUR	68	0	0.8	4.8	4.9
7JXX	99	P	SUR	26	0	1.3	-3.7	3.9
7KDG	99	P	SUR	22	0	1.4	-3.2	3.5
9HA2583	99	P	SUR	23	0	1.9	-3.4	3.9
9HA4612	99	P	SUR	18	0	0.6	3.4	3.4
9HA4638	99	P	SUR	68	0	0.9	5.0	5.1
9HA4991	99	P	SUR	33	0	2.9	3.0	4.2
9HJB9	99	P	SUR	17	0	0.9	3.7	3.8
9HRJ9	99	P	SUR	34	0	0.6	3.5	3.6
ATVK	99	P	SUR	118	82	0.5	-1.1	1.2
C6ZJ4	99	P	SUR	19	0	0.5	-5.5	5.5
JMJRCES	99	P	SUR	68	0	0.8	-6.0	6.0
KIAB	99	P	SUR	45	0	2.4	6.2	6.7
LAPD7	99	P	SUR	27	0	2.6	6.4	6.9
LAQJ7	99	P	SUR	59	0	1.1	-3.6	3.7
LOCV	99	P	SUR	20	6	1.8	-0.3	1.9
PJWM	99	P	SUR	22	0	0.9	6.1	6.2
S6LT3	99	P	SUR	43	0	2.1	3.5	4.1
SHIP	99	P	SUR	270	10	7.1	-5.4	8.9
SJA4RSK	99	P	SUR	92	18	6.1	-4.8	7.8
TBWUK74	99	P	SUR	34	0	0.6	3.8	3.9
UBAW	99	P	SUR	33	0	1.6	-9.9	10.0

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
UBSH	99	P	SUR	25	0	2.1	-3.3	3.9
UDKG	99	P	SUR	93	2	4.5	5.6	7.2
V7A5139	99	P	SUR	41	0	0.7	4.0	4.1
V7QS7	99	P	SUR	28	0	0.8	-6.1	6.2
V7TM3	99	P	SUR	17	0	1.3	-5.8	6.0
V7UU6	99	P	SUR	82	7	6.0	0.3	6.0
VDCY	99	P	SUR	15	5	1.5	-11.9	12.0
VRCB4	99	P	SUR	15	0	0.3	-5.4	5.4
VRCG8	99	P	SUR	15	0	0.6	3.4	3.4
VRCI9	99	P	SUR	21	0	2.7	5.0	5.7
VRFW9	99	P	SUR	19	0	1.6	3.1	3.5
VRG03	99	P	SUR	28	1	2.0	8.4	8.6
VRGE3	99	P	SUR	54	0	1.5	-5.9	6.1
VRGO7	99	P	SUR	17	0	1.9	-4.5	4.8
VRIB2	99	P	SUR	41	0	1.2	3.5	3.7
VRIC6	99	P	SUR	24	0	1.0	-3.3	3.5
VRJZ9	99	P	SUR	15	0	1.6	3.3	3.6
VRME7	99	P	SUR	16	0	2.3	9.3	9.6
VRQS3	99	P	SUR	18	1	4.2	4.0	5.8
VRSR7	99	P	SUR	30	0	1.0	3.1	3.2
VRWN4	99	P	SUR	21	0	1.5	-5.3	5.5
VRYB8	99	P	SUR	24	0	7.0	-0.1	7.0
WGEB	99	P	SUR	17	0	1.1	9.8	9.9
WSAF	99	P	SUR	128	67	0.4	0.9	1.0
WSQ2674	99	P	SUR	124	48	0.3	0.5	0.6

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 4(4) M/S, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
46004	99	SPEED	SUR	25	0	0	2.9	-10.5	10.9
46181	99	SPEED	SUR	121	0	0	3.6	5.7	6.8
46205	99	SPEED	SUR	122	0	0	3.3	-4.8	5.8

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50) (WIND SPEEDS > 3M/S), AND ,
 Manual (Automatic) ABSOLUTE BIAS >= 30(25) DEGREES, OR,
 STANDARD DEVIATION >= 70(50) DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
00000	99	DIRN	SUR	15	0	0	11.8	-42.3	43.9
44037	99	DIRN	SUR	100	0	0	13.1	33.5	36.0
45132	99	DIRN	SUR	22	0	0	102.9	27.8	106.6
46035	99	DIRN	SUR	96	0	0	8.7	46.4	47.2
46092	99	DIRN	SUR	41	0	0	15.6	38.3	41.4

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
00000	99	P	SUR	44	-79	607	49	0.5	-14.2	14.2
1501696	99	P	SUR	-31	-11	726	0	0.3	-5.7	5.8
2101836	99	P	SUR	44	160	571	54	3.9	4.6	6.0
3801550	99	P	SUR	88	-98	741	741	0.0	0.0	0.0
4402615	99	P	SUR	46	-8	284	0	2.5	4.8	5.4
44064	99	P	SUR	37	-76	742	189	5.0	-0.5	5.0
4500132	99	P	SUR	42	-81	281	9	6.1	2.8	6.7
4602605	99	P	SUR	45	-143	708	82	6.5	0.5	6.5
4701658	99	P	SUR	72	-95	706	697	1.0	-13.2	13.3
4701738	99	P	SUR	70	-67	723	657	2.1	11.7	11.8
4701744	99	P	SUR	78	-106	734	734	0.0	0.0	0.0
4701747	99	P	SUR	77	-122	740	740	0.0	0.0	0.0
4802605	99	P	SUR	77	-160	699	606	5.3	-8.7	10.1
4802655	99	P	SUR	79	-121	739	593	5.8	-6.6	8.8
5102809	99	P	SUR	7	-110	563	0	0.5	-11.3	11.3
5103563	99	P	SUR	30	-156	726	111	3.4	6.9	7.7
5601693	99	P	SUR	-62	132	728	3	0.7	12.8	12.9
6102804	99	P	SUR	40	3	735	0	0.4	-7.1	7.1
6402587	99	P	SUR	48	-45	659	0	2.8	8.6	9.0

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4400069	99	SPEED	SUR	41	-73	51	0	0	2.5	5.6	6.1
4600004	99	SPEED	SUR	51	-136	147	0	0	3.0	-10.4	10.8
4600181	99	SPEED	SUR	54	-129	729	0	0	3.6	5.4	6.5
46004	99	SPEED	SUR	51	-136	148	0	0	3.0	-10.4	10.8
46181	99	SPEED	SUR	54	-129	729	0	0	3.7	5.7	6.7

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
00000	99	DIRN	SUR	44	-79	79	0	0	12.8	-43.4	45.3
1500008	99	DIRN	SUR	-20	-10	255	0	0	15.3	-21.8	26.6
2200186	99	DIRN	SUR	36	126	461	0	0	46.1	-26.5	53.2
2300093	99	DIRN	SUR	16	88	123	0	0	12.9	24.0	27.3
2300453	99	DIRN	SUR	8	73	129	0	0	16.9	-35.0	38.9
2300454	99	DIRN	SUR	10	73	111	0	0	80.0	-16.5	81.7
23093	99	DIRN	SUR	16	88	118	0	0	13.5	22.8	26.5
23453	99	DIRN	SUR	8	73	121	0	0	16.3	-35.5	39.1
23454	99	DIRN	SUR	10	73	108	0	0	76.8	-23.6	80.3
23491	99	DIRN	SUR	12	93	174	0	0	71.8	79.2	106.9
4400037	99	DIRN	SUR	43	-68	561	0	0	12.7	33.3	35.6
44037	99	DIRN	SUR	44	-68	560	0	0	13.0	33.2	35.6
4500132	99	DIRN	SUR	42	-81	152	3	0	99.3	44.0	108.7
4500203	99	DIRN	SUR	41	-83	1136	0	0	59.6	-21.4	63.3
45132	99	DIRN	SUR	43	-81	142	3	0	97.7	46.6	108.2
4600035	99	DIRN	SUR	57	-178	577	0	0	7.6	45.7	46.3
4600092	99	DIRN	SUR	37	-122	238	0	0	23.0	38.3	44.7
4600096	99	DIRN	SUR	46	-124	145	0	0	60.3	-5.8	60.6
4600123	99	DIRN	SUR	47	-123	30	0	0	14.0	20.6	24.9
46035	99	DIRN	SUR	57	-178	581	0	0	8.1	45.3	46.1
46092	99	DIRN	SUR	37	-122	226	0	0	22.2	39.1	45.0
46131	99	DIRN	SUR	50	-125	417	0	0	46.2	-26.4	53.2
46304	99	DIRN	SUR	49	-123	403	0	0	38.5	21.2	43.9
6100417	99	DIRN	SUR	38	0	444	7	0	120.1	-3.4	120.1
6200086	99	DIRN	SUR	55	6	154	0	0	25.9	25.0	36.0
6200199	99	DIRN	SUR	40	-9	126	0	0	11.6	32.9	34.9
6301003	99	DIRN	SUR	74	24	250	0	0	21.7	24.5	32.8
6600022	99	DIRN	SUR	54	14	261	0	0	83.1	39.2	91.9

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	12	Z	1000	57	3	28	0	5.5	76.6	76.8
01400	00	Z	1000	57	3	24	0	3.9	74.7	74.8
23921	00	Z	200	61	60	31	0	77.4	63.9	100.4
23921	12	Z	250	61	60	31	0	63.6	81.4	103.3
25403	12	Z	850	66	151	30	0	23.8	-31.0	39.1
25428	12	Z	250	65	161	28	0	51.8	-67.4	85.0
40437	00	Z	925	24	44	29	0	6.3	33.2	33.8
40437	12	Z	925	24	44	30	0	14.1	34.3	37.1
47122	00	Z	50	37	127	27	0	101.2	99.2	141.7
47122	12	Z	50	37	127	25	2	80.3	137.9	159.6
62403	12	Z	925	26	33	20	3	46.1	42.8	62.9
71945	00	Z	30	59	-123	10	2	173.3	-135.2	219.8
91680	12	Z	925	-18	177	10	0	4.3	31.1	31.4
96315	12	Z	1000	5	115	25	0	10.7	63.2	64.1
96315	00	Z	1000	5	115	24	1	7.1	63.6	64.0
97690	00	Z	925	-3	141	31	2	0.0	89.8	89.8
98233	00	Z	1000	18	122	28	0	29.4	38.1	48.1
98558	12	Z	1000	11	126	25	2	26.7	20.9	33.9
98558	00	Z	1000	11	126	28	0	29.9	26.1	39.7
JNKN7J	12	Z	1000	56	-17	10	0	4.9	39.1	39.4
KMPLHP	12	Z	1000	46	-34	12	1	14.9	68.2	69.8
KMPLHP	00	Z	1000	48	-23	13	0	23.5	67.1	71.1

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
42667	00	V	200	23	77	18	0	-6.2	-13.2	15.3

3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS \geq 5 M/S
 NO. OF OBSERVATIONS \geq 5, AND,
 ABSOLUTE BIAS \geq 10 DEGREES, WITH
 STANDARD DEVIATION $<$ 30 DEGREES, AND,
 VERTICAL SPREAD $<$ 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
--------------	-------------	-----	-----	------	------------	------	---------------	----

3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC

Figure 10


ECMWF Monitoring Statistics - DEC 2022 00 UTC
Suspect TEMP observations - GEOPOTENTIAL



3.2.22 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC

Figure 11


ECMWF Monitoring Statistics - DEC 2022 12 UTC
Suspect TEMP observations - GEOPOTENTIAL



3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC

Figure 12


ECMWF Monitoring Statistics - DEC 2022 00 UTC
Suspect TEMP/PILOT observations - WIND



3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC

Figure 13

ECMWF Monitoring Statistics - DEC 2022 12 UTC
Suspect TEMP/PILOT observations - WIND



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7JUNA4	12	Z	100	11	5.8	0.6
7JUNA4	00	Z	100	8	5.6	1.8
9ZT9MR	12	Z	100	3	31.1	-30.2
9ZT9MR	00	Z	100	2	18.4	-15.9
ATGU3F	12	Z	100	6	21.8	-20.6
ATGU3F	00	Z	100	5	23.6	-22.9
BPMWB2	12	Z	100	5	17.3	15.0
BPMWB2	00	Z	100	5	21.9	9.3
DBLK	12	Z	100	18	16.3	11.9
FPUW5G	12	Z	100	5	6.6	3.9
GQBZLZ	00	Z	100	1	15.3	-15.3
GQBZLZ	12	Z	100	1	224.6	-224.6
JNKN7J	00	Z	100	7	26.9	25.6
JNKN7J	12	Z	100	10	33.1	31.7
JPBN	12	Z	100	6	8.2	0.9
JPBN	00	Z	100	4	15.8	-1.2
KJJF9X	00	Z	100	4	5.0	1.0
KJJF9X	12	Z	100	7	9.2	-2.0
KMPLHP	12	Z	100	13	71.1	69.1
KMPLHP	00	Z	100	12	45.9	42.4
LRYQE3	12	Z	100	11	9.9	-2.2
LRYQE3	00	Z	100	10	8.4	-4.3
UBQW2	12	Z	100	25	23.3	-19.5
UBQW2	00	Z	100	24	27.5	-25.1
USBOD	00	Z	100	1	7.2	-7.2
USBOD	12	Z	100	2	13.3	-13.1
USSIO	12	Z	100	1	2.1	2.1
USSIO	00	Z	100	1	25.9	-25.9
USYUB	12	Z	100	7	11.5	2.0
USYUB	00	Z	100	6	15.3	-6.5
UXK5JT	00	Z	100	3	10.9	0.0
UXK5JT	12	Z	100	4	9.7	-5.8
WDK38H	12	Z	100	1	9.7	9.7
WDK3HS	12	Z	100	1	4.9	-4.9
XKQLWQ	12	Z	100	21	37.0	35.9
XQFJRG	12	Z	100	5	11.3	-9.6
XQFJRG	00	Z	100	3	13.1	-4.5
YLV96W	12	Z	100	8	11.0	-6.4
YLV96W	00	Z	100	8	12.4	-6.9

RADIOSONDE MONITORING STATISTICS (SHIPS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
ZVQEQC	12	Z	100	8	8.4	3.1
ZVQEQC	00	Z	100	3	8.0	7.8

3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPS): Wind (m/s)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7JUNA4	12	V	100	11	3.4	1.2	1.4
7JUNA4	00	V	100	8	2.3	0.4	0.6
9ZT9MR	12	V	100	3	3.3	-1.0	2.6
9ZT9MR	00	V	100	2	1.2	0.0	-0.3
ATGU3F	12	V	100	6	3.9	-1.6	-0.4
ATGU3F	00	V	100	5	2.7	0.5	0.4
BPMWB2	12	V	100	5	2.8	-1.3	-1.2
BPMWB2	00	V	100	5	4.2	-1.1	-2.2
DBLK	12	V	100	18	3.7	-0.4	-1.1
FPUW5G	12	V	100	5	2.6	1.1	-0.5
GQBZLZ	00	V	100	1	2.7	2.5	-0.9
GQBZLZ	12	V	100	1	2.2	0.5	-2.1
JNKN7J	00	V	100	7	3.5	0.2	2.0
JNKN7J	12	V	100	10	4.0	-0.3	0.0
JPBN	12	V	100	6	4.0	-0.1	0.8
JPBN	00	V	100	4	2.3	0.2	-0.2
KJJF9X	00	V	100	4	2.0	0.1	1.2
KJJF9X	12	V	100	7	3.3	-1.0	0.4
KMPLHP	12	V	100	13	3.4	-1.8	-0.1
KMPLHP	00	V	100	12	3.9	0.0	-0.7
LRYQE3	12	V	100	11	3.5	-1.0	0.2
LRYQE3	00	V	100	10	3.5	-0.1	0.2
UBQW2	12	V	100	25	3.5	0.7	-0.4
UBQW2	00	V	100	24	3.2	0.9	-0.2
USBOD	00	V	100	1	3.0	-3.0	-0.4
USBOD	12	V	100	1	2.9	-1.8	2.3
USSIO	12	V	100	1	1.0	-1.0	0.1
USSIO	00	V	100	0	0.0	0.0	0.0
USYUB	12	V	100	3	7.3	-0.6	-0.2
USYUB	00	V	100	5	6.4	0.4	0.6
UXK5JT	00	V	100	3	3.6	-2.0	2.5
UXK5JT	12	V	100	4	5.2	1.4	-3.4
WDK38H	12	V	100	1	4.0	0.8	-3.9
WDK3HS	12	V	100	1	2.7	-1.3	-2.4
XKQLWQ	12	V	100	21	3.5	0.8	-0.6
XQFJRG	12	V	100	5	3.7	-0.5	0.6
XQFJRG	00	V	100	3	3.2	-1.0	-1.3
YLV96W	12	V	100	8	3.4	1.2	-0.3
YLV96W	00	V	100	8	4.5	-0.1	-1.5


RADIOSONDE MONITORING STATISTICS (SHIPS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
ZVQEQC	12	V	100	8	5.0	-1.0	0.5
ZVQEQC	00	V	100	3	4.9	2.3	1.8

3.2.27 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14


ECMWF Monitoring Statistics: Dec 2022
AMV Winds: 700-1000hPa
Mean Observed Wind




3.2.28 Figure 15 - SATOB Winds: 150- 400hPa

Figure 15

ECMWF Monitoring Statistics: Dec 2022
AMV Winds: 150- 400hPa
Wind bias: Observation - FG




3.2.29 Figure 16 - SATOB Winds: 700-1000hPa



3.2.30 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17

ECMWF Monitoring Statistics: Dec 2022
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa




Figure 18

3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAB	99	V	300-150	73	0	0	3.0	-0.2
AAL	99	V	300-150	41412	2	0	5.3	0.2
AAR	99	V	300-150	269	0	0	4.4	-0.3
ABB	99	V	300-150	432	0	0	3.8	0.4
ABD	99	V	300-150	1850	0	0	3.6	0.1
ABP	99	V	300-150	31	0	0	3.5	1.0
ABX	99	V	300-150	119	0	0	3.1	0.0
ACA	99	V	300-150	24846	2	0	4.7	0.2
ACI	99	V	300-150	408	0	0	5.3	0.9
ACP	99	V	300-150	35	0	0	4.5	-0.8
AEA	99	V	300-150	1248	8	1	6.3	0.4
AFR	99	V	300-150	36157	1	0	3.8	0.2
AHK	99	V	300-150	22	0	0	2.8	0.6
AHO	99	V	300-150	512	0	0	3.7	0.0
AIC	99	V	300-150	4649	6	1	8.0	0.2
AJT	99	V	300-150	336	0	0	3.3	0.3
ALK	99	V	300-150	2041	0	0	3.6	0.6
AME	99	V	300-150	103	0	0	3.9	-0.1
AMX	99	V	300-150	4324	5	0	6.3	-0.1
ANA	99	V	300-150	126	2	0	4.6	0.0
ANG	99	V	300-150	29	0	0	3.6	0.2
ANZ	99	V	300-150	23154	2	0	6.4	0.3

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AOJ	99	V	300-150	195	0	0	3.6	0.4
ASA	99	V	300-150	37	0	5	11.1	0.3
ASJ	99	V	300-150	23	0	0	4.2	2.9
ASL	99	V	300-150	595	0	0	3.5	0.5
ASY	99	V	300-150	42	0	0	4.0	1.0
ATC	99	V	300-150	199	6	0	11.1	0.6
ATG	99	V	300-150	121	0	0	3.6	1.9
ATN	99	V	300-150	136	1	0	4.3	0.5
AUA	99	V	300-150	3860	0	0	3.6	0.2
AVA	99	V	300-150	479	8	1	5.2	0.0
AWC	99	V	300-150	439	0	0	3.3	0.4
AXB	99	V	300-150	33	0	0	3.6	0.2
AXM	99	V	300-150	131	1	1	5.7	1.1
AXY	99	V	300-150	79	0	0	3.4	0.5
AYY	99	V	300-150	89	0	0	3.2	0.0
AZG	99	V	300-150	792	0	0	3.4	-0.1
BAF	99	V	300-150	93	0	0	3.5	0.0
BAH	99	V	300-150	97	0	0	2.9	-0.4
BAV	99	V	300-150	209	1	0	3.7	0.4
BAW	99	V	300-150	46501	1	0	4.3	0.2
BBC	99	V	300-150	912	5	0	4.6	0.5
BCS	99	V	300-150	3728	0	0	3.1	0.4
BEL	99	V	300-150	874	0	0	3.1	0.3
BFD	99	V	300-150	36	0	0	3.4	-0.1
BFF	99	V	300-150	67	0	0	3.5	-0.2
BLX	99	V	300-150	1215	7	1	7.2	0.5
BOB	99	V	300-150	115	0	0	3.6	0.5
BOX	99	V	300-150	4779	0	0	3.2	0.2
BOX	99	V	300-150	34	0	0	2.9	1.0
BQA	99	V	300-150	37	0	0	3.3	1.2
BRK	99	V	300-150	64	0	0	5.0	1.3
BTX	99	V	300-150	155	0	0	4.5	0.8
BVR	99	V	300-150	28	0	0	3.6	-0.3
CAL	99	V	300-150	1553	0	0	3.5	0.6
CAZ	99	V	300-150	75	0	0	3.1	0.6
CCA	99	V	300-150	89	0	0	3.3	0.0
CEB	99	V	300-150	903	0	0	3.4	0.6
CEF	99	V	300-150	32	0	0	4.1	1.0
CES	99	V	300-150	190	2	0	4.5	0.5
CFC	99	V	300-150	340	0	0	3.7	0.1
CFG	99	V	300-150	5335	0	0	3.8	0.2
CHG	99	V	300-150	844	0	0	3.8	-0.2
CHH	99	V	300-150	37	24	0	6.8	0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
CJT	99	V	300-150	1397	0	0	3.6	-0.1
CKS	99	V	300-150	690	0	0	3.9	0.4
CLF	99	V	300-150	104	0	0	3.9	0.4
CLX	99	V	300-150	5964	0	0	3.5	-0.1
CLY	99	V	300-150	45	0	0	3.3	0.6
CMB	99	V	300-150	1515	0	0	3.5	-0.1
CMR	99	V	300-150	38	0	0	5.6	2.0
CNV	99	V	300-150	107	0	0	3.0	0.5
COB	99	V	300-150	20	0	0	3.6	-0.5
CPA	99	V	300-150	1333	0	0	3.7	0.7
CPJ	99	V	300-150	26	0	0	4.1	-0.8
CRL	99	V	300-150	1211	0	0	3.8	0.3
CRV	99	V	300-150	40	0	0	2.9	-0.1
CSC	99	V	300-150	380	0	0	2.9	0.4
CSN	99	V	300-150	511	3	0	4.8	0.3
CSS	99	V	300-150	31	0	0	3.9	-0.5
CTM	99	V	300-150	130	0	1	3.8	0.8
DAH	99	V	300-150	822	0	0	3.5	0.3
DAL	99	V	300-150	49446	0	0	3.2	0.3
DCS	99	V	300-150	100	0	1	3.1	0.4
DCW	99	V	300-150	32	0	0	3.2	-0.2
DHK	99	V	300-150	2569	0	0	3.4	0.2
DHX	99	V	300-150	271	0	0	3.6	0.7
DJT	99	V	300-150	1750	0	0	3.5	0.6
DLH	99	V	300-150	21591	0	0	3.4	0.2
DSO	99	V	300-150	76	0	0	2.7	0.1
DUB	99	V	300-150	60	0	0	4.3	0.8
EAL	99	V	300-150	99	0	0	3.6	0.1
EAU	99	V	300-150	89	0	0	3.5	1.0
EDC	99	V	300-150	155	0	1	3.4	-0.4
EDG	99	V	300-150	72	26	0	23.6	1.2
EDW	99	V	300-150	1064	0	0	3.4	0.2
EFF	99	V	300-150	24	0	0	5.1	1.4
EIN	99	V	300-150	14551	0	0	3.0	0.3
EJM	99	V	300-150	517	0	0	5.3	0.3
ELY	99	V	300-150	4566	4	0	6.6	0.0
ETD	99	V	300-150	11135	5	0	6.8	0.3
ETH	99	V	300-150	6872	2	0	6.3	0.1
EUK	99	V	300-150	1836	0	0	3.0	0.2
EUW	99	V	300-150	27	0	0	3.0	0.4
EVA	99	V	300-150	1162	3	1	5.0	0.2
EVE	99	V	300-150	57	0	2	4.2	0.3
EXS	99	V	300-150	130	0	1	3.7	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
EXV	99	V	300-150	84	0	0	3.5	0.2
FBU	99	V	300-150	2259	0	0	3.7	0.2
FDX	99	V	300-150	8342	0	0	3.2	0.2
FFM	99	V	300-150	37	0	0	5.3	1.0
FIN	99	V	300-150	2664	0	0	3.3	0.2
FJI	99	V	300-150	2865	0	0	4.8	0.6
FJO	99	V	300-150	66	0	0	2.4	0.2
FPY	99	V	300-150	1807	0	0	3.0	0.3
FRV	99	V	300-150	27	0	0	2.8	0.6
FWI	99	V	300-150	2023	0	1	3.8	0.4
FWK	99	V	300-150	34	0	0	3.2	0.9
FXT	99	V	300-150	47	0	0	3.4	0.1
FYG	99	V	300-150	100	0	0	4.3	1.0
FYL	99	V	300-150	37	0	0	4.4	0.7
GAF	99	V	300-150	102	0	0	2.6	0.1
GCK	99	V	300-150	95	0	0	3.3	0.6
GEC	99	V	300-150	1797	0	0	3.3	0.1
GES	99	V	300-150	57	0	2	3.5	0.2
GFA	99	V	300-150	813	7	0	8.5	0.6
GIA	99	V	300-150	770	0	0	3.3	0.4
GJE	99	V	300-150	25	0	0	3.9	0.7
GJI	99	V	300-150	23	0	9	3.9	1.1
GKY	99	V	300-150	48	0	0	2.8	0.2
GLJ	99	V	300-150	22	0	0	3.5	1.2
GMA	99	V	300-150	20	0	0	4.2	-0.2
GNJ	99	V	300-150	46	0	0	3.2	-0.5
GRP	99	V	300-150	61	0	0	4.1	-0.1
GSM	99	V	300-150	57	0	0	2.8	-0.1
GTI	99	V	300-150	2038	0	0	3.5	-0.2
GTR	99	V	300-150	334	0	0	3.4	0.6
HAI	99	V	300-150	69	0	0	3.7	0.6
HAL	99	V	300-150	856	0	0	5.5	0.6
HFM	99	V	300-150	145	0	0	3.8	0.4
HIM	99	V	300-150	135	0	2	3.1	0.4
HKC	99	V	300-150	290	0	0	3.6	0.8
HLF	99	V	300-150	66	0	0	2.2	0.3
HRT	99	V	300-150	56	0	0	3.0	-0.7
HVN	99	V	300-150	1022	2	0	4.7	0.7
HYP	99	V	300-150	41	0	0	3.0	-0.1
IAM	99	V	300-150	36	0	0	3.1	0.5
IBE	99	V	300-150	4815	0	1	3.5	0.2
ICE	99	V	300-150	5394	0	0	3.1	0.2
ICL	99	V	300-150	65	0	0	3.1	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
ICV	99	V	300-150	480	0	0	3.3	0.2
IFA	99	V	300-150	138	0	0	3.2	0.2
IJM	99	V	300-150	109	0	0	3.8	0.5
IND	99	V	300-150	20	0	0	2.8	0.5
ITY	99	V	300-150	4930	0	0	3.5	0.3
IXR	99	V	300-150	35	0	0	3.1	-0.6
JAF	99	V	300-150	736	5	0	6.9	0.0
JAL	99	V	300-150	228	1	0	6.9	0.1
JAS	99	V	300-150	161	0	0	3.6	0.7
JBU	99	V	300-150	5396	0	0	3.2	0.4
JCO	99	V	300-150	51	0	0	4.1	0.1
JEF	99	V	300-150	26	0	0	3.2	0.3
JET	99	V	300-150	51	0	0	3.2	0.4
JJA	99	V	300-150	31	0	0	4.0	-0.8
JME	99	V	300-150	44	0	0	3.9	0.7
JML	99	V	300-150	32	0	0	4.0	0.6
JST	99	V	300-150	76	4	0	6.0	0.1
KAC	99	V	300-150	2973	0	0	3.1	0.4
KAF	99	V	300-150	38	0	0	2.7	0.2
KAI	99	V	300-150	133	0	1	6.3	0.5
KAL	99	V	300-150	760	1	0	4.8	0.8
KAY	99	V	300-150	149	0	0	3.1	0.6
KCE	99	V	300-150	49	0	0	3.3	0.6
KFE	99	V	300-150	49	0	0	3.5	1.5
KIW	99	V	300-150	43	0	0	4.8	0.5
KLM	99	V	300-150	18142	2	0	4.8	0.2
KQA	99	V	300-150	410	7	1	7.6	0.3
KRF	99	V	300-150	36	0	0	4.0	0.2
LAE	99	V	300-150	335	0	0	4.2	0.7
LAN	99	V	300-150	1420	6	0	6.3	0.2
LCO	99	V	300-150	560	0	0	4.0	-0.6
LDX	99	V	300-150	90	0	0	3.3	0.6
LEA	99	V	300-150	46	0	2	3.5	0.6
LNI	99	V	300-150	2187	0	0	3.6	0.7
LNK	99	V	300-150	50	0	0	3.0	-0.5
LOT	99	V	300-150	4856	6	0	6.2	-0.1
LRQ	99	V	300-150	25	0	4	2.7	0.4
LUC	99	V	300-150	59	0	0	3.3	0.4
LWG	99	V	300-150	34	0	0	3.2	-0.1
LXG	99	V	300-150	54	0	0	3.4	0.1
LXJ	99	V	300-150	334	0	2	3.3	0.2
MAA	99	V	300-150	31	0	0	3.1	0.7
MAS	99	V	300-150	6920	0	0	3.9	0.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
MAU	99	V	300-150	387	0	0	4.3	0.9
MDT	99	V	300-150	52	0	0	3.0	0.2
MED	99	V	300-150	47	0	0	4.6	0.8
MHV	99	V	300-150	65	0	0	3.9	0.6
MJE	99	V	300-150	42	0	0	4.9	1.7
MJF	99	V	300-150	26	0	0	2.7	1.4
MLM	99	V	300-150	119	0	0	3.4	0.3
MLN	99	V	300-150	31	0	0	3.9	0.8
MLT	99	V	300-150	35	0	0	3.8	0.1
MMD	99	V	300-150	361	0	0	3.5	0.1
MMF	99	V	300-150	37	0	0	2.8	0.7
MMZ	99	V	300-150	37	0	0	3.7	-0.1
MNB	99	V	300-150	477	0	0	3.5	0.4
MPH	99	V	300-150	636	0	0	4.1	-1.0
MSR	99	V	300-150	2442	1	0	3.5	0.2
MVJ	99	V	300-150	23	0	0	3.3	0.4
MYM	99	V	300-150	20	0	5	8.1	-1.1
NBT	99	V	300-150	2327	4	0	5.9	0.1
NCR	99	V	300-150	470	0	0	3.7	0.2
NJE	99	V	300-150	600	0	0	3.4	0.4
NOS	99	V	300-150	1422	9	0	6.0	0.1
NSP	99	V	300-150	84	0	0	7.1	1.3
OAE	99	V	300-150	535	0	0	4.1	0.1
OCN	99	V	300-150	5632	0	0	3.4	0.2
OMA	99	V	300-150	2696	6	1	8.9	0.6
ORF	99	V	300-150	24	0	0	4.5	0.9
PAC	99	V	300-150	1087	0	0	3.4	0.0
PAC	99	V	300-150	33	0	0	3.2	0.5
PAL	99	V	300-150	1964	0	0	3.2	0.4
PEG	99	V	300-150	68	0	0	4.2	1.3
PIA	99	V	300-150	385	0	0	2.9	0.5
PLM	99	V	300-150	39	0	0	3.5	0.4
PRD	99	V	300-150	35	0	0	3.0	0.8
PVA	99	V	300-150	156	0	0	3.6	0.2
QAF	99	V	300-150	40	0	0	3.3	0.3
QFA	99	V	300-150	8128	3	0	7.6	0.3
QFX	99	V	300-150	31	0	0	3.0	-0.3
QID	99	V	300-150	33	0	0	4.2	1.0
QQE	99	V	300-150	305	0	0	3.5	0.7
QTR	99	V	300-150	32095	1	0	4.7	0.3
RAM	99	V	300-150	765	3	2	5.6	0.3
RAU	99	V	300-150	22	0	0	2.5	-0.9
RBA	99	V	300-150	575	7	1	9.5	0.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
RCH	99	V	300-150	2284	0	0	4.9	0.6
RDN	99	V	300-150	34	0	0	2.8	0.6
RHH	99	V	300-150	50	0	0	8.6	2.3
RJA	99	V	300-150	1761	6	0	6.4	0.0
RJR	99	V	300-150	38	0	0	4.0	-1.2
ROJ	99	V	300-150	117	0	0	3.0	0.5
RRR	99	V	300-150	238	0	0	3.6	0.3
RSF	99	V	300-150	37	0	0	2.0	0.1
RUN	99	V	300-150	63	0	0	3.4	1.9
RYR	99	V	300-150	509	0	1	3.9	0.5
RZO	99	V	300-150	315	0	5	4.5	0.1
SAM	99	V	300-150	509	0	0	3.2	0.6
SAS	99	V	300-150	5230	0	0	3.1	0.4
SAZ	99	V	300-150	161	0	0	4.0	0.4
SCX	99	V	300-150	78	0	1	5.9	0.0
SEY	99	V	300-150	73	0	0	4.0	0.6
SHE	99	V	300-150	69	0	0	3.0	-0.6
SIA	99	V	300-150	14935	0	0	4.4	0.3
SIO	99	V	300-150	216	0	1	3.2	0.2
SJE	99	V	300-150	47	0	0	4.7	2.6
SLM	99	V	300-150	107	0	1	3.8	-0.4
SON	99	V	300-150	42	0	0	4.3	-0.9
SPA	99	V	300-150	84	0	0	3.8	0.2
SVA	99	V	300-150	9789	2	0	5.5	0.4
SVW	99	V	300-150	241	0	0	3.5	-0.1
SWG	99	V	300-150	39	0	5	2.5	-0.9
SWR	99	V	300-150	9753	0	0	3.3	0.3
SYB	99	V	300-150	106	0	0	3.5	-0.4
TAG	99	V	300-150	36	0	0	3.5	0.3
TAM	99	V	300-150	56	0	0	4.9	0.5
TAP	99	V	300-150	2573	0	2	3.8	0.3
TAR	99	V	300-150	305	0	0	3.2	0.1
TAX	99	V	300-150	76	0	0	3.0	0.4
TAY	99	V	300-150	325	0	0	3.6	-0.1
TEU	99	V	300-150	49	0	2	3.5	0.0
TFL	99	V	300-150	1688	6	0	6.8	-0.1
TGW	99	V	300-150	1309	4	0	8.3	0.4
THA	99	V	300-150	4875	1	0	6.0	0.5
THT	99	V	300-150	3681	5	0	8.0	0.2
THY	99	V	300-150	16927	1	0	4.2	0.2
TMN	99	V	300-150	340	0	0	4.3	0.8
TOM	99	V	300-150	5257	6	0	6.1	0.0
TOW	99	V	300-150	102	0	1	4.3	0.8

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
TSC	99	V	300-150	4391	0	0	3.3	0.2
TWY	99	V	300-150	458	0	0	3.6	0.0
UAE	99	V	300-150	31504	0	0	3.4	0.4
UAF	99	V	300-150	138	0	0	3.9	0.3
UAL	99	V	300-150	68669	1	1	4.9	0.2
ULC	99	V	300-150	33	0	0	5.3	0.9
UPE	99	V	300-150	24	0	0	3.7	-0.1
UPS	99	V	300-150	6802	0	0	3.3	0.0
UZB	99	V	300-150	408	6	0	7.6	0.6
VCG	99	V	300-150	46	0	0	3.9	0.2
VCJ	99	V	300-150	47	0	0	4.4	0.5
VIR	99	V	300-150	19487	2	0	4.4	0.1
VJT	99	V	300-150	2088	0	0	3.3	0.3
VKG	99	V	300-150	392	0	0	3.0	0.2
VLZ	99	V	300-150	58	0	0	3.5	0.6
VMP	99	V	300-150	65	0	0	6.1	1.3
VNA	99	V	300-150	25	0	0	4.3	0.7
VSV	99	V	300-150	29	0	0	2.5	0.8
VTI	99	V	300-150	1906	0	0	3.1	0.5
VXS	99	V	300-150	75	0	0	5.5	1.2
WDY	99	V	300-150	35	0	0	3.5	1.3
WFL	99	V	300-150	39	0	10	3.4	0.3
WGN	99	V	300-150	50	0	0	3.2	-0.4
WJA	99	V	300-150	956	5	1	6.4	0.1
WMN	99	V	300-150	21	0	0	4.9	-0.1
WWI	99	V	300-150	34	0	0	4.1	-0.1
XAX	99	V	300-150	1050	0	0	3.7	0.6
XRO	99	V	300-150	87	0	0	3.7	0.5

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10°N - 90°N, 70°W - 40°E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10°N - 90°N, 70°W - 40°E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	50	30	8.6	-3.7
01001	00	Z	50	23	18.4	-15.5
01028	12	Z	50	30	9.6	0.4
01028	00	Z	50	27	9.4	-3.0
01400	00	Z	50	6	82.9	82.4
01400	12	Z	50	5	79.6	79.4
01415	12	Z	50	30	11.4	2.7
01415	00	Z	50	29	8.6	4.8
02365	00	Z	50	21	9.7	-1.3
02365	12	Z	50	18	7.7	2.4
02836	12	Z	50	27	6.3	0.4
02836	00	Z	50	29	8.1	-0.5
02963	00	Z	50	30	7.6	2.0
02963	12	Z	50	32	13.3	4.4
03005	12	Z	50	30	7.9	-0.3
03005	00	Z	50	28	9.6	-3.0
03238	12	Z	50	6	6.9	-2.7
03238	00	Z	50	28	10.7	1.0
03808	12	Z	50	27	11.1	-0.1
03808	00	Z	50	26	6.6	-0.8
03918	00	Z	50	30	12.8	3.6
03918	12	Z	50	5	7.2	5.8
03953	12	Z	50	31	14.8	-5.8
03953	00	Z	50	31	10.3	-6.7
04018	12	Z	50	20	8.7	-0.8
04018	00	Z	50	22	6.5	3.0
04220	12	Z	50	26	15.1	-13.0
04220	00	Z	50	28	25.5	-12.4
04270	12	Z	50	30	14.9	-12.9
04270	00	Z	50	27	13.8	-9.9
04320	00	Z	50	31	6.9	0.7
04320	12	Z	50	30	9.4	2.5
04339	00	Z	50	29	12.4	-6.1
04339	12	Z	50	31	13.6	-5.6
04360	00	Z	50	25	9.9	-1.2
04360	12	Z	50	24	13.2	-7.0
06011	00	Z	50	16	11.2	3.3
06011	12	Z	50	18	5.5	-0.6
06260	12	Z	50	4	5.9	2.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	50	31	9.0	-3.5
06610	00	Z	50	30	11.4	-1.2
06610	12	Z	50	30	10.9	3.8
07110	12	Z	50	28	27.7	3.7
07110	00	Z	50	27	14.0	-7.4
07510	12	Z	50	29	14.1	-2.1
07510	00	Z	50	23	9.9	-5.5
07645	00	Z	50	29	23.2	2.5
07645	12	Z	50	28	20.2	-4.3
07761	00	Z	50	30	15.0	-6.6
07761	12	Z	50	31	15.5	3.2
08001	00	Z	50	27	9.4	5.7
08001	12	Z	50	30	8.9	4.6
08221	12	Z	50	31	11.9	7.0
08221	00	Z	50	31	8.3	3.0
08302	00	Z	50	31	8.7	-4.3
08302	12	Z	50	30	17.7	-3.9
08508	12	Z	50	31	12.4	-0.5
08522	12	Z	50	31	8.6	4.4
10035	12	Z	50	30	12.7	7.7
10035	00	Z	50	31	15.2	10.8
10393	00	Z	50	31	7.1	-1.8
10393	12	Z	50	31	11.0	-1.3
10410	00	Z	50	29	7.4	-0.9
10410	12	Z	50	31	11.0	-1.5
10739	12	Z	50	30	11.3	4.5
10739	00	Z	50	29	7.7	2.1
11035	12	Z	50	30	11.1	6.6
11035	00	Z	50	29	7.8	1.8
12982	00	Z	50	30	9.1	0.6
12982	12	Z	50	30	7.2	1.9
16245	12	Z	50	31	7.8	-0.1
16245	00	Z	50	31	6.9	-0.5
16429	12	Z	50	28	7.8	2.4
16429	00	Z	50	24	5.5	2.3
16622	00	Z	50	22	9.6	5.1
16754	00	Z	50	25	7.7	2.5
17607	12	Z	50	18	6.4	0.0
26435	12	Z	50	11	7.3	0.6
60018	00	Z	50	30	10.5	6.2
60018	12	Z	50	31	10.8	7.6
7JUNA4	12	Z	50	9	10.0	3.6
7JUNA4	00	Z	50	8	9.0	0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
9ZT9MR	12	Z	50	3	25.0	-22.6
9ZT9MR	00	Z	50	2	18.3	-4.9
ATGU3F	12	Z	50	6	14.1	-12.5
ATGU3F	00	Z	50	4	16.3	-16.0
BPMWB2	12	Z	50	3	15.2	14.5
BPMWB2	00	Z	50	5	28.2	20.5
FPUW5G	12	Z	50	4	6.4	5.0
GQBZLZ	00	Z	50	0	0.0	0.0
GQBZLZ	12	Z	50	1	220.3	-220.3
JNKN7J	00	Z	50	7	27.8	25.9
JNKN7J	12	Z	50	10	44.7	40.2
KJFF9X	00	Z	50	4	9.2	6.6
KJFF9X	12	Z	50	7	13.8	-6.5
KMPLHP	12	Z	50	12	103.0	95.5
KMPLHP	00	Z	50	11	43.5	39.2
LRYQE3	12	Z	50	11	11.0	1.1
LRYQE3	00	Z	50	9	12.6	-1.9
UXK5JT	00	Z	50	3	11.8	-1.6
UXK5JT	12	Z	50	4	13.8	-5.4
WDK38H	12	Z	50	1	4.0	4.0
WDK3HS	12	Z	50	1	3.8	-3.8
XKQLWQ	12	Z	50	20	51.0	49.2
XQFJRG	12	Z	50	5	3.2	-2.3
XQFJRG	00	Z	50	3	17.6	-13.9
YLV96W	12	Z	50	7	11.3	-5.1
YLV96W	00	Z	50	6	11.3	-8.2
ZVQEQC	12	Z	50	8	9.2	-0.8
ZVQEQC	00	Z	50	3	5.0	1.8

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	50	28	3.5	-0.4	0.3
01001	00	V	50	22	3.4	-0.5	-0.3
01028	12	V	50	29	4.0	-0.6	0.1
01028	00	V	50	26	3.1	-0.7	0.2
01400	00	V	50	3	4.1	-3.3	-0.1
01400	12	V	50	3	2.5	0.8	1.6
01415	12	V	50	30	4.3	1.1	0.2
01415	00	V	50	26	2.8	0.4	0.2
02365	00	V	50	12	2.5	0.5	-0.2
02365	12	V	50	13	3.8	0.4	-0.3
02836	12	V	50	24	3.7	0.7	-0.4
02836	00	V	50	24	3.1	0.3	0.1
02963	00	V	50	29	3.5	-0.3	-0.2
02963	12	V	50	31	3.0	-0.3	-0.9
03005	12	V	50	30	3.0	0.3	-0.1
03005	00	V	50	25	3.3	-0.5	0.1
03238	12	V	50	5	3.3	2.4	0.5
03238	00	V	50	23	3.6	-0.4	-0.1
03808	12	V	50	26	4.0	0.6	-0.4
03808	00	V	50	26	3.7	0.1	-0.8
03918	00	V	50	29	3.8	1.3	0.2
03918	12	V	50	5	4.9	0.4	1.2
03953	12	V	50	31	3.5	1.2	-0.2
03953	00	V	50	28	3.7	0.8	0.2
04018	12	V	50	18	3.3	-0.3	0.1
04018	00	V	50	18	3.3	-0.3	0.0
04220	12	V	50	26	3.9	0.4	-0.4
04220	00	V	50	27	2.8	-0.1	-0.4
04270	12	V	50	30	3.3	0.6	0.2
04270	00	V	50	24	3.4	0.2	0.7
04320	00	V	50	30	4.0	0.8	0.1
04320	12	V	50	30	4.3	0.1	-0.5
04339	00	V	50	27	3.6	-0.2	0.2
04339	12	V	50	31	3.8	0.4	0.5
04360	00	V	50	23	3.4	0.4	-0.4
04360	12	V	50	24	4.6	-0.5	0.5
06011	00	V	50	15	3.0	-0.8	0.9
06011	12	V	50	18	3.3	0.5	-0.2
06260	12	V	50	4	3.3	-0.2	-1.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	50	29	3.6	0.2	0.1
06610	00	V	50	28	4.4	1.4	-0.7
06610	12	V	50	30	4.2	0.0	1.1
07110	12	V	50	28	3.3	-0.2	-0.8
07110	00	V	50	25	3.5	0.2	-0.4
07510	12	V	50	29	4.0	-0.4	0.2
07510	00	V	50	22	3.7	-0.2	1.0
07645	00	V	50	27	3.9	-0.6	0.1
07645	12	V	50	28	4.2	-0.4	-0.6
07761	00	V	50	28	4.4	-0.4	-0.6
07761	12	V	50	31	4.6	1.1	-0.1
08001	00	V	50	26	3.9	-1.3	-0.9
08001	12	V	50	30	3.4	0.2	-0.2
08221	12	V	50	30	4.0	-0.6	-0.5
08221	00	V	50	30	3.8	0.6	0.3
08302	00	V	50	29	3.6	0.2	0.2
08302	12	V	50	30	4.2	-0.7	-0.5
08508	12	V	50	31	3.8	0.4	0.7
08522	12	V	50	31	4.0	0.3	-0.1
10035	12	V	50	30	3.5	0.5	-0.7
10035	00	V	50	28	4.0	0.2	-0.8
10393	00	V	50	30	3.8	-0.4	0.1
10393	12	V	50	31	3.1	0.2	-0.2
10410	00	V	50	28	4.4	0.3	-0.8
10410	12	V	50	31	3.5	1.1	-0.1
10739	12	V	50	30	4.4	-1.2	0.6
10739	00	V	50	28	3.8	0.4	-0.3
11035	12	V	50	30	3.7	0.4	-0.7
11035	00	V	50	26	4.5	-0.3	-0.1
12982	00	V	50	25	3.5	-0.7	0.3
12982	12	V	50	30	3.6	-0.1	-0.2
16245	12	V	50	31	3.8	0.0	0.3
16245	00	V	50	29	4.2	0.8	-0.2
16429	12	V	50	28	4.1	0.0	0.1
16429	00	V	50	19	4.0	-0.2	-0.2
16622	00	V	50	15	3.7	-0.5	-1.0
16754	00	V	50	21	4.7	0.4	-0.4
17607	12	V	50	10	2.6	0.6	0.1
26435	12	V	50	10	3.3	-0.5	0.5
60018	00	V	50	29	4.1	-0.9	0.9
60018	12	V	50	31	3.9	0.7	0.4
7JUNA4	12	V	50	9	4.7	0.8	0.3
7JUNA4	00	V	50	8	5.5	1.4	1.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
9ZT9MR	12	V	50	3	4.2	-2.0	-2.4
9ZT9MR	00	V	50	2	2.5	-0.7	2.4
ATGU3F	12	V	50	6	4.0	-0.7	-1.3
ATGU3F	00	V	50	4	4.4	1.2	0.1
BPMWB2	12	V	50	3	2.4	1.1	0.3
BPMWB2	00	V	50	5	3.0	0.5	-0.1
FPUW5G	12	V	50	3	5.3	-1.3	-0.3
GQBZLZ	00	V	50	0	0.0	0.0	0.0
GQBZLZ	12	V	50	1	2.9	-1.1	-2.7
JNKN7J	00	V	50	7	3.4	-0.2	0.2
JNKN7J	12	V	50	10	3.5	0.4	-1.5
KJJF9X	00	V	50	4	5.0	-3.2	-0.7
KJJF9X	12	V	50	7	3.6	0.3	-0.2
KMPLHP	12	V	50	12	2.5	-0.1	0.5
KMPLHP	00	V	50	11	3.8	1.2	-0.9
LRYQE3	12	V	50	11	3.8	-0.3	0.7
LRYQE3	00	V	50	9	2.9	0.8	1.2
UXK5JT	00	V	50	3	3.0	2.4	-0.3
UXK5JT	12	V	50	4	3.5	-0.3	-0.1
WDK38H	12	V	50	1	2.1	1.7	-1.2
WDK3HS	12	V	50	1	0.6	-0.5	0.3
XKQLWQ	12	V	50	20	3.5	-0.2	-0.1
XQFJRG	12	V	50	5	3.5	-0.9	-0.8
XQFJRG	00	V	50	3	3.6	0.1	1.1
YLV96W	12	V	50	7	3.0	1.0	1.0
YLV96W	00	V	50	6	3.6	0.2	0.6
ZVQEQC	12	V	50	8	3.6	-1.1	0.1
ZVQEQC	00	V	50	3	4.0	1.3	-0.5

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	100	30	7.8	-4.8
01001	00	Z	100	25	21.6	-19.4
01028	12	Z	100	31	7.4	-3.3
01028	00	Z	100	29	8.2	-4.9
01400	00	Z	100	13	74.2	74.0
01400	12	Z	100	13	76.6	76.1
01415	12	Z	100	30	6.7	1.2
01415	00	Z	100	29	4.7	0.9
02365	00	Z	100	21	6.7	-1.6
02365	12	Z	100	19	4.5	1.1
02836	12	Z	100	34	5.5	-2.4
02836	00	Z	100	30	4.7	-0.6
02963	00	Z	100	30	4.1	-0.2
02963	12	Z	100	32	12.7	3.1
03005	12	Z	100	30	7.9	-3.5
03005	00	Z	100	28	8.2	-6.3
03238	12	Z	100	6	8.5	-3.8
03238	00	Z	100	30	7.7	-0.5
03808	12	Z	100	29	7.1	-1.4
03808	00	Z	100	28	7.2	-3.4
03918	00	Z	100	30	7.1	4.1
03918	12	Z	100	5	3.4	1.3
03953	12	Z	100	31	10.1	-4.7
03953	00	Z	100	31	8.7	-7.3
04018	12	Z	100	21	4.3	-2.2
04018	00	Z	100	22	2.8	-1.0
04220	12	Z	100	28	15.1	-13.2
04220	00	Z	100	29	18.1	-12.1
04270	12	Z	100	30	14.3	-13.1
04270	00	Z	100	30	11.8	-9.0
04320	00	Z	100	31	9.0	-3.4
04320	12	Z	100	30	8.7	-2.0
04339	00	Z	100	30	14.0	-10.2
04339	12	Z	100	31	15.0	-5.9
04360	00	Z	100	27	7.4	-5.0
04360	12	Z	100	27	13.2	-10.0
06011	00	Z	100	21	7.7	-1.6
06011	12	Z	100	20	8.8	-6.1
06260	12	Z	100	4	7.9	-0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	100	31	8.5	-5.8
06610	00	Z	100	32	10.1	-4.2
06610	12	Z	100	30	6.9	-0.1
07110	12	Z	100	28	26.9	0.1
07110	00	Z	100	27	12.7	-10.0
07510	12	Z	100	30	9.9	-3.0
07510	00	Z	100	25	9.3	-6.0
07645	00	Z	100	29	19.5	-4.4
07645	12	Z	100	29	16.7	-7.4
07761	00	Z	100	31	15.4	-10.7
07761	12	Z	100	31	13.2	-1.8
08001	00	Z	100	31	5.6	2.0
08001	12	Z	100	31	7.2	2.9
08221	12	Z	100	31	7.9	4.5
08221	00	Z	100	31	6.6	-0.5
08302	00	Z	100	31	10.9	-8.7
08302	12	Z	100	31	14.6	-5.0
08508	12	Z	100	31	8.6	1.2
08522	12	Z	100	31	7.9	5.2
10035	12	Z	100	31	8.6	6.2
10035	00	Z	100	31	10.9	7.9
10393	00	Z	100	31	6.1	-4.2
10393	12	Z	100	31	7.4	-1.9
10410	00	Z	100	30	6.9	-3.5
10410	12	Z	100	33	8.2	-3.2
10739	12	Z	100	31	8.2	1.9
10739	00	Z	100	31	8.0	2.4
11035	12	Z	100	31	7.6	0.2
11035	00	Z	100	31	6.1	-1.4
12982	00	Z	100	30	6.6	-0.8
12982	12	Z	100	31	4.8	-0.1
16245	12	Z	100	31	5.3	-2.5
16245	00	Z	100	31	5.5	-1.9
16429	12	Z	100	28	7.2	-1.0
16429	00	Z	100	26	5.1	-1.9
16622	00	Z	100	29	7.1	4.6
16754	00	Z	100	27	5.3	-0.6
17607	12	Z	100	27	5.0	1.5
26435	12	Z	100	14	5.8	-4.3
60018	00	Z	100	31	7.9	4.2
60018	12	Z	100	31	8.0	5.6
7JUNA4	12	Z	100	11	5.8	0.6
7JUNA4	00	Z	100	8	5.6	1.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
9ZT9MR	12	Z	100	3	31.1	-30.2
9ZT9MR	00	Z	100	2	18.4	-15.9
ATGU3F	12	Z	100	6	21.8	-20.6
ATGU3F	00	Z	100	5	23.6	-22.9
BPMWB2	12	Z	100	5	17.3	15.0
BPMWB2	00	Z	100	5	21.9	9.3
FPUW5G	12	Z	100	5	6.6	3.9
GQBZLZ	00	Z	100	1	15.3	-15.3
GQBZLZ	12	Z	100	1	224.6	-224.6
JNKN7J	00	Z	100	7	26.9	25.6
JNKN7J	12	Z	100	10	33.1	31.7
KJJF9X	00	Z	100	4	5.0	1.0
KJJF9X	12	Z	100	7	9.2	-2.0
KMPLHP	12	Z	100	13	71.1	69.1
KMPLHP	00	Z	100	12	45.9	42.4
LRYQE3	12	Z	100	11	9.9	-2.2
LRYQE3	00	Z	100	10	8.4	-4.3
UXK5JT	00	Z	100	3	10.9	0.0
UXK5JT	12	Z	100	4	9.7	-5.8
WDK38H	12	Z	100	1	9.7	9.7
WDK3HS	12	Z	100	1	4.9	-4.9
XKQLWQ	12	Z	100	21	37.0	35.9
XQFJRG	12	Z	100	5	11.3	-9.6
XQFJRG	00	Z	100	3	13.1	-4.5
YLV96W	12	Z	100	8	11.0	-6.4
YLV96W	00	Z	100	8	12.4	-6.9
ZVQEQC	12	Z	100	8	8.4	3.1
ZVQEQC	00	Z	100	3	8.0	7.8

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	100	30	3.3	0.3	0.2
01001	00	V	100	24	3.9	-0.4	0.5
01028	12	V	100	31	3.5	-0.5	-0.4
01028	00	V	100	26	2.8	-0.2	-0.4
01400	00	V	100	11	2.6	-0.6	-0.9
01400	12	V	100	8	2.4	0.9	0.1
01415	12	V	100	30	3.6	1.0	0.3
01415	00	V	100	28	2.9	-0.2	0.2
02365	00	V	100	19	3.2	0.1	0.6
02365	12	V	100	19	2.9	0.3	-0.5
02836	12	V	100	31	3.1	-0.5	0.5
02836	00	V	100	28	3.1	-0.1	0.4
02963	00	V	100	29	3.2	-0.5	0.3
02963	12	V	100	31	2.9	-0.1	0.2
03005	12	V	100	30	3.2	1.0	0.4
03005	00	V	100	26	3.0	0.8	0.0
03238	12	V	100	5	2.9	-0.2	-1.0
03238	00	V	100	26	3.4	0.9	0.4
03808	12	V	100	28	3.5	0.6	0.4
03808	00	V	100	27	3.1	-0.3	0.0
03918	00	V	100	29	3.9	1.1	-0.4
03918	12	V	100	5	3.4	-1.4	2.0
03953	12	V	100	31	3.4	0.3	-0.6
03953	00	V	100	28	2.8	0.6	-0.2
04018	12	V	100	21	4.1	-0.8	0.8
04018	00	V	100	21	2.8	-0.9	-0.6
04220	12	V	100	28	3.6	0.1	1.0
04220	00	V	100	28	3.4	-0.4	-0.1
04270	12	V	100	30	2.5	0.0	0.6
04270	00	V	100	29	2.6	0.0	0.3
04320	00	V	100	30	3.3	-0.6	-0.3
04320	12	V	100	30	3.9	-0.1	-0.3
04339	00	V	100	29	3.1	0.6	-0.4
04339	12	V	100	31	2.9	0.0	-0.3
04360	00	V	100	26	2.8	-0.1	0.0
04360	12	V	100	27	2.8	0.6	0.5
06011	00	V	100	20	2.4	0.4	-0.7
06011	12	V	100	20	3.3	0.1	-0.1
06260	12	V	100	4	3.8	1.4	0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	100	29	3.0	0.2	0.1
06610	00	V	100	29	3.7	1.3	-0.5
06610	12	V	100	30	4.4	-0.1	-0.3
07110	12	V	100	28	3.0	0.7	0.1
07110	00	V	100	25	3.5	-0.1	0.2
07510	12	V	100	30	3.6	0.4	-0.2
07510	00	V	100	22	3.3	-0.4	0.3
07645	00	V	100	27	3.7	-0.1	0.2
07645	12	V	100	29	4.0	-0.2	0.9
07761	00	V	100	29	4.7	0.0	-0.1
07761	12	V	100	31	4.7	0.6	-0.1
08001	00	V	100	29	3.9	0.0	0.6
08001	12	V	100	31	3.5	0.7	0.9
08221	12	V	100	31	4.2	0.9	0.5
08221	00	V	100	30	4.3	0.1	0.0
08302	00	V	100	30	4.1	-0.9	-0.2
08302	12	V	100	31	4.1	0.6	-0.3
08508	12	V	100	31	3.8	0.8	0.4
08522	12	V	100	31	4.8	-0.6	-0.2
10035	12	V	100	31	3.2	0.6	0.2
10035	00	V	100	30	3.7	0.0	-0.1
10393	00	V	100	30	2.6	-0.4	0.0
10393	12	V	100	31	3.2	-0.4	0.3
10410	00	V	100	29	2.9	0.3	-0.2
10410	12	V	100	31	3.2	1.3	0.0
10739	12	V	100	31	3.6	0.4	-0.1
10739	00	V	100	29	3.5	0.2	-0.6
11035	12	V	100	31	3.4	0.8	-0.5
11035	00	V	100	28	2.8	0.0	-0.6
12982	00	V	100	26	2.9	-0.4	-0.5
12982	12	V	100	31	3.5	0.6	-0.3
16245	12	V	100	31	4.0	0.7	0.0
16245	00	V	100	29	4.3	0.1	0.2
16429	12	V	100	28	5.1	1.0	-0.2
16429	00	V	100	24	4.2	0.8	-0.5
16622	00	V	100	22	4.1	0.6	1.4
16754	00	V	100	25	3.3	0.0	0.1
17607	12	V	100	17	4.1	0.1	0.0
26435	12	V	100	14	2.9	0.4	-0.1
60018	00	V	100	29	4.2	-0.6	0.1
60018	12	V	100	31	3.5	0.4	-1.1
7JUNA4	12	V	100	11	3.4	1.2	1.4
7JUNA4	00	V	100	8	2.3	0.4	0.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
9ZT9MR	12	V	100	3	3.3	-1.0	2.6
9ZT9MR	00	V	100	2	1.2	0.0	-0.3
ATGU3F	12	V	100	6	3.9	-1.6	-0.4
ATGU3F	00	V	100	5	2.7	0.5	0.4
BPMWB2	12	V	100	5	2.8	-1.3	-1.2
BPMWB2	00	V	100	5	4.2	-1.1	-2.2
FPUW5G	12	V	100	5	2.6	1.1	-0.5
GQBZLZ	00	V	100	1	2.7	2.5	-0.9
GQBZLZ	12	V	100	1	2.2	0.5	-2.1
JNKN7J	00	V	100	7	3.5	0.2	2.0
JNKN7J	12	V	100	10	4.0	-0.3	0.0
KJJF9X	00	V	100	4	2.0	0.1	1.2
KJJF9X	12	V	100	7	3.3	-1.0	0.4
KMPLHP	12	V	100	13	3.4	-1.8	-0.1
KMPLHP	00	V	100	12	3.9	0.0	-0.7
LRYQE3	12	V	100	11	3.5	-1.0	0.2
LRYQE3	00	V	100	10	3.5	-0.1	0.2
UXK5JT	00	V	100	3	3.6	-2.0	2.5
UXK5JT	12	V	100	4	5.2	1.4	-3.4
WDK38H	12	V	100	1	4.0	0.8	-3.9
WDK3HS	12	V	100	1	2.7	-1.3	-2.4
XKQLWQ	12	V	100	21	3.5	0.8	-0.6
XQFJRG	12	V	100	5	3.7	-0.5	0.6
XQFJRG	00	V	100	3	3.2	-1.0	-1.3
YLV96W	12	V	100	8	3.4	1.2	-0.3
YLV96W	00	V	100	8	4.5	-0.1	-1.5
ZVQEQC	12	V	100	8	5.0	-1.0	0.5
ZVQEQC	00	V	100	3	4.9	2.3	1.8

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	500	30	6.7	-1.6
01001	00	Z	500	30	15.2	-13.8
01028	12	Z	500	31	4.4	-0.8
01028	00	Z	500	29	5.0	-0.8
01400	00	Z	500	24	75.9	75.7
01400	12	Z	500	28	78.2	78.0
01415	12	Z	500	31	4.6	2.3
01415	00	Z	500	29	4.0	2.2
02365	00	Z	500	21	4.0	2.7
02365	12	Z	500	20	4.1	2.2
02836	12	Z	500	34	2.6	0.7
02836	00	Z	500	31	2.3	0.4
02963	00	Z	500	31	2.9	0.9
02963	12	Z	500	32	15.8	4.9
03005	12	Z	500	30	5.3	-1.9
03005	00	Z	500	28	4.9	-2.2
03238	12	Z	500	6	1.3	0.7
03238	00	Z	500	30	3.1	0.7
03808	12	Z	500	29	4.8	2.9
03808	00	Z	500	28	3.5	0.9
03918	00	Z	500	30	6.8	6.3
03918	12	Z	500	5	6.9	6.7
03953	12	Z	500	31	6.1	-0.7
03953	00	Z	500	32	4.2	-2.6
04018	12	Z	500	23	4.6	1.2
04018	00	Z	500	22	4.1	2.3
04220	12	Z	500	31	7.1	-5.3
04220	00	Z	500	31	8.8	-6.6
04270	12	Z	500	31	7.0	-5.5
04270	00	Z	500	32	5.8	-4.6
04320	00	Z	500	31	8.6	0.2
04320	12	Z	500	30	6.2	3.2
04339	00	Z	500	31	7.4	-5.9
04339	12	Z	500	31	8.1	-5.2
04360	00	Z	500	28	8.0	-6.1
04360	12	Z	500	29	11.0	-7.4
06011	00	Z	500	27	6.2	1.6
06011	12	Z	500	27	6.0	-1.6
06260	12	Z	500	4	3.3	-0.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	500	31	4.1	-2.2
06610	00	Z	500	32	3.3	0.5
06610	12	Z	500	30	3.2	0.8
07110	12	Z	500	28	29.5	0.9
07110	00	Z	500	28	8.6	-7.6
07510	12	Z	500	31	4.6	2.5
07510	00	Z	500	34	4.4	0.1
07645	00	Z	500	32	10.3	-4.5
07645	12	Z	500	32	7.9	-4.7
07761	00	Z	500	31	10.1	-8.9
07761	12	Z	500	31	7.6	-5.2
08001	00	Z	500	31	4.4	3.5
08001	12	Z	500	31	4.1	2.1
08221	12	Z	500	31	4.9	4.1
08221	00	Z	500	31	4.1	3.0
08302	00	Z	500	31	7.3	-6.3
08302	12	Z	500	31	5.9	-3.4
08508	12	Z	500	31	6.8	4.8
08522	12	Z	500	31	8.8	7.2
10035	12	Z	500	31	10.2	9.8
10035	00	Z	500	32	9.6	8.6
10393	00	Z	500	31	3.3	-2.6
10393	12	Z	500	31	2.8	-1.4
10410	00	Z	500	32	4.4	-3.3
10410	12	Z	500	33	3.8	-2.1
10739	12	Z	500	32	4.6	3.7
10739	00	Z	500	31	5.3	4.1
11035	12	Z	500	32	4.4	-1.0
11035	00	Z	500	31	2.7	-0.1
12982	00	Z	500	31	4.3	1.8
12982	12	Z	500	31	4.7	2.9
16245	12	Z	500	31	3.5	3.0
16245	00	Z	500	31	3.2	1.7
16429	12	Z	500	28	4.3	3.3
16429	00	Z	500	26	3.5	2.9
16622	00	Z	500	30	8.4	7.5
16754	00	Z	500	27	3.4	1.9
17607	12	Z	500	29	3.5	2.6
26435	12	Z	500	15	5.3	-2.7
60018	00	Z	500	31	5.7	3.9
60018	12	Z	500	31	7.2	6.0
7JUNA4	12	Z	500	13	6.1	1.3
7JUNA4	00	Z	500	10	7.6	4.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
9ZT9MR	12	Z	500	3	19.1	-18.1
9ZT9MR	00	Z	500	2	11.6	-11.5
ATGU3F	12	Z	500	7	22.0	-19.4
ATGU3F	00	Z	500	6	23.6	-23.3
BPMWB2	12	Z	500	6	16.6	9.5
BPMWB2	00	Z	500	9	15.4	11.5
FPUW5G	12	Z	500	7	8.8	6.4
GQBZLZ	00	Z	500	1	9.4	-9.4
GQBZLZ	12	Z	500	1	0.0	0.0
JNKN7J	00	Z	500	8	34.0	32.7
JNKN7J	12	Z	500	10	36.8	35.9
KJJF9X	00	Z	500	6	3.4	-0.8
KJJF9X	12	Z	500	7	8.2	-1.5
KMPLHP	12	Z	500	13	64.9	62.3
KMPLHP	00	Z	500	13	61.1	57.7
LRYQE3	12	Z	500	11	5.5	-0.9
LRYQE3	00	Z	500	10	5.5	0.1
UXK5JT	00	Z	500	3	7.8	-0.4
UXK5JT	12	Z	500	4	5.3	-0.3
WDK38H	12	Z	500	1	5.3	5.3
WDK3HS	12	Z	500	1	1.5	-1.5
XKQLWQ	12	Z	500	21	19.5	18.1
XQFJRG	12	Z	500	5	5.3	-3.8
XQFJRG	00	Z	500	4	9.3	-5.2
YLV96W	12	Z	500	10	8.8	-5.0
YLV96W	00	Z	500	10	4.6	-3.1
ZVQEQC	12	Z	500	9	5.6	4.7
ZVQEQC	00	Z	500	3	5.2	4.2

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	500	30	2.5	0.1	0.1
01001	00	V	500	30	2.1	-0.3	-0.1
01028	12	V	500	31	2.7	0.0	0.1
01028	00	V	500	28	2.7	0.0	0.4
01400	00	V	500	23	2.6	0.5	0.0
01400	12	V	500	28	4.2	0.1	-0.8
01415	12	V	500	31	3.6	1.1	-0.7
01415	00	V	500	28	3.2	0.2	-0.5
02365	00	V	500	20	2.6	-0.4	-0.1
02365	12	V	500	20	2.6	0.2	0.2
02836	12	V	500	31	3.1	0.0	-0.5
02836	00	V	500	30	2.3	0.0	-0.7
02963	00	V	500	30	2.1	0.5	0.0
02963	12	V	500	31	2.5	0.4	0.1
03005	12	V	500	30	3.4	0.0	0.2
03005	00	V	500	27	2.7	0.2	-0.3
03238	12	V	500	5	2.6	0.9	1.3
03238	00	V	500	29	3.1	0.2	-0.1
03808	12	V	500	28	2.6	0.7	-0.4
03808	00	V	500	27	3.6	0.5	0.2
03918	00	V	500	29	3.0	0.3	0.2
03918	12	V	500	5	3.8	0.2	1.0
03953	12	V	500	31	2.9	0.0	-0.2
03953	00	V	500	30	3.5	0.3	-0.5
04018	12	V	500	23	2.5	0.4	0.4
04018	00	V	500	21	2.9	-0.3	-0.6
04220	12	V	500	30	2.2	-0.2	0.5
04220	00	V	500	30	2.3	0.2	0.0
04270	12	V	500	31	2.5	0.4	0.0
04270	00	V	500	30	2.3	0.0	-0.2
04320	00	V	500	30	3.3	-0.4	0.7
04320	12	V	500	30	2.2	-0.1	0.4
04339	00	V	500	30	2.9	1.0	-0.5
04339	12	V	500	31	2.7	0.2	-0.4
04360	00	V	500	27	2.3	-0.2	-0.1
04360	12	V	500	28	2.7	-0.4	0.3
06011	00	V	500	26	3.3	-0.2	0.4
06011	12	V	500	27	2.5	0.7	-0.2
06260	12	V	500	4	2.1	0.4	1.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	500	30	2.4	0.3	-0.1
06610	00	V	500	30	2.6	0.2	0.0
06610	12	V	500	30	2.9	1.1	0.3
07110	12	V	500	28	2.7	0.4	0.0
07110	00	V	500	27	3.5	1.1	0.1
07510	12	V	500	31	4.1	1.7	0.2
07510	00	V	500	28	3.0	0.4	-0.1
07645	00	V	500	30	2.7	0.9	-0.2
07645	12	V	500	31	3.1	0.0	0.1
07761	00	V	500	30	2.5	1.1	0.1
07761	12	V	500	31	3.1	0.5	-0.7
08001	00	V	500	30	4.5	0.7	0.1
08001	12	V	500	31	3.5	0.6	-0.9
08221	12	V	500	31	3.4	0.4	-0.2
08221	00	V	500	30	3.0	0.7	-0.4
08302	00	V	500	30	2.7	0.2	0.3
08302	12	V	500	31	2.6	0.3	-0.1
08508	12	V	500	31	3.3	1.0	-0.5
08522	12	V	500	31	3.1	0.3	-0.9
10035	12	V	500	31	2.6	0.3	-0.7
10035	00	V	500	30	2.9	0.0	-0.7
10393	00	V	500	30	2.2	0.2	-0.2
10393	12	V	500	31	3.0	-0.3	0.0
10410	00	V	500	30	2.7	0.1	-0.5
10410	12	V	500	31	2.5	0.1	-0.3
10739	12	V	500	31	3.1	0.0	0.2
10739	00	V	500	29	2.3	0.6	0.2
11035	12	V	500	31	2.6	0.2	-0.2
11035	00	V	500	30	2.8	0.2	0.2
12982	00	V	500	30	3.4	-0.7	-0.2
12982	12	V	500	31	2.5	0.2	0.5
16245	12	V	500	31	3.1	0.1	-0.2
16245	00	V	500	30	3.7	-0.3	0.4
16429	12	V	500	28	3.8	0.8	0.1
16429	00	V	500	25	2.5	-0.1	0.1
16622	00	V	500	29	2.3	0.1	-0.6
16754	00	V	500	26	2.5	0.6	0.4
17607	12	V	500	22	2.9	-0.3	-0.3
26435	12	V	500	15	2.7	0.1	0.1
60018	00	V	500	30	3.3	-0.2	-0.2
60018	12	V	500	31	3.1	0.8	-0.5
7JUNA4	12	V	500	13	2.1	0.3	-0.5
7JUNA4	00	V	500	10	2.4	-1.1	0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
9ZT9MR	12	V	500	3	1.6	1.2	-0.3
9ZT9MR	00	V	500	2	2.9	0.3	-1.0
ATGU3F	12	V	500	7	2.4	0.0	0.7
ATGU3F	00	V	500	6	2.1	-0.3	0.2
BPMWB2	12	V	500	6	3.7	0.8	0.7
BPMWB2	00	V	500	9	2.3	0.9	0.5
FPUW5G	12	V	500	7	3.3	-0.2	1.2
GQBZLZ	00	V	500	1	1.2	-1.1	-0.5
GQBZLZ	12	V	500	1	2.8	2.7	0.6
JNKN7J	00	V	500	8	2.9	-0.6	0.3
JNKN7J	12	V	500	10	1.8	-0.6	0.1
KJJF9X	00	V	500	6	2.1	-0.6	1.0
KJJF9X	12	V	500	7	2.4	0.8	0.9
KMPLHP	12	V	500	13	4.0	-0.3	-0.2
KMPLHP	00	V	500	13	3.8	0.0	0.3
LRYQE3	12	V	500	11	1.9	0.6	-0.2
LRYQE3	00	V	500	10	2.6	1.0	0.5
UXK5JT	00	V	500	3	1.4	0.5	-0.8
UXK5JT	12	V	500	4	2.9	1.4	-1.2
WDK38H	12	V	500	1	4.5	2.5	-3.8
WDK3HS	12	V	500	1	1.8	-0.9	-1.6
XKQLWQ	12	V	500	21	5.0	1.7	-0.1
XQFJRG	12	V	500	5	3.1	-1.5	-0.4
XQFJRG	00	V	500	4	2.1	1.3	0.5
YLV96W	12	V	500	10	3.1	-0.1	1.0
YLV96W	00	V	500	10	2.6	0.0	0.7
ZVQEQC	12	V	500	9	3.2	-1.1	-0.4
ZVQEQC	00	V	500	3	1.4	-1.1	0.6

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	850	30	4.4	-3.5
01001	00	Z	850	30	12.7	-11.6
01028	12	Z	850	31	4.0	-1.0
01028	00	Z	850	29	4.0	-1.3
01400	00	Z	850	24	75.8	75.6
01400	12	Z	850	28	77.8	77.7
01415	12	Z	850	31	3.8	2.5
01415	00	Z	850	29	3.4	2.1
02365	00	Z	850	21	3.9	3.0
02365	12	Z	850	20	3.6	2.5
02836	12	Z	850	34	2.7	-0.2
02836	00	Z	850	31	2.3	0.7
02963	00	Z	850	31	2.4	1.3
02963	12	Z	850	32	2.4	1.5
03005	12	Z	850	30	4.1	-1.0
03005	00	Z	850	28	3.5	-2.4
03238	12	Z	850	6	2.1	-0.1
03238	00	Z	850	30	2.3	1.2
03808	12	Z	850	29	2.5	1.4
03808	00	Z	850	28	2.5	1.0
03918	00	Z	850	30	6.5	6.2
03918	12	Z	850	5	6.6	6.2
03953	12	Z	850	31	4.5	0.3
03953	00	Z	850	32	2.8	-1.9
04018	12	Z	850	23	3.5	-0.8
04018	00	Z	850	22	3.0	0.0
04220	12	Z	850	30	5.4	-4.1
04220	00	Z	850	31	6.2	-4.6
04270	12	Z	850	31	7.1	-6.4
04270	00	Z	850	32	7.1	-6.4
04320	00	Z	850	31	9.7	-3.2
04320	12	Z	850	30	4.2	-0.9
04339	00	Z	850	31	8.7	-7.9
04339	12	Z	850	31	8.4	-6.8
04360	00	Z	850	28	11.9	-10.3
04360	12	Z	850	29	15.4	-11.7
06011	00	Z	850	30	3.1	-1.1
06011	12	Z	850	27	4.2	-1.8
06260	12	Z	850	4	1.6	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06260	00	Z	850	31	2.7	-1.6
06610	00	Z	850	32	3.2	-0.5
06610	12	Z	850	30	2.4	-0.1
07110	12	Z	850	29	5.5	-3.1
07110	00	Z	850	28	5.3	-4.2
07510	12	Z	850	31	3.3	1.0
07510	00	Z	850	35	3.0	0.5
07645	00	Z	850	32	4.5	-3.3
07645	12	Z	850	32	4.7	-3.2
07761	00	Z	850	30	5.9	-5.3
07761	12	Z	850	31	4.3	-3.7
08001	00	Z	850	31	2.2	0.8
08001	12	Z	850	31	2.5	0.1
08221	12	Z	850	31	2.3	0.3
08221	00	Z	850	31	3.5	2.5
08302	00	Z	850	31	8.5	-8.3
08302	12	Z	850	31	8.8	-8.4
08508	12	Z	850	31	5.9	3.9
08522	12	Z	850	31	3.7	3.1
10035	12	Z	850	31	10.7	10.5
10035	00	Z	850	32	10.5	10.1
10393	00	Z	850	31	2.5	-1.4
10393	12	Z	850	31	2.1	-1.2
10410	00	Z	850	32	3.0	-2.2
10410	12	Z	850	33	3.0	-2.2
10739	12	Z	850	32	3.5	1.6
10739	00	Z	850	31	3.2	1.6
11035	12	Z	850	32	3.2	-0.4
11035	00	Z	850	31	3.2	-0.7
12982	00	Z	850	31	2.3	0.9
12982	12	Z	850	31	2.8	1.4
16245	12	Z	850	31	3.2	2.3
16245	00	Z	850	31	2.6	1.3
16429	12	Z	850	28	3.0	2.0
16429	00	Z	850	26	2.1	1.2
16622	00	Z	850	31	7.1	6.4
16754	00	Z	850	27	2.7	0.4
17607	12	Z	850	29	2.2	1.5
26435	12	Z	850	15	2.8	-1.9
60018	00	Z	850	31	3.9	2.6
60018	12	Z	850	31	3.4	2.2
7JUNA4	12	Z	850	14	8.0	1.8
7JUNA4	00	Z	850	10	9.0	3.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
9ZT9MR	12	Z	850	4	11.9	-11.4
9ZT9MR	00	Z	850	2	6.0	-6.0
ATGU3F	12	Z	850	8	22.4	-21.2
ATGU3F	00	Z	850	8	24.9	-24.7
BPMWB2	12	Z	850	6	12.0	7.1
BPMWB2	00	Z	850	9	14.9	12.5
FPUW5G	12	Z	850	7	6.5	2.3
GQBZLZ	00	Z	850	1	12.0	-12.0
GQBZLZ	12	Z	850	1	28.0	28.0
JNKN7J	00	Z	850	8	37.7	36.5
JNKN7J	12	Z	850	10	39.1	38.7
KJFF9X	00	Z	850	7	4.8	-1.3
KJFF9X	12	Z	850	7	4.8	0.5
KMPLHP	12	Z	850	13	68.1	66.5
KMPLHP	00	Z	850	13	69.6	65.6
LRYQE3	12	Z	850	11	5.7	0.5
LRYQE3	00	Z	850	10	4.3	1.6
UXK5JT	00	Z	850	3	5.4	-1.6
UXK5JT	12	Z	850	4	2.3	-0.3
WDK38H	12	Z	850	1	5.2	5.2
WDK3HS	12	Z	850	1	2.0	-2.0
XKQLWQ	12	Z	850	21	12.6	10.4
XQFJRG	12	Z	850	6	6.5	-5.7
XQFJRG	00	Z	850	4	6.8	-4.8
YLV96W	12	Z	850	11	6.8	-2.4
YLV96W	00	Z	850	10	6.1	-3.8
ZVQEQC	12	Z	850	9	4.6	3.8
ZVQEQC	00	Z	850	3	3.3	-0.8

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	850	30	3.4	-0.1	-0.5
01001	00	V	850	30	4.5	-0.5	-1.3
01028	12	V	850	31	3.1	0.0	0.0
01028	00	V	850	28	2.5	0.2	-0.4
01400	00	V	850	24	2.1	0.5	0.0
01400	12	V	850	28	2.0	0.0	0.0
01415	12	V	850	31	2.9	-0.1	0.1
01415	00	V	850	28	2.5	0.2	0.3
02365	00	V	850	20	2.3	0.1	0.1
02365	12	V	850	20	2.6	-0.1	0.0
02836	12	V	850	31	2.5	0.2	-0.1
02836	00	V	850	30	3.2	-0.2	0.1
02963	00	V	850	30	2.4	0.6	0.2
02963	12	V	850	31	2.3	-0.7	-0.1
03005	12	V	850	30	2.8	-0.1	0.2
03005	00	V	850	27	2.8	-0.4	0.6
03238	12	V	850	5	3.0	1.4	0.8
03238	00	V	850	29	2.4	-0.6	-0.1
03808	12	V	850	28	2.6	0.1	-0.6
03808	00	V	850	27	2.9	0.2	0.1
03918	00	V	850	29	2.3	-0.8	-0.1
03918	12	V	850	5	2.1	0.0	-0.1
03953	12	V	850	31	2.7	0.2	0.1
03953	00	V	850	30	2.6	0.3	0.2
04018	12	V	850	23	3.0	-0.3	-0.3
04018	00	V	850	21	3.7	-0.1	0.1
04220	12	V	850	29	3.0	-0.5	0.1
04220	00	V	850	30	3.1	0.4	0.0
04270	12	V	850	31	3.4	-0.8	-0.7
04270	00	V	850	30	4.1	0.0	-0.3
04320	00	V	850	30	3.4	1.1	0.2
04320	12	V	850	30	3.0	1.1	-0.2
04339	00	V	850	30	3.8	0.7	0.5
04339	12	V	850	31	3.3	0.1	-0.1
04360	00	V	850	27	3.6	1.7	0.6
04360	12	V	850	28	4.5	0.0	0.0
06011	00	V	850	28	5.2	-0.2	-0.5
06011	12	V	850	27	2.6	0.4	0.4
06260	12	V	850	4	2.0	-0.2	-1.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06260	00	V	850	30	2.1	-0.1	-0.1
06610	00	V	850	30	3.5	1.1	-0.1
06610	12	V	850	30	2.4	0.2	-0.4
07110	12	V	850	28	3.3	-0.6	0.1
07110	00	V	850	27	2.9	0.2	-0.1
07510	12	V	850	31	3.0	-0.5	-0.1
07510	00	V	850	29	2.6	0.1	0.4
07645	00	V	850	30	3.3	-0.2	0.0
07645	12	V	850	31	3.0	0.0	0.6
07761	00	V	850	29	3.0	-0.9	-0.3
07761	12	V	850	31	2.9	-0.1	-0.5
08001	00	V	850	30	3.5	0.2	0.0
08001	12	V	850	31	3.0	-0.1	0.0
08221	12	V	850	31	3.1	1.3	-1.1
08221	00	V	850	30	3.4	0.4	-0.7
08302	00	V	850	30	2.6	0.1	0.3
08302	12	V	850	31	2.4	-0.3	0.7
08508	12	V	850	31	3.3	0.2	-1.0
08522	12	V	850	31	3.6	0.7	-0.8
10035	12	V	850	31	2.6	0.1	0.0
10035	00	V	850	30	3.0	0.1	-0.2
10393	00	V	850	30	2.5	0.1	0.2
10393	12	V	850	31	2.4	-0.1	-0.3
10410	00	V	850	30	2.2	0.2	0.2
10410	12	V	850	31	2.6	0.2	0.3
10739	12	V	850	31	3.1	-0.3	-0.9
10739	00	V	850	29	3.3	-0.3	0.1
11035	12	V	850	31	3.3	0.0	0.1
11035	00	V	850	30	3.0	0.2	0.3
12982	00	V	850	30	2.8	0.2	-0.4
12982	12	V	850	31	2.4	-0.3	-0.1
16245	12	V	850	31	3.0	-0.3	0.2
16245	00	V	850	30	3.8	1.2	0.2
16429	12	V	850	28	2.6	-0.2	0.7
16429	00	V	850	25	2.7	0.1	0.3
16622	00	V	850	30	3.2	0.2	-0.1
16754	00	V	850	26	2.7	0.3	-0.2
17607	12	V	850	27	2.1	0.6	-0.2
26435	12	V	850	15	2.6	0.3	-0.1
60018	00	V	850	30	3.4	0.5	-0.1
60018	12	V	850	31	3.3	0.2	-0.7
7JUNA4	12	V	850	14	4.2	-0.3	-0.8
7JUNA4	00	V	850	10	1.9	-0.8	0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
9ZT9MR	12	V	850	4	2.8	-0.8	2.2
9ZT9MR	00	V	850	2	1.6	-1.5	-0.3
ATGU3F	12	V	850	8	2.0	0.0	-0.4
ATGU3F	00	V	850	7	2.8	0.2	0.3
BPMWB2	12	V	850	6	3.4	0.6	-0.4
BPMWB2	00	V	850	9	2.5	0.0	-0.1
FPUW5G	12	V	850	7	2.9	0.6	0.0
GQBZLZ	00	V	850	1	1.3	0.2	1.3
GQBZLZ	12	V	850	1	14.7	-8.2	12.2
JNKN7J	00	V	850	8	2.9	0.7	0.3
JNKN7J	12	V	850	10	2.1	-0.7	0.4
KJFF9X	00	V	850	7	3.6	-0.4	-1.0
KJFF9X	12	V	850	7	4.4	0.9	-2.8
KMPLHP	12	V	850	13	3.3	1.2	-0.9
KMPLHP	00	V	850	13	4.0	0.6	-0.1
LRYQE3	12	V	850	11	2.0	0.1	0.1
LRYQE3	00	V	850	10	2.6	-0.2	0.6
UXK5JT	00	V	850	3	2.2	-0.7	0.4
UXK5JT	12	V	850	4	2.3	0.4	-0.1
WDK38H	12	V	850	1	2.3	1.8	-1.5
WDK3HS	12	V	850	1	2.5	2.1	-1.4
XKQLWQ	12	V	850	21	4.9	0.2	-0.5
XQFJRG	12	V	850	6	2.1	0.6	0.3
XQFJRG	00	V	850	4	1.8	-0.4	0.7
YLV96W	12	V	850	11	3.6	-1.0	0.3
YLV96W	00	V	850	10	3.7	0.4	-0.2
ZVQEQC	12	V	850	9	3.2	0.9	-0.7
ZVQEQC	00	V	850	3	3.3	1.5	-1.3

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
03380	99	P	SUR	54	0	1487	0	0.3	-0.4	0.5
1300001	99	P	SUR	11	-23	614	0	0.3	0.3	0.4
1300008	99	P	SUR	15	-38	620	0	0.3	0.2	0.3
1300130	99	P	SUR	28	-16	742	0	0.4	0.3	0.5
1300131	99	P	SUR	28	-17	744	0	0.4	0.1	0.4
1301603	99	P	SUR	32	-48	744	0	0.8	0.2	0.8
1301608	99	P	SUR	31	-49	744	0	1.0	0.3	1.1
1301610	99	P	SUR	53	-10	595	0	0.4	-0.3	0.5
1301612	99	P	SUR	26	-62	744	0	0.3	-0.6	0.7
1301619	99	P	SUR	38	-67	737	9	2.9	-0.9	3.0
1301624	99	P	SUR	12	-46	166	0	0.3	-0.1	0.3
1301629	99	P	SUR	19	-29	744	0	0.3	0.2	0.3
1301699	99	P	SUR	27	-31	721	0	0.3	-0.6	0.7
1301700	99	P	SUR	21	-58	721	0	0.3	-0.3	0.4
1301706	99	P	SUR	23	-51	715	0	0.3	-0.1	0.3
1301708	99	P	SUR	14	-17	472	0	0.2	-0.5	0.5
1301710	99	P	SUR	11	-23	731	0	0.3	0.2	0.4
1301712	99	P	SUR	25	-48	732	0	0.3	-0.1	0.3
1301713	99	P	SUR	16	-48	730	0	0.3	0.0	0.3
1301714	99	P	SUR	26	-48	729	0	0.3	0.0	0.3
1301718	99	P	SUR	27	-38	731	0	0.4	0.1	0.4
1301719	99	P	SUR	21	-42	726	0	0.3	0.5	0.5
1301720	99	P	SUR	25	-26	726	0	0.4	0.3	0.5
1301721	99	P	SUR	30	-19	355	0	0.3	-0.2	0.4
1301722	99	P	SUR	25	-43	732	0	0.4	-0.2	0.4
1301723	99	P	SUR	35	-11	732	0	0.3	0.7	0.8
1301724	99	P	SUR	35	-8	729	0	0.4	-0.1	0.4
1301725	99	P	SUR	24	-22	723	0	0.3	0.1	0.3
1301726	99	P	SUR	25	-30	726	0	0.3	0.1	0.3
1301728	99	P	SUR	12	-24	730	0	0.3	0.3	0.4
1301731	99	P	SUR	25	-27	739	0	0.3	0.3	0.4
1301735	99	P	SUR	26	-42	725	0	0.4	-0.5	0.6
1301736	99	P	SUR	27	-44	728	0	0.4	0.2	0.4
1301737	99	P	SUR	26	-53	725	0	0.5	0.0	0.5
1301756	99	P	SUR	11	-64	734	0	0.3	-0.7	0.7
1301763	99	P	SUR	12	-27	2	2	0.0	0.0	0.0

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1301765	99	P	SUR	22	-21	731	0	0.3	0.2	0.3
1301766	99	P	SUR	19	-23	729	0	0.3	0.1	0.3
1301768	99	P	SUR	25	-18	731	0	0.3	0.1	0.3
1501772	99	P	SUR	12	-38	733	0	0.3	0.0	0.3
3801561	99	P	SUR	44	-68	736	0	0.6	0.4	0.7
3801562	99	P	SUR	42	-70	434	1	3.6	-0.3	3.6
4100043	99	P	SUR	21	-65	4352	0	0.3	-1.6	1.6
4100044	99	P	SUR	22	-59	4421	0	0.3	0.3	0.4
4100046	99	P	SUR	24	-68	4417	0	0.3	0.3	0.4
4100048	99	P	SUR	32	-70	4435	0	0.4	0.2	0.5
4100049	99	P	SUR	27	-63	4391	0	0.3	-1.5	1.6
4100053	99	P	SUR	18	-66	4385	0	0.3	-0.8	0.9
4100056	99	P	SUR	18	-65	3316	0	0.3	-1.1	1.1
4100139	99	P	SUR	20	-38	742	0	0.3	0.2	0.3
4100300	99	P	SUR	16	-57	709	0	0.3	0.0	0.3
4101613	99	P	SUR	30	-56	744	0	0.4	0.3	0.5
4101616	99	P	SUR	30	-43	744	0	0.5	-0.1	0.5
4101618	99	P	SUR	26	-48	744	0	0.4	0.1	0.4
4101663	99	P	SUR	28	-34	744	0	0.4	-0.2	0.4
4101665	99	P	SUR	71	3	704	0	0.5	-0.3	0.6
4101696	99	P	SUR	32	-36	744	0	0.4	-0.2	0.4
4101702	99	P	SUR	32	-28	450	2	3.5	-0.1	3.5
4101717	99	P	SUR	16	-44	743	0	1.5	-0.2	1.5
4101719	99	P	SUR	38	-18	744	0	0.4	0.1	0.4
4101723	99	P	SUR	24	-66	743	0	0.3	0.0	0.3
4101724	99	P	SUR	25	-65	744	0	0.3	-0.4	0.5
4101725	99	P	SUR	18	-63	744	0	0.2	-0.2	0.3
4101727	99	P	SUR	34	-19	744	0	0.5	-0.1	0.5
4101728	99	P	SUR	30	-40	744	0	0.4	0.4	0.6
4101729	99	P	SUR	32	-45	744	0	0.5	0.2	0.5
4101743	99	P	SUR	35	-43	743	0	0.8	0.2	0.9
4101753	99	P	SUR	32	-54	743	7	3.0	-0.3	3.0
4101755	99	P	SUR	32	-64	744	0	1.1	0.1	1.1
4101756	99	P	SUR	12	-62	650	0	0.3	-0.7	0.8
4101842	99	P	SUR	69	16	716	0	0.5	-0.5	0.8
4101843	99	P	SUR	72	6	720	0	0.4	-0.2	0.5
4101844	99	P	SUR	19	-62	713	0	0.3	0.2	0.3
4101845	99	P	SUR	68	4	717	0	0.6	-0.2	0.6
4101848	99	P	SUR	28	-65	722	0	0.3	0.2	0.3
4101850	99	P	SUR	43	-9	713	0	0.5	-0.1	0.5
4101851	99	P	SUR	26	-57	716	0	0.4	0.0	0.4
4102547	99	P	SUR	26	-60	708	0	0.4	0.2	0.5
4102549	99	P	SUR	23	-67	714	0	0.3	0.3	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4102551	99	P	SUR	19	-61	626	0	0.3	-0.1	0.3
4102558	99	P	SUR	13	-61	727	0	0.3	-0.4	0.5
4102559	99	P	SUR	18	-65	731	0	0.2	-0.1	0.3
4102560	99	P	SUR	15	-61	728	0	0.3	-0.8	0.8
41043	99	P	SUR	21	-65	742	0	0.4	-1.6	1.7
41044	99	P	SUR	22	-59	739	0	0.4	0.3	0.5
41046	99	P	SUR	24	-68	744	0	0.4	0.3	0.5
41048	99	P	SUR	32	-70	740	0	0.5	0.2	0.5
41049	99	P	SUR	28	-63	742	0	0.4	-1.5	1.6
41053	99	P	SUR	19	-66	739	0	0.4	-0.8	0.9
41056	99	P	SUR	18	-66	588	0	0.3	-1.2	1.2
4200059	99	P	SUR	15	-67	4407	0	0.3	0.0	0.3
4200060	99	P	SUR	16	-63	4238	0	0.2	0.1	0.2
4200085	99	P	SUR	18	-67	3270	0	0.2	-0.9	0.9
4201703	99	P	SUR	42	-22	707	0	0.4	0.0	0.5
42059	99	P	SUR	15	-68	735	0	0.4	0.0	0.4
42060	99	P	SUR	16	-63	672	0	0.4	0.1	0.4
42085	99	P	SUR	18	-67	727	0	0.3	-0.9	0.9
4400005	99	P	SUR	43	-69	740	0	0.6	-0.4	0.8
4400008	99	P	SUR	40	-69	4418	0	0.5	-1.2	1.3
4400011	99	P	SUR	41	-67	4429	0	0.5	0.2	0.5
4400027	99	P	SUR	44	-67	4408	0	0.6	-0.4	0.7
4400032	99	P	SUR	44	-69	723	0	0.5	-0.8	1.0
4400033	99	P	SUR	44	-69	354	0	0.5	-1.2	1.3
4400034	99	P	SUR	44	-68	522	4	5.2	-2.9	5.9
4400137	99	P	SUR	42	-62	301	0	0.7	-0.4	0.8
4400139	99	P	SUR	44	-57	331	0	0.4	0.1	0.4
4400150	99	P	SUR	43	-64	736	0	0.6	-0.4	0.7
44005	99	P	SUR	43	-69	743	0	0.6	-0.4	0.8
4400777	99	P	SUR	31	-31	744	0	0.5	0.0	0.5
44008	99	P	SUR	41	-69	737	0	0.6	-1.2	1.3
4400857	99	P	SUR	34	-35	577	0	0.5	-0.2	0.5
44011	99	P	SUR	41	-67	744	0	0.6	0.2	0.6
4401563	99	P	SUR	21	-67	647	0	1.9	-1.3	2.3
4401576	99	P	SUR	28	-69	743	0	0.5	-0.2	0.6
4401581	99	P	SUR	30	-63	743	0	0.4	-0.2	0.4
4401582	99	P	SUR	32	-30	744	0	0.4	0.2	0.4
4401584	99	P	SUR	29	-36	744	0	0.3	0.6	0.7
4401585	99	P	SUR	23	-37	743	0	0.3	0.4	0.5
4401587	99	P	SUR	74	4	744	0	0.6	0.3	0.6
4401588	99	P	SUR	68	-16	744	0	0.5	0.0	0.5
4401859	99	P	SUR	17	-60	420	0	0.3	-0.1	0.3
4401863	99	P	SUR	15	-55	716	0	0.3	-1.0	1.1

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4401864	99	P	SUR	21	-60	696	0	0.3	0.0	0.3
4401867	99	P	SUR	35	-55	744	0	0.5	-0.2	0.5
4401872	99	P	SUR	31	-61	744	0	0.4	-0.2	0.4
4401874	99	P	SUR	26	-63	744	0	0.4	-0.2	0.4
4402603	99	P	SUR	63	-2	709	0	0.4	-0.1	0.4
4402604	99	P	SUR	44	-19	730	0	0.4	-0.2	0.4
4402606	99	P	SUR	61	-21	705	0	0.4	-0.1	0.4
4402607	99	P	SUR	46	-15	696	0	0.4	-0.3	0.5
4402608	99	P	SUR	61	-42	218	0	0.4	0.3	0.5
4402609	99	P	SUR	63	-27	720	0	0.5	0.0	0.5
4402611	99	P	SUR	49	-17	703	0	0.4	-0.2	0.5
4402613	99	P	SUR	41	-17	708	0	0.5	-0.3	0.6
4402615	99	P	SUR	46	-8	284	0	2.5	4.8	5.4
4402618	99	P	SUR	33	-61	727	0	0.4	0.0	0.4
4402656	99	P	SUR	35	-34	701	37	2.6	-0.2	2.6
4402660	99	P	SUR	29	-20	736	0	0.3	0.3	0.4
4402663	99	P	SUR	40	-12	716	0	0.4	-0.1	0.4
4402670	99	P	SUR	22	-42	715	0	0.3	-0.1	0.3
4402671	99	P	SUR	19	-63	717	0	0.2	0.0	0.2
4402672	99	P	SUR	19	-46	719	0	0.3	-0.1	0.3
4402673	99	P	SUR	15	-49	719	0	0.3	0.2	0.3
4402674	99	P	SUR	17	-55	712	0	0.3	0.1	0.3
4402675	99	P	SUR	29	-33	705	0	0.4	0.0	0.4
4402676	99	P	SUR	28	-38	710	0	0.4	0.2	0.4
44027	99	P	SUR	44	-67	735	0	0.7	-0.4	0.8
4402721	99	P	SUR	47	-19	729	0	0.4	0.0	0.4
4402723	99	P	SUR	44	-54	356	0	0.6	0.2	0.7
4402726	99	P	SUR	51	-39	725	0	0.4	0.0	0.4
4402727	99	P	SUR	55	-20	732	0	0.5	-0.3	0.5
4402732	99	P	SUR	43	-51	728	0	0.6	0.3	0.6
4402733	99	P	SUR	52	-54	726	0	0.5	0.2	0.5
4402734	99	P	SUR	48	-52	558	0	0.5	0.1	0.5
4402735	99	P	SUR	48	-51	731	0	0.4	0.0	0.4
4402736	99	P	SUR	43	-49	741	0	0.5	0.3	0.6
4402742	99	P	SUR	50	-41	726	0	0.4	-0.1	0.4
4402743	99	P	SUR	45	-52	733	0	0.4	-0.5	0.7
4402744	99	P	SUR	44	-52	728	0	0.5	0.2	0.5
4402746	99	P	SUR	46	-47	742	0	0.5	0.1	0.5
4402747	99	P	SUR	64	-68	10	1	2.9	-4.7	5.6
4402749	99	P	SUR	53	-45	731	0	0.4	-0.1	0.4
4402750	99	P	SUR	54	-42	724	0	0.4	-0.3	0.5
4402878	99	P	SUR	42	-62	706	0	0.6	0.5	0.8
4402880	99	P	SUR	42	-57	715	0	0.8	0.4	0.9

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44032	99	P	SUR	44	-69	726	0	0.5	-0.9	1.0
44033	99	P	SUR	44	-69	356	0	0.5	-1.2	1.3
44034	99	P	SUR	44	-68	524	4	5.1	-2.9	5.9
4403556	99	P	SUR	49	-6	741	41	3.4	-0.6	3.5
4403557	99	P	SUR	57	-10	723	0	0.5	0.5	0.7
4403558	99	P	SUR	48	-18	737	0	0.5	-0.1	0.5
4403568	99	P	SUR	45	-54	741	0	0.5	0.4	0.6
4403569	99	P	SUR	44	-44	738	0	0.7	0.3	0.7
44078	99	P	SUR	60	-40	374	0	0.5	-0.9	1.0
44137	99	P	SUR	42	-62	300	0	0.8	-0.4	0.9
44139	99	P	SUR	44	-57	330	0	0.5	0.1	0.5
44150	99	P	SUR	43	-64	736	0	0.6	-0.4	0.7
44258	99	P	SUR	45	-63	723	0	0.5	-0.2	0.6
44488	99	P	SUR	45	-61	738	0	0.4	0.0	0.5
44489	99	P	SUR	46	-61	690	0	0.4	0.0	0.4
4601782	99	P	SUR	40	-27	691	0	0.4	0.3	0.5
4601812	99	P	SUR	88	-55	730	0	0.7	0.5	0.9
4601813	99	P	SUR	82	22	455	10	1.0	0.2	1.0
4601817	99	P	SUR	86	14	728	0	0.7	0.3	0.8
4701518	99	P	SUR	75	-19	314	0	0.6	0.2	0.6
4701738	99	P	SUR	70	-67	723	657	2.1	11.7	11.8
4801658	99	P	SUR	83	-70	709	0	0.6	0.0	0.6
4801668	99	P	SUR	77	-11	709	0	0.8	0.2	0.8
4801723	99	P	SUR	73	33	742	0	0.4	0.1	0.5
4801761	99	P	SUR	78	-5	741	0	1.0	0.0	1.0
4801763	99	P	SUR	85	-56	740	0	0.7	-0.2	0.8
4801765	99	P	SUR	85	-55	739	0	0.8	0.0	0.8
4801767	99	P	SUR	81	-6	741	0	0.8	-0.5	0.9
4801770	99	P	SUR	85	-25	741	0	0.6	0.0	0.6
4801771	99	P	SUR	82	-60	741	0	0.8	0.0	0.8
4802506	99	P	SUR	84	-17	741	0	0.7	0.7	1.0
4802602	99	P	SUR	88	2	707	0	0.6	0.2	0.6
4802663	99	P	SUR	84	-59	741	0	0.6	0.1	0.6
4803978	99	P	SUR	88	-69	741	0	0.7	-0.2	0.8
5801965	99	P	SUR	45	-67	721	0	0.8	-1.2	1.4
6100001	99	P	SUR	43	8	743	0	0.5	-0.3	0.6
6100002	99	P	SUR	42	5	742	0	0.4	-0.2	0.5
6100196	99	P	SUR	42	4	741	0	0.5	0.2	0.5
6100197	99	P	SUR	40	4	744	0	0.3	0.4	0.5
6100198	99	P	SUR	37	-2	744	0	0.5	0.5	0.7
6100280	99	P	SUR	41	1	744	0	0.4	0.3	0.5
6100281	99	P	SUR	40	0	744	0	0.4	0.3	0.5
6100417	99	P	SUR	38	0	744	0	0.3	0.5	0.6

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6100430	99	P	SUR	40	2	744	0	0.3	0.2	0.4
6101007	99	P	SUR	36	25	74	0	0.4	-0.6	0.7
6101008	99	P	SUR	37	22	60	0	0.5	-0.2	0.5
6101009	99	P	SUR	35	25	76	0	0.4	-0.5	0.7
6102731	99	P	SUR	38	20	458	0	0.8	-0.1	0.8
6102732	99	P	SUR	37	18	733	0	0.4	0.0	0.4
6102733	99	P	SUR	39	20	741	0	0.5	-0.3	0.6
6102804	99	P	SUR	40	3	735	0	0.4	-7.1	7.1
6102805	99	P	SUR	41	8	730	0	0.3	-0.1	0.4
6102806	99	P	SUR	40	7	740	0	0.3	-0.3	0.5
6102807	99	P	SUR	40	2	727	0	0.4	-0.1	0.4
6102809	99	P	SUR	39	3	728	0	0.4	-0.7	0.8
6102810	99	P	SUR	39	1	734	0	0.6	-0.3	0.7
6102811	99	P	SUR	39	2	740	0	0.4	0.0	0.4
6200001	99	P	SUR	45	-5	732	0	0.5	0.1	0.5
6200024	99	P	SUR	44	-3	657	0	0.5	0.2	0.5
6200025	99	P	SUR	44	-6	733	0	0.5	0.1	0.5
6200082	99	P	SUR	44	-8	737	0	0.5	0.0	0.5
6200083	99	P	SUR	43	-9	652	0	2.1	1.7	2.7
6200084	99	P	SUR	42	-9	726	0	0.5	0.1	0.5
6200085	99	P	SUR	36	-7	276	0	0.6	0.1	0.6
6200086	99	P	SUR	55	6	190	0	0.3	-0.5	0.6
6200087	99	P	SUR	55	7	493	0	0.4	-0.6	0.8
6200091	99	P	SUR	53	-5	741	0	0.4	-0.3	0.5
6200092	99	P	SUR	51	-11	741	0	0.4	-0.3	0.5
6200093	99	P	SUR	55	-10	741	0	0.4	-0.4	0.6
6200094	99	P	SUR	52	-7	741	0	0.4	-0.2	0.4
6200095	99	P	SUR	53	-16	741	0	0.4	-0.4	0.6
6200191	99	P	SUR	41	-10	241	0	0.5	-0.1	0.5
6200192	99	P	SUR	40	-10	247	0	0.3	0.3	0.4
6200199	99	P	SUR	40	-9	130	0	0.3	0.3	0.4
6200200	99	P	SUR	36	-8	202	3	3.9	-1.2	4.1
6201065	99	P	SUR	54	7	708	0	0.3	0.7	0.8
6201066	99	P	SUR	55	7	168	0	0.3	0.0	0.3
6201081	99	P	SUR	38	-9	251	0	0.3	-0.1	0.3
6202613	99	P	SUR	38	-69	744	0	0.5	-0.2	0.6
6202623	99	P	SUR	71	39	744	0	0.4	-0.2	0.4
6202627	99	P	SUR	65	-3	719	0	0.4	-0.1	0.4
6202630	99	P	SUR	46	-4	744	0	0.4	0.0	0.5
6202632	99	P	SUR	67	-53	744	0	1.6	0.1	1.7
6202637	99	P	SUR	71	-7	744	0	1.3	0.2	1.3
6202639	99	P	SUR	30	-44	744	0	0.4	-0.1	0.4
6202640	99	P	SUR	33	-39	744	0	0.4	-0.1	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6202643	99	P	SUR	20	-66	744	0	0.2	-0.1	0.2
6202644	99	P	SUR	35	-46	744	0	0.4	-0.5	0.6
62029	99	P	SUR	49	-13	1486	0	0.4	-0.5	0.6
62030	99	P	SUR	50	-4	362	0	0.3	-0.2	0.4
6203516	99	P	SUR	39	-44	697	0	0.6	0.0	0.6
6203607	99	P	SUR	32	-28	692	2	2.8	-0.6	2.9
6203612	99	P	SUR	35	-54	744	0	0.5	0.3	0.5
6203613	99	P	SUR	41	-59	744	38	2.9	-0.4	2.9
6203614	99	P	SUR	32	-65	332	0	0.4	0.1	0.4
6203615	99	P	SUR	24	-66	744	0	0.3	-0.2	0.3
6203616	99	P	SUR	24	-57	743	0	0.3	0.2	0.4
6203617	99	P	SUR	18	-58	743	0	0.3	0.1	0.3
6203621	99	P	SUR	31	-26	744	0	0.4	-0.1	0.4
6203625	99	P	SUR	30	-31	743	0	0.4	-0.3	0.5
6203627	99	P	SUR	24	-69	744	0	0.3	0.2	0.3
6203632	99	P	SUR	24	-40	743	0	0.3	0.1	0.3
6203633	99	P	SUR	68	15	743	0	0.7	0.2	0.7
6203634	99	P	SUR	27	-34	743	0	0.3	0.2	0.3
6203639	99	P	SUR	29	-28	743	3	1.9	0.0	1.9
6203640	99	P	SUR	24	-45	743	46	2.9	0.2	2.9
6203642	99	P	SUR	17	-59	743	0	0.7	0.3	0.8
6203643	99	P	SUR	24	-65	744	0	0.4	0.0	0.4
6203651	99	P	SUR	46	-34	743	0	0.5	0.3	0.6
6203730	99	P	SUR	26	-64	717	0	0.3	0.1	0.4
6203737	99	P	SUR	26	-43	723	0	0.4	0.2	0.5
6203741	99	P	SUR	63	-16	712	0	0.4	-0.3	0.5
6203744	99	P	SUR	62	-2	713	0	0.5	0.2	0.5
6203745	99	P	SUR	65	-13	718	0	0.4	0.1	0.4
6203753	99	P	SUR	60	-23	713	0	0.4	-0.3	0.5
6203755	99	P	SUR	39	-14	708	0	0.4	-0.7	0.8
6203765	99	P	SUR	24	-47	712	0	0.3	0.2	0.4
6203767	99	P	SUR	18	-56	713	0	0.3	-1.0	1.0
6203768	99	P	SUR	32	-15	717	0	0.3	0.2	0.4
6203771	99	P	SUR	24	-39	729	0	0.3	0.0	0.3
6203772	99	P	SUR	35	-62	724	0	0.5	-0.2	0.5
6203773	99	P	SUR	30	-47	722	0	0.4	-0.4	0.6
6203776	99	P	SUR	32	-28	705	0	0.3	0.0	0.3
6203825	99	P	SUR	71	-6	728	0	2.3	2.0	3.1
6203827	99	P	SUR	61	-6	741	0	0.4	0.1	0.4
6203838	99	P	SUR	18	-56	726	0	0.3	0.2	0.3
6203839	99	P	SUR	23	-47	733	0	0.3	-0.2	0.4
6203840	99	P	SUR	26	-41	732	0	0.4	0.1	0.4
6203841	99	P	SUR	29	-16	731	0	0.4	-1.3	1.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6203842	99	P	SUR	38	-37	732	0	0.5	-0.1	0.5
6203844	99	P	SUR	45	-12	731	0	0.4	0.2	0.5
6203845	99	P	SUR	46	-25	730	0	0.5	-0.1	0.5
6203846	99	P	SUR	29	-22	734	0	0.3	0.0	0.3
6203848	99	P	SUR	37	-60	728	0	0.5	-0.2	0.5
6203849	99	P	SUR	32	-20	728	0	0.4	0.2	0.4
6203850	99	P	SUR	35	-22	729	0	0.4	0.2	0.4
6203853	99	P	SUR	61	-6	732	0	0.4	0.1	0.4
6203854	99	P	SUR	58	-28	727	0	0.4	0.2	0.4
6203855	99	P	SUR	71	6	727	0	0.6	-0.2	0.6
6203856	99	P	SUR	61	0	731	0	0.6	0.5	0.8
6203857	99	P	SUR	60	3	741	0	0.3	0.1	0.4
6203863	99	P	SUR	68	-23	702	69	3.1	0.5	3.2
6203864	99	P	SUR	68	-8	728	25	1.4	0.3	1.4
6203865	99	P	SUR	67	-29	728	0	1.4	-0.1	1.4
6203866	99	P	SUR	63	6	733	0	0.4	0.3	0.5
6203867	99	P	SUR	49	-7	740	0	0.4	0.2	0.4
62050	99	P	SUR	50	-4	1281	0	0.3	-0.1	0.3
62081	99	P	SUR	51	-13	1488	0	0.4	-0.2	0.5
62091	99	P	SUR	53	-5	741	0	0.3	-0.3	0.5
62092	99	P	SUR	51	-11	741	0	0.4	-0.3	0.5
62093	99	P	SUR	55	-10	741	0	0.4	-0.4	0.6
62094	99	P	SUR	52	-7	741	0	0.4	-0.2	0.4
62095	99	P	SUR	53	-16	741	0	0.4	-0.4	0.6
62102	99	P	SUR	58	2	1487	0	0.5	0.0	0.5
62103	99	P	SUR	50	-3	1486	0	0.4	-0.6	0.7
62104	99	P	SUR	57	1	1488	0	0.4	-0.2	0.4
62105	99	P	SUR	55	-13	1487	0	0.5	-0.4	0.6
62107	99	P	SUR	50	-6	589	0	0.3	-0.3	0.5
62112	99	P	SUR	58	0	1488	0	0.4	0.1	0.4
62113	99	P	SUR	58	0	1467	0	0.7	-0.2	0.7
62114	99	P	SUR	58	0	1488	0	0.5	0.1	0.5
62115	99	P	SUR	58	-3	1442	0	0.4	-0.3	0.5
62116	99	P	SUR	58	1	1488	0	0.5	-0.2	0.5
62118	99	P	SUR	58	1	1487	0	0.3	0.2	0.4
62119	99	P	SUR	57	2	1488	0	0.5	0.1	0.5
62120	99	P	SUR	56	2	1488	0	0.4	-0.3	0.5
62121	99	P	SUR	54	3	1487	0	0.6	0.3	0.7
62122	99	P	SUR	57	2	1487	0	0.5	0.0	0.5
62124	99	P	SUR	54	-4	1485	0	0.3	-0.1	0.4
62127	99	P	SUR	54	1	1357	0	0.3	0.4	0.5
62129	99	P	SUR	58	0	1487	0	0.7	0.0	0.7
62130	99	P	SUR	59	1	1487	0	0.4	-0.3	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62131	99	P	SUR	54	1	562	0	0.3	0.3	0.4
62132	99	P	SUR	56	2	1488	0	0.4	0.2	0.5
62133	99	P	SUR	57	1	1488	0	0.6	0.0	0.6
62134	99	P	SUR	58	1	1487	0	0.5	0.4	0.6
62138	99	P	SUR	54	0	1453	0	0.6	0.4	0.7
62140	99	P	SUR	57	1	1487	0	0.4	-0.1	0.4
62141	99	P	SUR	58	0	1480	0	1.5	0.1	1.5
62143	99	P	SUR	58	2	1487	0	0.5	0.4	0.6
62144	99	P	SUR	53	2	1487	0	0.4	0.0	0.4
62145	99	P	SUR	53	3	1487	0	0.4	0.1	0.4
62146	99	P	SUR	57	2	1488	0	0.5	-0.2	0.5
62148	99	P	SUR	54	2	1487	0	0.4	0.4	0.6
62149	99	P	SUR	54	1	1485	0	0.3	0.5	0.6
62151	99	P	SUR	57	2	1056	0	0.4	0.1	0.4
62152	99	P	SUR	57	2	1488	0	0.4	0.2	0.5
62153	99	P	SUR	57	2	1485	0	0.4	0.2	0.5
62154	99	P	SUR	56	2	1488	0	0.4	-0.2	0.4
62155	99	P	SUR	58	1	1488	0	0.5	0.3	0.5
62157	99	P	SUR	58	0	1487	0	0.4	-0.2	0.5
62160	99	P	SUR	57	2	1486	0	0.4	0.3	0.5
62161	99	P	SUR	58	1	1487	0	0.7	-0.1	0.7
62162	99	P	SUR	57	1	1419	0	0.4	-0.2	0.4
62163	99	P	SUR	48	-9	1488	0	0.4	-0.2	0.4
62164	99	P	SUR	57	1	1488	0	0.3	0.2	0.4
62165	99	P	SUR	54	1	1478	0	0.4	0.0	0.4
62168	99	P	SUR	58	1	1487	0	0.4	-0.2	0.5
62170	99	P	SUR	51	2	1485	0	0.4	-0.2	0.5
62296	99	P	SUR	53	2	2	0	0.0	1.2	1.2
62297	99	P	SUR	59	2	1486	0	0.4	-0.1	0.4
62302	99	P	SUR	61	-2	1483	0	0.6	-0.4	0.7
62304	99	P	SUR	51	2	1488	0	0.4	-0.2	0.5
62305	99	P	SUR	50	0	1488	0	0.4	-0.2	0.5
62442	99	P	SUR	49	-16	1488	0	0.4	-0.4	0.6
6301001	99	P	SUR	64	5	744	0	0.5	-0.2	0.5
6301003	99	P	SUR	74	24	275	0	0.5	-0.5	0.7
6301572	99	P	SUR	57	-41	744	0	0.3	0.0	0.3
6301575	99	P	SUR	59	-44	744	0	0.5	-0.1	0.5
6301576	99	P	SUR	62	-16	744	0	0.8	0.1	0.8
6301577	99	P	SUR	67	-1	744	0	0.7	0.0	0.7
6301846	99	P	SUR	82	37	280	69	3.0	-1.2	3.2
63055	99	P	SUR	61	2	1487	0	0.6	-0.3	0.7
63056	99	P	SUR	60	2	1487	0	0.6	0.2	0.6
63057	99	P	SUR	59	2	1486	0	0.4	-0.2	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
63058	99	P	SUR	53	2	2275	0	0.5	0.2	0.5
63059	99	P	SUR	58	-1	1488	0	0.4	0.1	0.4
63101	99	P	SUR	61	1	1486	0	0.6	-0.1	0.6
63102	99	P	SUR	61	1	1478	0	0.6	-0.2	0.6
63103	99	P	SUR	61	1	1488	0	0.8	0.2	0.8
63108	99	P	SUR	61	2	1485	0	0.6	-0.4	0.7
63109	99	P	SUR	60	2	1487	0	0.4	-0.7	0.8
63110	99	P	SUR	60	2	1487	0	0.5	-0.3	0.6
63111	99	P	SUR	61	2	1488	0	0.5	-0.6	0.8
63112	99	P	SUR	61	1	1486	0	0.5	-0.7	0.8
63115	99	P	SUR	62	1	1488	0	0.5	-0.1	0.5
63117	99	P	SUR	61	1	1488	0	0.6	0.2	0.7
63118	99	P	SUR	60	2	1475	0	0.6	-0.6	0.8
6401582	99	P	SUR	84	29	741	0	0.6	0.4	0.7
6401583	99	P	SUR	66	-32	744	0	0.6	0.2	0.6
6401584	99	P	SUR	85	15	744	0	0.7	0.7	1.0
6401587	99	P	SUR	75	-19	744	0	0.7	0.5	0.9
6401590	99	P	SUR	84	-3	301	0	0.9	0.5	1.1
6401592	99	P	SUR	71	9	744	0	0.6	0.2	0.6
6401759	99	P	SUR	55	-40	744	0	0.8	0.8	1.2
6401760	99	P	SUR	65	-57	547	15	0.9	0.6	1.0
6401762	99	P	SUR	66	-3	743	0	0.5	0.2	0.5
6401763	99	P	SUR	66	12	744	0	0.6	0.0	0.6
6402539	99	P	SUR	72	15	689	0	0.5	-0.1	0.5
6402551	99	P	SUR	48	-46	684	0	0.5	0.4	0.6
6402563	99	P	SUR	71	29	693	0	0.8	0.3	0.8
6402587	99	P	SUR	48	-45	659	0	2.8	8.6	9.0
6402594	99	P	SUR	55	-51	694	0	0.4	0.3	0.5
6402596	99	P	SUR	64	-31	681	0	0.6	0.1	0.6
6402597	99	P	SUR	47	-38	684	0	0.5	0.0	0.5
6402599	99	P	SUR	51	-16	533	0	0.5	0.0	0.5
6402615	99	P	SUR	17	-47	720	0	0.3	0.2	0.3
6402616	99	P	SUR	28	-44	711	0	0.4	-0.2	0.5
6402617	99	P	SUR	26	-45	708	0	0.4	0.3	0.5
6402618	99	P	SUR	23	-35	717	0	0.3	0.2	0.4
6402619	99	P	SUR	38	-12	724	0	0.4	0.1	0.4
6402620	99	P	SUR	46	-4	710	0	0.4	0.3	0.5
6402621	99	P	SUR	43	-12	718	0	0.4	0.2	0.4
6402622	99	P	SUR	38	-18	721	0	0.3	0.2	0.4
64041	99	P	SUR	61	-3	1488	0	0.5	-0.3	0.6
64045	99	P	SUR	59	-12	1414	0	0.4	-0.4	0.6
64046	99	P	SUR	61	-4	1487	0	0.4	-0.5	0.6
6600021	99	P	SUR	55	14	298	56	0.3	-1.0	1.0

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6600022	99	P	SUR	54	14	319	0	0.4	-0.7	0.8
7801563	99	P	SUR	45	-65	740	0	0.7	0.5	0.8

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	SPEED	SUR	11	-23	614	0	0	0.9	0.5	1.0
1300002	99	SPEED	SUR	20	-23	613	0	0	0.8	0.2	0.9
1300008	99	SPEED	SUR	15	-38	620	0	0	0.8	-0.2	0.9
1300130	99	SPEED	SUR	28	-16	729	0	0	1.6	0.0	1.6
1300131	99	SPEED	SUR	28	-17	739	0	0	1.5	0.4	1.6
4100026	99	SPEED	SUR	12	-38	244	0	0	0.7	-0.5	0.9
4100043	99	SPEED	SUR	21	-65	4408	0	0	0.9	-0.1	1.0
4100046	99	SPEED	SUR	24	-68	4415	0	0	1.1	0.0	1.1
4100049	99	SPEED	SUR	27	-63	4410	0	0	1.2	0.0	1.2
4100052	99	SPEED	SUR	18	-65	4399	0	0	1.1	-0.6	1.2
4100053	99	SPEED	SUR	18	-66	4385	0	0	1.5	1.0	1.9
4100056	99	SPEED	SUR	18	-65	3316	0	0	1.0	-0.6	1.2
4100139	99	SPEED	SUR	20	-38	742	0	0	1.0	-0.1	1.0
4100300	99	SPEED	SUR	16	-57	693	0	0	0.9	-0.9	1.3
41043	99	SPEED	SUR	21	-65	744	0	0	1.1	-0.2	1.1
41046	99	SPEED	SUR	24	-68	744	0	0	1.2	-0.1	1.2
41049	99	SPEED	SUR	28	-63	744	0	0	1.2	-0.1	1.2
41052	99	SPEED	SUR	18	-65	739	0	0	1.2	-0.5	1.2
41053	99	SPEED	SUR	19	-66	739	0	0	1.6	0.3	1.6
41056	99	SPEED	SUR	18	-66	588	0	0	1.1	-0.4	1.1
4200059	99	SPEED	SUR	15	-67	4421	0	0	0.8	0.0	0.8
4200085	99	SPEED	SUR	18	-67	3334	0	0	1.5	-0.5	1.5
42059	99	SPEED	SUR	15	-68	743	0	0	0.8	-0.1	0.8
42085	99	SPEED	SUR	18	-67	736	0	0	1.5	-0.2	1.5
4400005	99	SPEED	SUR	43	-69	740	0	0	1.1	0.3	1.1
4400008	99	SPEED	SUR	40	-69	4417	0	0	1.3	0.0	1.3
4400027	99	SPEED	SUR	44	-67	4407	0	0	1.3	0.3	1.3
4400032	99	SPEED	SUR	44	-69	723	0	0	1.2	0.1	1.2
4400033	99	SPEED	SUR	44	-69	354	0	0	1.4	1.0	1.7
4400034	99	SPEED	SUR	44	-68	722	0	0	1.2	0.1	1.2
4400037	99	SPEED	SUR	43	-68	596	0	0	1.0	-0.2	1.0
4400150	99	SPEED	SUR	43	-64	736	0	0	1.4	0.0	1.4
44005	99	SPEED	SUR	43	-69	743	0	0	1.1	0.3	1.2
44008	99	SPEED	SUR	41	-69	742	0	0	1.4	-0.1	1.4

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44027	99	SPEED	SUR	44	-67	743	0	0	1.3	0.2	1.3
44032	99	SPEED	SUR	44	-69	726	0	0	1.3	0.2	1.3
44033	99	SPEED	SUR	44	-69	356	0	0	1.5	1.4	2.0
44034	99	SPEED	SUR	44	-68	725	0	0	1.3	0.1	1.3
44037	99	SPEED	SUR	44	-68	599	0	0	1.1	-0.1	1.1
44078	99	SPEED	SUR	60	-40	375	0	0	1.8	-1.6	2.4
44150	99	SPEED	SUR	43	-64	737	0	0	1.5	0.0	1.5
44258	99	SPEED	SUR	45	-63	723	0	0	1.4	0.2	1.5
44488	99	SPEED	SUR	45	-61	737	0	0	1.6	0.7	1.7
44489	99	SPEED	SUR	46	-61	688	0	0	1.4	1.1	1.8
6100001	99	SPEED	SUR	43	8	739	0	0	2.0	-0.9	2.2
6100002	99	SPEED	SUR	42	5	738	0	0	1.6	-0.4	1.6
6100196	99	SPEED	SUR	42	4	728	0	0	1.7	-0.2	1.7
6100197	99	SPEED	SUR	40	4	733	0	0	1.4	-0.5	1.5
6100198	99	SPEED	SUR	37	-2	724	0	0	1.8	-1.0	2.0
6100280	99	SPEED	SUR	41	1	714	0	0	1.4	-0.6	1.6
6100281	99	SPEED	SUR	40	0	719	0	0	2.0	0.6	2.0
6100417	99	SPEED	SUR	38	0	725	7	0	1.5	-0.6	1.6
6100430	99	SPEED	SUR	40	2	710	0	0	1.6	-0.7	1.7
6101007	99	SPEED	SUR	36	25	74	0	0	1.2	-0.3	1.2
6101008	99	SPEED	SUR	37	22	60	0	0	1.5	-0.6	1.6
6101009	99	SPEED	SUR	35	25	76	0	0	1.7	0.2	1.7
6200001	99	SPEED	SUR	45	-5	728	2	0	1.7	-1.2	2.0
6200024	99	SPEED	SUR	44	-3	630	0	0	2.0	0.0	2.0
6200025	99	SPEED	SUR	44	-6	718	0	0	1.9	-0.7	2.0
6200082	99	SPEED	SUR	44	-8	733	0	0	1.6	-1.1	1.9
6200083	99	SPEED	SUR	43	-9	646	0	0	1.5	-0.9	1.7
6200084	99	SPEED	SUR	42	-9	716	0	0	1.5	-0.7	1.7
6200085	99	SPEED	SUR	36	-7	274	0	0	1.5	-0.5	1.6
6200086	99	SPEED	SUR	55	6	190	0	0	2.2	1.7	2.8
6200087	99	SPEED	SUR	55	7	493	0	0	1.8	1.5	2.3
6200091	99	SPEED	SUR	53	-5	741	0	0	1.2	0.7	1.4
6200092	99	SPEED	SUR	51	-11	741	0	0	1.3	-0.7	1.5
6200093	99	SPEED	SUR	55	-10	741	0	0	1.4	0.4	1.4
6200094	99	SPEED	SUR	52	-7	741	0	0	1.4	-0.9	1.7
6200095	99	SPEED	SUR	53	-16	741	0	0	1.5	0.3	1.6
6200192	99	SPEED	SUR	40	-10	247	0	0	1.4	0.2	1.4
6200199	99	SPEED	SUR	40	-9	127	0	0	1.0	-0.5	1.2
6201066	99	SPEED	SUR	55	7	162	0	0	1.2	-0.2	1.2
6201081	99	SPEED	SUR	38	-9	251	0	0	1.2	0.3	1.2
62029	99	SPEED	SUR	49	-13	1486	2	0	1.6	1.1	2.0

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62050	99	SPEED	SUR	50	-4	1263	0	0	1.3	0.8	1.5
62081	99	SPEED	SUR	51	-13	1488	0	0	1.2	1.0	1.6
62091	99	SPEED	SUR	53	-5	741	0	0	1.2	0.7	1.4
62092	99	SPEED	SUR	51	-11	741	0	0	1.3	-0.3	1.3
62093	99	SPEED	SUR	55	-10	741	0	0	1.4	0.7	1.6
62094	99	SPEED	SUR	52	-7	741	0	0	1.4	-0.6	1.5
62095	99	SPEED	SUR	53	-16	741	0	0	1.5	0.6	1.7
62102	99	SPEED	SUR	58	2	1487	0	0	1.9	-0.3	1.9
62103	99	SPEED	SUR	50	-3	1485	0	0	1.6	-0.4	1.7
62104	99	SPEED	SUR	57	1	1488	0	0	1.6	-0.8	1.8
62105	99	SPEED	SUR	55	-13	1448	2	0	1.6	0.9	1.9
62107	99	SPEED	SUR	50	-6	499	0	0	1.3	0.3	1.3
62112	99	SPEED	SUR	58	0	1488	0	0	1.9	-0.6	2.0
62113	99	SPEED	SUR	58	0	1467	0	0	1.7	-0.4	1.8
62114	99	SPEED	SUR	58	0	1486	0	0	1.7	0.1	1.7
62118	99	SPEED	SUR	58	1	1487	0	0	1.6	0.3	1.6
62119	99	SPEED	SUR	57	2	1488	0	0	1.8	-0.8	2.0
62120	99	SPEED	SUR	56	2	1484	0	0	1.5	-0.2	1.5
62121	99	SPEED	SUR	54	3	1487	0	0	1.4	-0.8	1.6
62122	99	SPEED	SUR	57	2	1487	0	0	1.5	-0.6	1.7
62129	99	SPEED	SUR	58	0	1487	0	0	1.7	-0.4	1.7
62131	99	SPEED	SUR	54	1	562	0	0	3.2	-2.2	3.9
62132	99	SPEED	SUR	56	2	1488	0	0	2.9	-2.3	3.7
62133	99	SPEED	SUR	57	1	1486	0	0	1.6	-0.5	1.7
62134	99	SPEED	SUR	58	1	1487	0	0	1.5	-0.5	1.6
62140	99	SPEED	SUR	57	1	1487	0	0	1.5	-0.3	1.5
62143	99	SPEED	SUR	58	2	1485	0	0	2.2	-0.8	2.3
62144	99	SPEED	SUR	53	2	1487	0	0	2.0	-0.9	2.2
62145	99	SPEED	SUR	53	3	1487	0	0	1.6	0.3	1.7
62146	99	SPEED	SUR	57	2	1488	0	0	1.8	-0.5	1.8
62148	99	SPEED	SUR	54	2	1487	0	0	1.5	-0.6	1.6
62149	99	SPEED	SUR	54	1	1485	0	0	1.5	-0.1	1.5
62152	99	SPEED	SUR	57	2	1488	0	0	1.6	-1.3	2.1
62153	99	SPEED	SUR	57	2	1483	0	0	3.4	-3.5	4.9
62154	99	SPEED	SUR	56	2	1486	0	0	1.5	-0.2	1.5
62155	99	SPEED	SUR	58	1	1152	0	0	1.8	0.1	1.8
62163	99	SPEED	SUR	48	-9	1452	6	0	1.4	0.6	1.5
62164	99	SPEED	SUR	57	1	1488	0	0	1.8	-1.4	2.3
62165	99	SPEED	SUR	54	1	1480	0	0	1.5	-0.6	1.6
62170	99	SPEED	SUR	51	2	1485	0	0	1.6	0.7	1.8
62304	99	SPEED	SUR	51	2	1474	0	0	1.9	0.6	2.0

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62305	99	SPEED	SUR	50	0	807	0	0	1.7	0.6	1.8
62442	99	SPEED	SUR	49	-16	1488	0	0	1.5	0.6	1.6
6301001	99	SPEED	SUR	64	5	744	0	0	1.4	-0.1	1.5
6301003	99	SPEED	SUR	74	24	275	0	0	2.3	-2.1	3.1
63055	99	SPEED	SUR	61	2	1487	0	0	1.8	-1.1	2.1
63056	99	SPEED	SUR	60	2	1481	0	0	2.1	0.0	2.1
63057	99	SPEED	SUR	59	2	1486	0	0	2.3	-0.7	2.4
63058	99	SPEED	SUR	53	2	816	0	0	1.4	-0.1	1.4
63101	99	SPEED	SUR	61	1	1482	0	0	1.8	-0.8	1.9
63103	99	SPEED	SUR	61	1	1488	0	0	2.0	-0.7	2.1
63106	99	SPEED	SUR	61	2	1488	0	0	2.5	-1.8	3.1
63108	99	SPEED	SUR	61	2	1469	0	0	2.0	-0.7	2.1
63109	99	SPEED	SUR	60	2	1463	0	0	2.0	0.0	2.0
63110	99	SPEED	SUR	60	2	1487	0	0	1.8	-0.6	1.9
63112	99	SPEED	SUR	61	1	1476	0	0	1.6	-0.8	1.8
63115	99	SPEED	SUR	62	1	1488	0	0	1.7	-1.1	2.0
63117	99	SPEED	SUR	61	1	1488	0	0	1.7	-0.8	1.9
64041	99	SPEED	SUR	61	-3	1488	0	0	1.4	-0.6	1.5
64045	99	SPEED	SUR	59	-12	1402	4	0	1.8	1.1	2.1
64046	99	SPEED	SUR	61	-4	1470	0	0	1.4	1.2	1.8
6600021	99	SPEED	SUR	55	14	298	0	0	1.4	0.9	1.7
6600022	99	SPEED	SUR	54	14	319	0	0	1.6	-0.3	1.6

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : DEC 2022
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
00000	99	DIRN	SUR	44	-79	79	0	0	12.8	-43.4	45.3
1300001	99	DIRN	SUR	11	-23	599	0	0	10.1	0.0	10.2
1300002	99	DIRN	SUR	20	-23	480	0	0	9.2	-0.9	9.2
1300008	99	DIRN	SUR	15	-38	586	0	0	8.9	1.9	9.1
1300130	99	DIRN	SUR	28	-16	460	0	0	23.5	-1.2	23.5
1300131	99	DIRN	SUR	28	-17	391	0	0	22.2	3.3	22.4
4100001	99	DIRN	SUR	35	-72	3741	0	0	17.0	5.4	17.9
4100002	99	DIRN	SUR	32	-75	3673	0	0	18.1	2.1	18.2
4100004	99	DIRN	SUR	33	-79	3896	0	0	16.7	4.2	17.2
4100008	99	DIRN	SUR	31	-81	558	0	0	19.0	2.2	19.2
4100009	99	DIRN	SUR	29	-80	3782	0	0	20.0	4.1	20.4
4100010	99	DIRN	SUR	29	-78	3379	0	0	17.4	4.9	18.1
4100013	99	DIRN	SUR	33	-78	3919	0	0	18.5	5.4	19.3
4100024	99	DIRN	SUR	34	-78	495	0	0	16.9	4.8	17.5
4100025	99	DIRN	SUR	35	-75	4152	0	0	15.9	2.4	16.0
4100026	99	DIRN	SUR	12	-38	242	0	0	9.1	-5.9	10.8
4100029	99	DIRN	SUR	33	-80	457	0	0	19.5	0.6	19.5
4100033	99	DIRN	SUR	32	-80	572	0	0	17.7	6.6	18.8
4100037	99	DIRN	SUR	34	-77	633	0	0	17.1	0.5	17.1
4100038	99	DIRN	SUR	34	-78	532	0	0	18.9	0.0	18.9
4100043	99	DIRN	SUR	21	-65	4002	0	0	12.9	2.5	13.1
4100046	99	DIRN	SUR	24	-68	3831	0	0	14.1	9.5	17.0
4100047	99	DIRN	SUR	27	-71	3903	0	0	20.2	5.1	20.9
4100049	99	DIRN	SUR	27	-63	3999	0	0	13.9	5.4	14.9
4100052	99	DIRN	SUR	18	-65	4009	0	0	11.5	4.5	12.3
4100053	99	DIRN	SUR	18	-66	2905	0	0	15.1	7.9	17.0
4100056	99	DIRN	SUR	18	-65	3110	0	0	13.6	2.4	13.8
4100064	99	DIRN	SUR	34	-77	15	0	0	11.6	2.7	11.9
4100066	99	DIRN	SUR	33	-80	622	0	0	18.2	5.7	19.1
41001	99	DIRN	SUR	35	-72	631	0	0	17.6	3.3	17.9
4100139	99	DIRN	SUR	20	-38	680	0	0	9.9	3.2	10.4
41002	99	DIRN	SUR	32	-75	613	0	0	18.5	0.2	18.5

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4100300	99	DIRN	SUR	16	-57	597	0	0	11.2	-11.5	16.1
41004	99	DIRN	SUR	33	-79	649	0	0	17.1	2.6	17.3
41008	99	DIRN	SUR	31	-81	551	0	0	18.8	1.2	18.8
41009	99	DIRN	SUR	29	-80	617	0	0	17.5	3.2	17.8
41010	99	DIRN	SUR	29	-79	556	0	0	17.5	3.2	17.8
41013	99	DIRN	SUR	33	-78	662	0	0	19.4	4.1	19.8
41024	99	DIRN	SUR	34	-79	497	0	0	16.3	5.1	17.1
41025	99	DIRN	SUR	35	-76	697	0	0	15.0	0.6	15.0
41029	99	DIRN	SUR	33	-80	453	0	0	20.6	0.7	20.7
41033	99	DIRN	SUR	32	-80	557	0	0	16.8	5.3	17.6
41037	99	DIRN	SUR	34	-77	628	0	0	18.1	1.2	18.1
41038	99	DIRN	SUR	34	-78	538	0	0	19.9	1.4	19.9
41043	99	DIRN	SUR	21	-65	666	0	0	13.4	2.1	13.6
41046	99	DIRN	SUR	24	-68	639	0	0	14.9	9.3	17.6
41047	99	DIRN	SUR	28	-72	659	0	0	21.5	4.9	22.0
41049	99	DIRN	SUR	28	-63	662	0	0	13.9	4.4	14.5
41052	99	DIRN	SUR	18	-65	667	0	0	12.2	3.7	12.7
41053	99	DIRN	SUR	19	-66	528	0	0	17.3	7.7	19.0
41056	99	DIRN	SUR	18	-66	545	0	0	14.3	1.7	14.4
41064	99	DIRN	SUR	34	-77	15	0	0	11.8	2.4	12.1
41066	99	DIRN	SUR	33	-80	630	0	0	19.9	6.3	20.9
4200013	99	DIRN	SUR	27	-83	1234	0	0	17.4	-6.2	18.5
4200022	99	DIRN	SUR	28	-84	1229	0	0	19.8	-4.7	20.3
4200023	99	DIRN	SUR	26	-83	1253	0	0	19.7	-6.8	20.8
4200026	99	DIRN	SUR	25	-83	1253	0	0	21.7	-2.8	21.9
4200036	99	DIRN	SUR	29	-85	3401	0	0	18.6	2.7	18.8
4200056	99	DIRN	SUR	20	-85	3523	0	0	10.9	4.2	11.7
4200059	99	DIRN	SUR	15	-67	4223	0	0	10.2	2.2	10.5
4200085	99	DIRN	SUR	18	-67	2494	0	0	17.0	11.6	20.6
42013	99	DIRN	SUR	27	-83	599	0	0	17.1	-6.2	18.2
42022	99	DIRN	SUR	28	-84	603	0	0	20.2	-5.3	20.9
42023	99	DIRN	SUR	26	-83	624	0	0	20.2	-6.9	21.4
42026	99	DIRN	SUR	25	-84	630	0	0	21.1	-3.1	21.3
42036	99	DIRN	SUR	29	-85	561	0	0	19.4	1.3	19.5
42056	99	DIRN	SUR	20	-85	593	0	0	11.7	3.5	12.2
42059	99	DIRN	SUR	15	-68	706	0	0	11.3	1.7	11.4
42085	99	DIRN	SUR	18	-67	526	0	0	17.0	10.5	20.0
4400005	99	DIRN	SUR	43	-69	700	0	0	10.8	1.2	10.9
4400007	99	DIRN	SUR	44	-70	4011	0	0	15.6	4.8	16.3
4400008	99	DIRN	SUR	40	-69	4013	0	0	13.1	7.1	14.9
4400009	99	DIRN	SUR	38	-75	3979	0	0	14.5	7.1	16.1

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4400013	99	DIRN	SUR	42	-71	2509	0	0	33.2	6.3	33.8
4400017	99	DIRN	SUR	41	-72	4151	0	0	10.8	3.2	11.3
4400018	99	DIRN	SUR	42	-70	4225	0	0	15.7	5.7	16.7
4400020	99	DIRN	SUR	41	-70	4033	0	0	11.3	7.9	13.8
4400022	99	DIRN	SUR	41	-74	806	0	0	14.1	5.9	15.3
4400027	99	DIRN	SUR	44	-67	4232	0	0	12.4	6.6	14.1
4400029	99	DIRN	SUR	43	-71	688	0	0	11.2	5.3	12.4
4400030	99	DIRN	SUR	43	-70	657	0	0	12.7	2.2	12.9
4400032	99	DIRN	SUR	44	-69	682	0	0	12.0	-2.7	12.3
4400033	99	DIRN	SUR	44	-69	342	0	0	13.3	16.0	20.9
4400034	99	DIRN	SUR	44	-68	695	0	0	12.6	-4.2	13.2
4400037	99	DIRN	SUR	43	-68	561	0	0	12.7	33.3	35.6
4400039	99	DIRN	SUR	41	-73	504	0	0	36.2	6.4	36.8
4400040	99	DIRN	SUR	41	-74	778	0	0	15.3	4.7	16.0
4400041	99	DIRN	SUR	37	-77	1056	0	0	16.9	3.0	17.2
4400042	99	DIRN	SUR	38	-76	4398	4	0	20.1	3.2	20.3
4400058	99	DIRN	SUR	38	-76	5168	1	0	19.3	1.1	19.3
4400062	99	DIRN	SUR	39	-76	4273	0	0	23.1	-1.8	23.1
4400063	99	DIRN	SUR	39	-76	4347	0	0	22.4	-0.3	22.4
4400064	99	DIRN	SUR	37	-76	4997	1	0	17.1	3.8	17.5
4400065	99	DIRN	SUR	40	-74	4023	0	0	16.6	16.0	23.0
4400066	99	DIRN	SUR	40	-73	4164	0	0	11.1	5.3	12.3
4400072	99	DIRN	SUR	37	-76	3259	0	0	22.8	-0.5	22.8
4400150	99	DIRN	SUR	43	-64	694	0	0	15.8	12.3	20.0
44005	99	DIRN	SUR	43	-69	698	0	0	11.0	0.6	11.0
44007	99	DIRN	SUR	44	-70	675	0	0	15.5	5.2	16.4
44008	99	DIRN	SUR	41	-69	669	0	0	13.1	6.0	14.4
44009	99	DIRN	SUR	39	-75	667	0	0	15.0	5.3	15.9
44013	99	DIRN	SUR	42	-71	359	0	0	33.6	6.1	34.2
44017	99	DIRN	SUR	41	-72	692	0	0	12.2	2.5	12.4
44018	99	DIRN	SUR	42	-70	706	0	0	16.8	5.1	17.5
44020	99	DIRN	SUR	42	-70	676	0	0	12.1	6.8	13.9
44022	99	DIRN	SUR	41	-74	425	0	0	14.0	5.7	15.1
44027	99	DIRN	SUR	44	-67	713	0	0	13.0	5.3	14.0
44029	99	DIRN	SUR	43	-71	687	0	0	11.8	5.0	12.8
44030	99	DIRN	SUR	43	-70	656	0	0	12.9	2.1	13.0
44032	99	DIRN	SUR	44	-69	683	0	0	12.6	-2.8	12.9
44033	99	DIRN	SUR	44	-69	343	0	0	13.7	15.7	20.9
44034	99	DIRN	SUR	44	-68	692	0	0	12.8	-4.0	13.4
44037	99	DIRN	SUR	44	-68	560	0	0	13.0	33.2	35.6
44039	99	DIRN	SUR	41	-73	503	0	0	34.6	5.8	35.1

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44040	99	DIRN	SUR	41	-74	373	0	0	15.1	5.6	16.1
44041	99	DIRN	SUR	37	-77	124	0	0	16.4	3.0	16.6
44042	99	DIRN	SUR	38	-76	494	1	0	21.2	1.6	21.3
44058	99	DIRN	SUR	38	-76	505	0	0	19.1	-0.3	19.2
44062	99	DIRN	SUR	39	-76	471	0	0	23.4	-2.4	23.6
44063	99	DIRN	SUR	39	-76	480	0	0	22.4	0.2	22.5
44064	99	DIRN	SUR	37	-76	567	0	0	17.2	2.6	17.4
44065	99	DIRN	SUR	40	-74	664	0	0	16.1	14.8	21.9
44066	99	DIRN	SUR	40	-73	694	0	0	12.2	3.9	12.8
44069	99	DIRN	SUR	41	-73	31	0	0	11.4	-12.8	17.2
44072	99	DIRN	SUR	37	-76	370	0	0	23.2	-0.5	23.2
44078	99	DIRN	SUR	60	-40	336	0	0	14.7	-17.3	22.7
44150	99	DIRN	SUR	43	-64	687	0	0	16.0	11.8	19.8
44258	99	DIRN	SUR	45	-63	631	0	0	16.0	-9.3	18.5
44488	99	DIRN	SUR	45	-61	676	0	0	16.4	6.2	17.6
44489	99	DIRN	SUR	46	-61	616	0	0	15.2	-0.9	15.3
4500003	99	DIRN	SUR	45	-83	1524	0	0	18.1	18.3	25.8
4500005	99	DIRN	SUR	42	-82	1703	0	0	12.5	7.3	14.5
4500008	99	DIRN	SUR	44	-82	1491	0	0	12.0	1.7	12.1
4500012	99	DIRN	SUR	44	-77	1547	0	0	15.5	8.8	17.8
4500132	99	DIRN	SUR	42	-81	152	3	0	99.3	44.0	108.7
4500142	99	DIRN	SUR	43	-79	158	0	0	17.1	-8.7	19.2
4500203	99	DIRN	SUR	41	-83	1136	0	0	59.6	-21.4	63.3
45003	99	DIRN	SUR	45	-83	253	0	0	17.0	18.0	24.8
45005	99	DIRN	SUR	42	-82	288	0	0	14.1	5.9	15.3
45008	99	DIRN	SUR	44	-82	250	0	0	13.1	1.0	13.1
45012	99	DIRN	SUR	44	-77	258	0	0	18.6	6.5	19.7
45132	99	DIRN	SUR	43	-81	142	3	0	97.7	46.6	108.2
45142	99	DIRN	SUR	43	-79	150	0	0	16.3	-10.4	19.3
45147	99	DIRN	SUR	42	-83	166	0	0	18.0	-2.5	18.2
45203	99	DIRN	SUR	41	-83	216	0	0	55.5	-19.9	58.9
6100198	99	DIRN	SUR	37	-2	454	0	0	19.0	12.3	22.6
6100281	99	DIRN	SUR	40	0	427	0	0	22.9	0.0	22.9
6100417	99	DIRN	SUR	38	0	444	7	0	120.1	-3.4	120.1
6200001	99	DIRN	SUR	45	-5	666	2	0	19.3	-2.6	19.5
6200024	99	DIRN	SUR	44	-3	414	0	0	29.5	6.7	30.3
6200025	99	DIRN	SUR	44	-6	441	0	0	24.2	-11.3	26.7
6200082	99	DIRN	SUR	44	-8	631	0	0	21.4	3.9	21.8
6200083	99	DIRN	SUR	43	-9	547	0	0	11.9	2.1	12.1
6200084	99	DIRN	SUR	42	-9	590	0	0	17.4	7.3	18.9
6200085	99	DIRN	SUR	36	-7	223	0	0	22.2	9.2	24.0

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)

(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6200091	99	DIRN	SUR	53	-5	701	0	0	18.0	3.3	18.3
6200092	99	DIRN	SUR	51	-11	697	0	0	13.2	5.6	14.4
6200093	99	DIRN	SUR	55	-10	711	0	0	17.1	3.3	17.4
6200094	99	DIRN	SUR	52	-7	717	0	0	11.0	5.0	12.1
6200095	99	DIRN	SUR	53	-16	705	0	0	20.3	2.4	20.4
6200192	99	DIRN	SUR	40	-10	218	0	0	15.3	1.3	15.3
6200199	99	DIRN	SUR	40	-9	126	0	0	11.6	32.9	34.9
6201081	99	DIRN	SUR	38	-9	189	0	0	15.7	1.4	15.8
62029	99	DIRN	SUR	49	-13	1401	2	0	17.1	-2.5	17.3
62050	99	DIRN	SUR	50	-4	1166	0	0	12.9	5.9	14.2
62081	99	DIRN	SUR	51	-13	1403	0	0	20.6	-6.5	21.6
62091	99	DIRN	SUR	53	-5	694	0	0	17.1	2.8	17.3
62092	99	DIRN	SUR	51	-11	689	0	0	13.7	5.2	14.6
62093	99	DIRN	SUR	55	-10	703	0	0	17.3	3.0	17.6
62094	99	DIRN	SUR	52	-7	713	0	0	11.6	4.4	12.4
62095	99	DIRN	SUR	53	-16	702	0	0	20.3	2.1	20.4
62103	99	DIRN	SUR	50	-3	1400	0	0	14.4	1.0	14.4
62105	99	DIRN	SUR	55	-13	1387	2	0	17.3	-6.0	18.3
62107	99	DIRN	SUR	50	-6	435	0	0	15.8	3.0	16.1
62112	99	DIRN	SUR	58	0	1406	0	0	17.6	-4.5	18.1
62114	99	DIRN	SUR	58	0	1423	0	0	15.8	0.5	15.8
62163	99	DIRN	SUR	48	-9	1386	6	0	17.4	11.8	21.0
62305	99	DIRN	SUR	50	0	741	0	0	22.5	-2.3	22.6
62442	99	DIRN	SUR	49	-16	1419	0	0	15.7	5.6	16.7
64041	99	DIRN	SUR	61	-3	1452	0	0	12.3	10.3	16.0
64045	99	DIRN	SUR	59	-12	1296	4	0	19.1	-11.1	22.1
64046	99	DIRN	SUR	61	-4	1427	0	0	13.7	4.3	14.3

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

_076b71a	ATGU3FT	BPMWB2N	DBLK	FPUW5GN	GQBZLZL	JNKN7JF	JPBN
KJJF9XN	KMPLHPW	LRVQE3U	USBOD	USSIO	USYUB	UXK5JTU	WDK38HS
XKQLWQB	XQFJRGX	YLV96WM	ZVQEQCM	7JUNA4N	9ZT9MRK	01001	01004
01028	01241	01400	01415	01492	02365	02527	02836
03005	03238	03354	03743	03808	03882	03918	03953
04089	04220	04270	04320	04339	04360	04417	06011
06458	06610	07110	07145	07510	07645	07761	08001
08190	08221	08302	08383	08430	08508	08522	08536
10113	10184	10238	10304	10393	10410	10548	10618
10771	10868	10954	10962	11010	11035	11120	11240
11747	11952	12120	12374	12425	12575	12843	12982
13388	14015	14240	14430	15420	15614	16045	16064
16144	16245	16332	16429	16546	16622	16716	16754
17064	17095	17196	17220	17240	17351	17607	20674
22820	23205	23472	23884	23921	24641	26038	26435
26708	26850	27459	27707	27713	27962	28225	28661
29698	30557	30673	31770	34172	34731	35121	40179
42369	42667	42867	42971	43150	43371	45004	47102
47138	47155	47169	47186	47230	47401	47412	47582
47646	47678	47741	47778	47807	47827	47909	47918
47971	47991	48601	48615	48650	48657	48698	50527
50774	50953	51076	51243	51431	51463	51644	51656
51777	51828	51839	52203	52267	52323	52418	52533
52681	52818	52836	52866	52983	53068	53463	53513
53614	53772	53845	53915	54102	54135	54161	54218
54374	54511	54662	54727	54857	55299	55591	56029
56080	56137	56146	56187	56492	56571	56651	56691
56778	56964	56985	57083	57127	57131	57178	57245
57494	57516	57541	57687	57749	57816	57957	57972
58027	58150	58203	58238	58362	58424	58457	58606
58665	58725	58847	59023	59134	59211	59265	59280
59316	59431	59758	59981	60018	60155	60390	60571
60656	60680	60715	60760	61901	61980	61998	63894
65344	66160	67083	68263	68424	68442	68512	68816
70026	70133	70200	70219	70231	70261	70273	70308
70326	70350	70361	70398	71043	71081	71082	71109
71603	71722	71802	71811	71815	71816	71823	71836
71867	71906	71907	71908	71909	71913	71917	71924
71926	71934	71945	71957	71964	72201	72202	72206
72215	72230	72233	72235	72240	72248	72250	72251
72265	72274	72293	72305	72317	72318	72327	72340
72363	72364	72365	72376	72388	72402	72413	72426
72456	72476	72489	72493	72501	72520	72528	72558
72572	72582	72597	72632	72634	72645	72649	72659
72672	72681	72694	72712	72747	72764	72768	72776
72797	73033	73110	74389	74455	74560	76225	76256
76405	76458	76526	76595	76612	76644	76654	76679
76743	76805	76903	78384	78397	78583	78866	78897
81405	82965	83768	85442	85586	85799	85934	87155
87418	87582	87623	87715	87860	88889	89002	89022
89062	89564	89571	89592	89611	89625	89642	89662
91165	91212	91285	91334	91348	91376	91408	91413
91925	91938	91948	91958	93112	93417	93817	93844
94120	94150	94170	94203	94299	94302	94312	94326
94374	94403	94430	94461	94510	94578	94610	94637
94653	94659	94672	94711	94767	94776	94802	94821
94910	94975	94995	94996	94998	95282	95527	96413
96471	96996						96441

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

_076b71a	ATGU3FT	BPMWB2N	DBLK	FPUW5GN	GQBZLZL	JNKN7JF	KJJF9XN	
KMPLHPW	LRYQE3U	UXK5JTU	WDK38HS	WDK3HS	XKQLWQB	XQFJRGX	YLV96WM	ZVQEQCM
7JUNA4N	9ZT9MRK	01010	01028	01415	02365	02527	02836	02963
06610	07110	07145	07510	07645	07761	08001	08023	08190
08221	08302	08383	08430	08508	08522	08536	11010	11035
11120	11240	12575	17607	40186	47230	50527	50557	50774
50953	51076	51243	51431	51463	51644	51656	51709	51777
51828	51839	52203	52267	52323	52418	52533	52652	52681
52818	52836	52866	52983	53068	53463	53513	53543	53614
53772	53845	53915	54102	54135	54161	54218	54292	54374
54511	54662	54727	54857	55299	55591	56029	56046	56080
56137	56146	56187	56492	56571	56651	56691	56739	56778
56964	56985	57083	57127	57131	57178	57245	57461	57494
57516	57541	57687	57749	57816	57957	57972	57993	58027
58150	58203	58238	58362	58424	58457	58606	58633	58665
58725	58847	59023	59134	59211	59265	59280	59293	59316
59431	59758	59981	65344	72413	76743	76903	89642	89859
91925	91938	91948	91958	93817	94001	94767		

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., *Monthly Weather Review*, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERS, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPS and PILOTSHIPS this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PILOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.