



ECMWF Global Data Monitoring Report

February 2019

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

**European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme**

Contents

1	Introduction	3
2	Data summary - History of events	4
2.1	Radiosondes	4
2.2	Drifting Buoys	6
3	Global monitoring statistics	6
3.1	Data Availability	6
3.2	Data Quality	6
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	8
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	9
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	10
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	11
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	12
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	13
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	14
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	15
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	16
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	17
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	18
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	19
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	21
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	22
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	23
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	24
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	25
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	27
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	28
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	29
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	30
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	31
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	32
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	33
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	34
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	35
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	36
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	37
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	38
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	39
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	40
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	41
4	EUCOS Area Monitoring Statistics	47
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	48
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)	51
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	54
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	57
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	60
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	63
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	66
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	69
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	72
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	81
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	85
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	89
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	90

5 Annex - Explanations of figures and tables	91
5.1 General	91
5.2 Data Availability	91
5.3 Data Quality	91

Summary of Revisions (in reverse order)

- Revision 28 (June 15) - Monitoring of SYNOP and SYNOP-SHIPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
- Revision 27 (Feb 15) - Selection criteria for SHIPs are modified as per SOT-7/Doc.9.1.1. Different criteria applied to Manual and Automatic SHIPs.
- Revision 26 (Dec 14) - Coverage chart for ATOVS AMSU-A for Noaa_16 removed
- Revision 25 (Mar 13) - Monitoring of Radiosondes and ASAPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart. Tables 24 and 25 are also added to show the identifiers of these BUFR observations separately.
- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23). Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for Noaa_14 MSU replaced by ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100 hPa replaced by (A)TOVS AMSU-A and MSU (Noaa_15 and Noaa_14).
- Revision 21 (May 99) - Monitoring statistics ceased for Noaa_11 as satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.
- Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of percentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	Jan	Feb	Ident	Time	Jan	Feb
01400	(00)	26	13	41256	(00)	1	27
06458	(00)	29	4	43311	(00)	10	28
17240	(00)	31	0	48327	(00)	10	28
17240	(12)	31	1	48565	(00)	9	23
30635	(00)	27	0	62306	(12)	0	15
30635	(12)	27	0	70026	(12)	0	16
32618	(00)	15	2	91610	(00)	12	28
32618	(12)	14	0	-	-	-	-
41217	(12)	28	13	-	-	-	-
42056	(00)	18	0	-	-	-	-
42056	(12)	20	0	-	-	-	-
42314	(12)	14	0	-	-	-	-
42339	(12)	26	0	-	-	-	-
42369	(12)	19	0	-	-	-	-
42379	(12)	30	0	-	-	-	-
42492	(12)	21	0	-	-	-	-
42647	(12)	28	0	-	-	-	-
42724	(00)	29	13	-	-	-	-
42724	(12)	30	12	-	-	-	-
42971	(12)	31	13	-	-	-	-
43041	(00)	28	0	-	-	-	-
43041	(12)	20	0	-	-	-	-
43110	(00)	30	0	-	-	-	-
43128	(12)	23	0	-	-	-	-
43185	(12)	29	0	-	-	-	-
43295	(12)	19	0	-	-	-	-
43333	(12)	21	0	-	-	-	-
43346	(12)	31	12	-	-	-	-
43353	(12)	20	0	-	-	-	-
43369	(12)	20	0	-	-	-	-
43371	(12)	19	0	-	-	-	-
61442	(12)	21	8	-	-	-	-
62306	(00)	11	0	-	-	-	-
64500	(12)	36	8	-	-	-	-
64910	(00)	28	0	-	-	-	-
64910	(12)	26	0	-	-	-	-
67083	(00)	26	8	-	-	-	-
68442	(12)	31	15	-	-	-	-
70133	(00)	22	8	-	-	-	-
71945	(00)	31	17	-	-	-	-
76458	(12)	19	1	-	-	-	-
82281	(00)	24	2	-	-	-	-
82281	(12)	23	2	-	-	-	-
82411	(12)	28	17	-	-	-	-
82983	(12)	28	3	-	-	-	-
83746	(00)	31	11	-	-	-	-
84008	(12)	19	2	-	-	-	-
87344	(00)	12	0	-	-	-	-
89592	(12)	31	15	-	-	-	-
89642	(12)	31	14	-	-	-	-
89662	(00)	29	7	-	-	-	-
89662	(12)	28	5	-	-	-	-
94302	(00)	31	17	-	-	-	-
94302	(12)	28	16	-	-	-	-
94776	(00)	31	17	-	-	-	-
97900	(12)	30	16	-	-	-	-

2.2 Drifting Buoys

Surface pressure observations from **1847** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext(85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.


Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE


Figure 1

ECMWF Monitoring Statistics - FEB 2019
 Availability - SYNOP/SHIP (manual, auto) pressure
 Average number of observations in 24 hours - 95423
 LAND - WMO Region I: 3992 II: 18293 III: 3827 IV: 7050
 Region V: 8628 VI: 40117 Antarctic: 947
 Oceans - N. Atlantic 7709 S. Atlantic 374 Indian 539 Pacific 3946



3.2.2 Figure 2 - Availability - DRIFTER PRESSURE


Figure 2



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential

Figure 3


ECMWF Monitoring Statistics - FEB 2019
 Availability - TEMP 500 hPa Geopotential
 Average number of observations in 24 hours - 1245
 LAND - WMO Region I: 32 II: 484 III: 73 IV: 231
 Region V: 144 VI: 250 Antarctic: 23
 Oceans - N. Atlantic 4 S. Atlantic 1 Indian 0 Pacific 3



3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind

Figure 4

ECMWF Monitoring Statistics - FEB 2019
 Availability - TEMP/PILOT 300 hPa wind
 Average number of observations in 24 hours - 1223
 LAND - WMO Region I: 32 II: 473 III: 73 IV: 228
 Region V: 141 VI: 246 Antarctic: 23
 Oceans - N. Atlantic 3 S. Atlantic 1 Indian 0 Pacific 3




Magics 3.0.4 (64 bit)



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5


ECMWF Monitoring Statistics - FEB 2019
Availability - Aircraft winds 300-150 hPa
Average number of observations in 24 hours - 206390



3.2.6 Figure 6 - Availability - SATOB winds 400-150 hPa

Figure 6

ECMWF Monitoring Statistics - FEB 2019
Availability - AMV winds 400-150 hPa
Average number of observations in 24 hours - 691255



Magics 3.0.4 (64 bit)



3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa





Figure 7



3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8

ECMWF Monitoring Statistics - FEB 2019
Availability - NOAA15 ATOVS : AMSU-A
Average number of observations in 24 hours - 304251




Magics 3.0.4 (64 bit)



3.2.9 Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A

Figure 9.1

ECMWF Monitoring Statistics - FEB 2019
 Availability - NOAA18 ATOVS : AMSU-A
 Average number of observations in 24 hours - 513921




Magics 3.0.4 (64 bit)



3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2

ECMWF Monitoring Statistics - FEB 2019
Availability - AQUA ATOVS : AMSU-A
Average number of observations in 24 hours - 288429




Magics 3.0.4 (64 bit)



3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - FEB 2019
Availability - METOP ATOVS : AMSU-A
Average number of observations in 24 hours - 436422



Magics 3.0.4 (64 bit)



3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
9HA2583	99	P	SUR	28	0	1.2	3.2	3.4
9HJB9	99	P	SUR	27	0	0.6	9.8	9.8
9HJD9	99	P	SUR	16	0	0.8	5.8	5.9
A8KX2	99	P	SUR	17	0	1.0	3.1	3.2
A8ZA8	99	P	SUR	91	0	1.2	3.2	3.5
AUYP	99	P	SUR	26	0	1.3	7.8	7.9
BKIZ	99	P	SUR	30	0	0.9	3.4	3.6
C6BX8	99	P	SUR	57	0	0.5	4.1	4.1
C6FV8	99	P	SUR	34	0	1.8	-4.8	5.2
C6UC3	99	P	SUR	20	0	0.8	9.0	9.0
C6VG7	99	P	SUR	22	0	0.3	-5.5	5.5
C6YM6	99	P	SUR	46	0	1.0	-3.0	3.2
CQHW	99	P	SUR	23	0	1.0	-3.9	4.0
D5TB2	99	P	SUR	53	0	0.9	4.6	4.7
LOCX	99	P	SUR	19	0	1.1	-12.6	12.7
MAZS3	99	P	SUR	75	0	1.7	-3.5	3.9
OZ2049	99	P	SUR	46	0	0.6	-5.8	5.8
PCSZ	99	P	SUR	26	0	0.4	3.3	3.4
S6LT4	99	P	SUR	69	0	1.3	-5.6	5.7
UAEV	99	P	SUR	46	0	1.1	4.0	4.1
UFLT	99	P	SUR	26	0	1.3	-3.1	3.4
UIFY	99	P	SUR	22	0	1.2	-4.9	5.1
UIZZ	99	P	SUR	70	5	5.2	1.2	5.4
V7CS8	99	P	SUR	17	0	4.1	6.1	7.4
V7DI8	99	P	SUR	38	0	2.2	7.1	7.5
V7DR9	99	P	SUR	54	0	5.9	-1.1	6.0
V7QJ6	99	P	SUR	18	0	2.7	6.3	6.9
V7QK9	99	P	SUR	16	0	1.4	-3.0	3.3
VRFI7	99	P	SUR	53	0	1.4	4.3	4.6
VRFT7	99	P	SUR	54	0	0.5	-4.3	4.4
VRHQ9	99	P	SUR	59	0	0.8	3.2	3.3
VRID2	99	P	SUR	75	0	1.5	5.9	6.1

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
VRJS2	99	P	SUR	24	0	0.8	-5.0	5.1
VRLQ4	99	P	SUR	46	0	2.3	-3.5	4.2
VROH8	99	P	SUR	17	0	1.1	4.6	4.8
VRRB6	99	P	SUR	17	0	2.1	5.4	5.8
VRR14	99	P	SUR	98	0	2.5	3.9	4.7
VRVQ9	99	P	SUR	25	0	1.0	-4.8	4.9
VRYO9	99	P	SUR	15	0	1.5	-3.5	3.8
VWTI	99	P	SUR	17	1	0.4	6.6	6.6
WDG8555	99	P	SUR	18	0	2.2	3.8	4.5

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 4(4) M/S, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
46181	99	SPEED	SUR	128	0	0	3.1	5.9	6.6

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15 (50) (WIND SPEEDS > 3M/S), AND ,
 Manual (Automatic) ABSOLUTE BIAS >= 30 (25) DEGREES, OR,
 STANDARD DEVIATION >= 70 (50) DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44058	99	DIRN	SUR	19	0	0	25.3	-34.2	42.5
46118	99	DIRN	SUR	78	2	0	93.1	-30.7	98.1
46120	99	DIRN	SUR	24	0	0	75.5	-14.6	76.9

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1501513	99	P	SUR	-17	-8	641	0	1.2	4.7	4.8
1701545	99	P	SUR	-40	-5	331	0	1.9	4.6	5.0
1701552	99	P	SUR	-46	11	458	0	2.2	5.5	5.9
2101588	99	P	SUR	42	165	116	0	2.4	5.8	6.3
2301709	99	P	SUR	-32	74	5117	5117	0.0	0.0	0.0
2301714	99	P	SUR	15	66	204	59	8.0	-2.7	8.4
3101542	99	P	SUR	-38	-52	116	91	3.4	-9.2	9.8
3101545	99	P	SUR	-47	-17	429	0	1.9	5.5	5.8
4101586	99	P	SUR	39	-62	115	107	0.5	14.2	14.2
4701658	99	P	SUR	70	-98	647	647	0.0	0.0	0.0
4800282	99	P	SUR	71	-156	567	567	0.0	0.0	0.0
4800769	99	P	SUR	70	-101	670	341	7.4	3.9	8.4
4801625	99	P	SUR	78	175	652	189	7.9	2.3	8.2
4801652	99	P	SUR	80	-172	634	607	6.4	-1.8	6.7
4802000	99	P	SUR	79	-121	601	505	3.6	-6.9	7.8
4802537	99	P	SUR	44	-78	25	0	1.1	-9.5	9.6
4802539	99	P	SUR	44	-78	25	0	1.1	-9.6	9.6
4802540	99	P	SUR	44	-78	24	0	1.1	-10.3	10.4
48282	99	P	SUR	71	-156	567	567	0.0	0.0	0.0
48769	99	P	SUR	70	-101	671	342	7.4	3.9	8.4
5401636	99	P	SUR	-16	-152	668	0	2.4	-4.1	4.8
6500596	99	P	SUR	66	-22	82	0	3.5	5.5	6.6
65596	99	P	SUR	66	-22	82	0	3.5	5.5	6.6
7401503	99	P	SUR	-37	-12	116	0	0.6	-5.2	5.2

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
46181	99	SPEED	SUR	54	-129	703	0	0	3.0	5.9	6.6
5200004	99	SPEED	SUR	-5	165	69	0	0	2.2	-5.5	5.9
52004	99	SPEED	SUR	-5	165	69	0	0	2.2	-5.7	6.1
6100280	99	SPEED	SUR	41	1	672	0	0	3.3	5.8	6.6
6101008	99	SPEED	SUR	37	22	45	0	0	2.7	-6.8	7.3

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300010	99	DIRN	SUR	0	0	181	0	0	21.3	-96.2	98.5
13010	99	DIRN	SUR	0	0	169	0	0	21.1	-96.2	98.4
2200108	99	DIRN	SUR	36	126	524	0	0	15.7	-31.0	34.8
2300007	99	DIRN	SUR	8	89	522	0	0	70.2	50.0	86.2
2300015	99	DIRN	SUR	0	67	190	0	0	21.6	-20.5	29.8
23004	99	DIRN	SUR	11	72	39	0	0	85.4	-4.4	85.6
23015	99	DIRN	SUR	0	67	164	0	0	21.9	-21.4	30.6
23093	99	DIRN	SUR	16	88	26	0	0	66.4	-152.1	166.0
23456	99	DIRN	SUR	18	67	90	0	0	169.2	-26.0	171.2
23492	99	DIRN	SUR	11	72	98	0	0	13.3	-65.8	67.2
3100003	99	DIRN	SUR	-8	-31	245	0	0	13.3	23.0	26.6
3100231	99	DIRN	SUR	-27	-47	152	3	0	99.6	121.2	156.9
31003	99	DIRN	SUR	-8	-31	236	0	0	12.8	22.2	25.6
3100374	99	DIRN	SUR	-23	-43	53	0	0	89.6	93.1	129.2
31231	99	DIRN	SUR	-27	-47	152	4	0	110.2	111.2	156.6
31374	99	DIRN	SUR	-23	-43	52	0	0	83.1	98.0	128.5
4100064	99	DIRN	SUR	34	-77	513	0	0	17.2	-20.1	26.4
4200012	99	DIRN	SUR	30	-88	2987	0	0	18.0	21.1	27.7
4400058	99	DIRN	SUR	38	-76	415	0	0	21.8	-26.5	34.4
44058	99	DIRN	SUR	38	-76	82	0	0	24.5	-30.0	38.7
44139	99	DIRN	SUR	44	-57	608	0	0	9.7	-25.6	27.4
4600060	99	DIRN	SUR	61	-147	342	0	0	28.4	20.6	35.1
4600092	99	DIRN	SUR	37	-122	503	0	0	29.6	29.1	41.6
4600118	99	DIRN	SUR	49	-123	407	11	0	99.9	-8.3	100.2
4600120	99	DIRN	SUR	48	-122	653	0	0	89.3	11.0	90.0
46060	99	DIRN	SUR	61	-147	320	0	0	28.1	22.2	35.8
46083	99	DIRN	SUR	58	-138	408	0	0	51.4	20.4	55.3
46092	99	DIRN	SUR	37	-122	809	0	0	29.5	26.3	39.5
46118	99	DIRN	SUR	49	-123	478	22	0	100.0	-8.0	100.3
46120	99	DIRN	SUR	48	-122	119	0	0	89.9	2.9	89.9
5300040	99	DIRN	SUR	-8	95	420	0	0	160.9	34.9	164.6

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
5300056	99	DIRN	SUR	-5	95	120	0	0	153.4	41.9	159.0
53040	99	DIRN	SUR	-8	95	414	0	0	157.1	48.1	164.3
53056	99	DIRN	SUR	-5	95	114	0	0	153.0	43.6	159.1
6100280	99	DIRN	SUR	41	1	367	0	0	75.9	-32.0	82.4
6200200	99	DIRN	SUR	36	-8	513	17	0	169.1	-22.2	170.5

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
01400	00	Z	1000	57	3	14	0	4.0	78.4	78.5
01400	12	Z	1000	57	3	16	0	5.7	81.0	81.2
23330	12	Z	30	67	67	27	0	62.3	-170.9	181.9
23330	00	Z	30	67	67	27	0	92.2	-182.3	204.3
28695	00	Z	300	55	73	11	0	36.9	-67.0	76.5
37011	12	Z	30	44	39	25	0	39.9	219.6	223.2
38064	00	Z	50	45	66	10	2	168.1	95.8	193.5
68842	12	Z	1000	-34	26	25	0	25.2	15.6	29.6

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
42724	00	V	250	24	91	11	0	-1.7	5.0	16.5
56964	12	V	100	23	101	15	3	-6.3	-2.2	17.4
56964	00	V	100	23	101	20	3	-12.0	-4.0	22.4


3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS \geq 5 M/S
 NO. OF OBSERVATIONS \geq 5, AND,
 ABSOLUTE BIAS \geq 10 DEGREES, WITH
 STANDARD DEVIATION $<$ 30 DEGREES, AND,
 VERTICAL SPREAD $<$ 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
28695	12	DD	55	73	8	-13.3	2.9	12.3
28695	00	DD	55	73	8	-15.7	2.3	9.2
48565	00	DD	8	98	11	11.7	5.1	11.5
56146	00	DD	32	100	27	11.8	2.5	7.9
56146	12	DD	32	100	25	11.8	8.2	9.8

3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC



3.2.22 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC






Figure 11 ECMWF Monitoring Statistics - FEB 2019 12 UTC
Suspect TEMP observations - GEOPOTENTIAL

3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC



3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
7HCPVT	00	Z	100	8	38.1	37.2
7HCPVT	12	Z	100	11	35.2	34.1
7JUNA4	00	Z	100	2	3.2	3.2
7JUNA4	12	Z	100	3	12.6	12.3
DBLK	00	Z	100	3	10.0	8.2
DBLK	12	Z	100	12	10.7	-4.5
FHM5UJ	00	Z	100	3	22.1	21.2
FHM5UJ	12	Z	100	3	23.3	20.8
JGQH	12	Z	100	2	14.9	14.8
JGQH	00	Z	100	4	12.2	11.3
JSNJ	12	Z	100	4	0.0	0.0
QCY3TG	12	Z	100	6	24.9	23.5
QCY3TG	00	Z	100	7	15.7	13.2
USBOD	12	Z	100	9	15.8	-11.6
USBOD	00	Z	100	8	21.5	-2.1
USSIO	00	Z	100	0	0.0	0.0
USSIO	12	Z	100	1	11.1	-11.1
USUKI	12	Z	100	15	15.0	-7.4
USUKI	00	Z	100	13	11.1	-5.6
VKB4L5	12	Z	100	2	36.7	36.7
VKB4L5	00	Z	100	2	33.0	32.9
WDK38H	12	Z	100	6	6.6	-3.0
XWHDEA	00	Z	100	5	6.2	4.7
XWHDEA	12	Z	100	6	12.6	5.6
YLV96W	12	Z	100	4	34.3	32.7
YLV96W	00	Z	100	2	2.3	-1.4
ZVQEQC	12	Z	100	14	18.7	18.0

3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)


RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
7HCPVT	00	V	100	8	4.3	0.2	-0.1
7HCPVT	12	V	100	11	4.4	1.7	0.5
7JUNA4	00	V	100	2	3.1	-1.7	0.3
7JUNA4	12	V	100	3	3.7	1.4	1.2
DBLK	00	V	100	3	2.0	0.9	-1.1
DBLK	12	V	100	12	2.6	0.7	-0.2
FHM5UJ	00	V	100	3	3.9	-0.5	-2.5
FHM5UJ	12	V	100	3	3.1	2.6	-0.6
JGQH	12	V	100	2	6.0	-2.9	-4.9
JGQH	00	V	100	4	6.6	-2.6	-2.2
JSNJ	12	V	100	4	1.6	0.5	0.1
QCY3TG	12	V	100	6	2.8	-0.4	1.1
QCY3TG	00	V	100	7	3.9	0.1	-1.7
USBOD	12	V	100	7	7.3	-1.9	0.9
USBOD	00	V	100	4	5.4	-1.5	-1.1
USSIO	00	V	100	0	0.0	0.0	0.0
USSIO	12	V	100	0	0.0	0.0	0.0
USUKI	12	V	100	7	5.8	-1.2	-1.4
USUKI	00	V	100	7	5.3	-1.4	-2.5
VKB4L5	12	V	100	2	2.4	1.2	1.4
VKB4L5	00	V	100	2	2.1	-1.2	1.6
WDK38H	12	V	100	6	2.2	0.8	-0.9
XWHDEA	00	V	100	5	3.5	1.8	-1.2
XWHDEA	12	V	100	6	3.2	0.0	1.2
YLV96W	12	V	100	4	2.8	0.6	0.5
YLV96W	00	V	100	2	5.2	4.0	3.3
ZVQEQC	12	V	100	14	4.6	-0.6	0.1


3.2.27 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14
ECMWF Monitoring Statistics: Feb 2019
AMV Winds: 700-1000hPa
Mean Observed Wind




3.2.28 Figure 15 - SATOB Winds: 150- 400hPa

Figure 15
ECMWF Monitoring Statistics: Feb 2019
AMV Winds: 150- 400hPa
Wind bias: Observation - FG




3.2.29 Figure 16 - SATOB Winds: 700-1000hPa

Figure 16
ECMWF Monitoring Statistics: Feb 2019
AMV Winds: 700-1000hPa
Wind bias: Observation - FG




3.2.30 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17
ECMWF Monitoring Statistics: Feb 2019
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa

Figure 18
ECMWF Monitoring Statistics: Feb 2019
Aircraft Winds: 150- 300hPa
Wind bias: Observation - FG



3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAB	99	V	300-150	54	0	0	4.8	-0.8
AAL	99	V	300-150	33485	4	0	8.3	0.3
AAR	99	V	300-150	250	0	0	4.9	-0.9
ABD	99	V	300-150	665	0	0	4.2	-0.3
ABW	99	V	300-150	524	0	0	3.8	-0.1
ACA	99	V	300-150	22000	10	0	9.1	0.2
ACI	99	V	300-150	2672	0	0	4.4	0.7
AEA	99	V	300-150	421	16	3	9.5	-0.3
AFL	99	V	300-150	1898	0	0	3.7	0.6
AFR	99	V	300-150	21428	3	0	4.9	0.2
AHO	99	V	300-150	27	0	0	3.1	0.1
AIC	99	V	300-150	1835	0	0	4.2	0.1
AIZ	99	V	300-150	77	0	0	5.9	-0.5
ALK	99	V	300-150	945	0	0	3.6	0.3
AMX	99	V	300-150	2884	33	0	13.6	0.0
ANZ	99	V	300-150	24204	2	0	6.5	0.5
ASA	99	V	300-150	115	0	0	6.4	0.3
ASL	99	V	300-150	254	0	0	3.7	0.4
ASY	99	V	300-150	375	0	0	4.0	0.5
ATN	99	V	300-150	164	0	1	6.6	0.7
AUA	99	V	300-150	3309	0	0	4.5	-0.2
AUH	99	V	300-150	28	0	0	3.3	0.5
AUI	99	V	300-150	299	0	0	4.0	0.1
AVA	99	V	300-150	614	31	1	10.2	0.3
AXB	99	V	300-150	50	0	0	3.4	1.5
AXM	99	V	300-150	177	0	0	4.4	0.7

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AZA	99	V	300-150	3609	0	0	4.0	0.2
AZG	99	V	300-150	210	0	0	3.7	0.0
BAW	99	V	300-150	43618	6	0	6.8	0.0
BBC	99	V	300-150	170	0	0	3.6	1.2
BEL	99	V	300-150	1120	0	0	3.6	0.2
BLU	99	V	300-150	32	0	0	5.5	-1.9
BMW	99	V	300-150	126	0	0	3.8	0.1
BOS	99	V	300-150	1024	0	0	4.4	0.2
BOX	99	V	300-150	2152	0	0	3.9	0.2
BOX	99	V	300-150	91	0	0	3.7	0.6
BVR	99	V	300-150	20	0	0	3.9	-1.6
BWJ	99	V	300-150	72	0	0	3.8	-0.1
CAF	99	V	300-150	30	0	0	4.7	-0.0
CAL	99	V	300-150	264	0	0	3.7	0.6
CAZ	99	V	300-150	61	0	0	4.1	-0.2
CCA	99	V	300-150	1181	1	0	8.7	0.8
CEB	99	V	300-150	77	0	0	3.3	0.5
CES	99	V	300-150	1397	0	0	3.8	0.6
CFC	99	V	300-150	154	0	0	4.4	-0.3
CFG	99	V	300-150	4469	0	0	4.3	0.1
CHH	99	V	300-150	262	3	0	8.4	0.2
CJT	99	V	300-150	250	0	0	4.4	-0.6
CKK	99	V	300-150	22	5	0	11.6	0.4
CKS	99	V	300-150	1327	0	0	4.2	-0.2
CLU	99	V	300-150	712	0	0	4.2	-0.2
CLX	99	V	300-150	2901	0	0	4.3	-0.5
CMB	99	V	300-150	1129	0	0	4.1	0.0
CNK	99	V	300-150	58	0	0	3.4	0.3
CNV	99	V	300-150	153	0	0	4.6	0.1
CPA	99	V	300-150	1528	0	0	3.5	0.5
CRK	99	V	300-150	635	0	0	3.0	-0.1
CRL	99	V	300-150	808	0	0	4.5	0.1
CRV	99	V	300-150	26	0	0	4.5	0.8
CSC	99	V	300-150	161	0	0	2.7	0.1
CSN	99	V	300-150	941	6	0	10.1	0.2
CTM	99	V	300-150	37	0	3	4.8	0.6
DAH	99	V	300-150	431	0	0	3.9	0.1
DAL	99	V	300-150	40221	0	0	4.0	0.1
DCS	99	V	300-150	49	0	0	4.5	-0.4
DGX	99	V	300-150	83	0	0	4.0	-0.0
DHK	99	V	300-150	1146	0	0	4.9	-0.7
DJT	99	V	300-150	1076	0	0	4.4	0.1
DLH	99	V	300-150	23958	0	0	3.9	0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
DUB	99	V	300-150	62	0	0	4.0	-0.0
EAU	99	V	300-150	69	48	0	24.9	0.1
EDC	99	V	300-150	155	12	0	4.8	0.2
EDG	99	V	300-150	79	0	0	5.0	0.2
EDW	99	V	300-150	1374	0	0	4.4	0.3
EIN	99	V	300-150	9519	0	0	3.9	0.1
EJM	99	V	300-150	667	0	0	4.1	-0.2
ELY	99	V	300-150	2786	19	0	9.8	0.1
ETD	99	V	300-150	5282	3	0	5.8	0.2
ETH	99	V	300-150	3081	9	0	8.0	0.2
EWG	99	V	300-150	4841	0	0	4.1	0.2
FBU	99	V	300-150	479	0	0	5.0	0.7
FDX	99	V	300-150	5752	0	0	4.0	0.3
FIN	99	V	300-150	1096	0	0	3.5	0.3
FJI	99	V	300-150	5325	0	0	5.2	0.6
FLA	99	V	300-150	31	0	0	5.2	0.5
FPG	99	V	300-150	35	0	0	3.7	0.8
FWI	99	V	300-150	1775	0	1	4.1	0.2
GAF	99	V	300-150	77	0	0	4.2	-0.7
GAJ	99	V	300-150	28	0	0	3.1	1.5
GCK	99	V	300-150	35	0	0	3.2	0.3
GCR	99	V	300-150	109	0	0	3.3	0.6
GEC	99	V	300-150	1895	0	0	4.0	0.1
GES	99	V	300-150	82	0	0	3.6	-0.0
GFA	99	V	300-150	421	0	0	3.9	0.5
GIA	99	V	300-150	453	0	0	3.5	0.5
GLO	99	V	300-150	34	3	3	11.4	0.3
GMA	99	V	300-150	36	0	0	3.4	-0.5
GRI	99	V	300-150	39	0	0	3.8	0.9
GTH	99	V	300-150	34	0	3	3.9	2.2
GTI	99	V	300-150	2579	0	0	4.4	-0.4
HAL	99	V	300-150	3934	0	0	5.0	0.6
HUA	99	V	300-150	21	0	0	4.2	-0.1
HYP	99	V	300-150	21	0	0	5.6	3.5
HZS	99	V	300-150	77	0	0	4.2	-0.2
IBE	99	V	300-150	2278	0	1	4.1	0.1
IBK	99	V	300-150	2284	0	0	4.0	0.5
ICE	99	V	300-150	1354	0	0	3.6	0.1
ICL	99	V	300-150	655	0	0	4.9	-0.5
ICV	99	V	300-150	236	0	0	4.5	-0.4
IFA	99	V	300-150	46	50	0	16.2	1.2
IJM	99	V	300-150	47	0	0	4.2	0.8
ISS	99	V	300-150	1166	0	0	4.0	0.1

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
JAF	99	V	300-150	1050	36	0	12.8	0.2
JAI	99	V	300-150	1062	0	0	3.8	0.2
JAS	99	V	300-150	172	0	0	4.0	-0.3
JET	99	V	300-150	78	0	0	3.4	0.1
JJA	99	V	300-150	42	0	0	8.6	0.2
JME	99	V	300-150	49	0	0	4.6	0.4
JST	99	V	300-150	1439	1	0	9.6	0.6
KAC	99	V	300-150	1286	0	0	3.9	0.2
KAI	99	V	300-150	61	0	0	6.5	0.1
KAL	99	V	300-150	1879	0	0	4.0	0.5
KAY	99	V	300-150	36	0	0	4.3	-0.8
KCE	99	V	300-150	35	0	0	3.0	-0.1
KIW	99	V	300-150	85	0	0	4.7	0.9
KLM	99	V	300-150	14191	8	0	7.4	0.1
KQA	99	V	300-150	321	22	0	11.0	0.5
KTK	99	V	300-150	312	0	0	3.7	0.0
LAN	99	V	300-150	2284	12	0	9.4	0.2
LCO	99	V	300-150	70	0	0	4.2	-0.4
LEA	99	V	300-150	90	0	0	4.4	-0.9
LGT	99	V	300-150	28	0	0	3.3	-0.5
LHO	99	V	300-150	49	0	0	5.5	-1.4
LNI	99	V	300-150	185	0	0	3.2	0.1
LOT	99	V	300-150	2619	20	0	16.1	-0.1
LSM	99	V	300-150	36	0	0	4.3	0.8
LXG	99	V	300-150	44	0	0	4.0	0.5
LXJ	99	V	300-150	106	3	0	5.5	0.0
MAS	99	V	300-150	767	0	0	3.6	0.5
MAU	99	V	300-150	134	0	0	4.1	1.1
MED	99	V	300-150	67	0	0	4.3	-0.0
MHV	99	V	300-150	47	0	0	3.9	0.6
MMD	99	V	300-150	423	0	0	3.6	0.3
MPH	99	V	300-150	523	0	0	4.5	-0.6
MSR	99	V	300-150	1058	0	0	4.0	0.3
NAX	99	V	300-150	7847	29	0	14.4	-0.1
NCA	99	V	300-150	88	0	0	3.7	-0.7
NJE	99	V	300-150	352	0	0	3.8	0.1
NOS	99	V	300-150	564	24	0	11.6	0.2
NRS	99	V	300-150	6912	32	0	14.0	-0.0
NWS	99	V	300-150	659	0	0	3.8	0.4
OAE	99	V	300-150	1147	0	0	4.5	-0.2
OLI	99	V	300-150	60	0	0	5.3	0.2
OMA	99	V	300-150	625	0	0	4.1	0.9
OPM	99	V	300-150	31	0	0	3.4	0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
PAC	99	V	300-150	196	0	1	4.3	0.7
PAL	99	V	300-150	952	0	0	3.5	0.4
PAT	99	V	300-150	34	0	0	3.6	-0.7
PIA	99	V	300-150	186	0	0	3.6	0.7
PJZ	99	V	300-150	20	0	0	4.2	-0.6
PLF	99	V	300-150	35	0	0	3.5	-0.3
PLM	99	V	300-150	20	0	5	4.7	0.0
PRD	99	V	300-150	31	0	0	4.4	0.8
QAF	99	V	300-150	25	0	0	5.9	-0.2
QFA	99	V	300-150	22461	0	0	6.9	0.5
QQE	99	V	300-150	103	0	0	4.2	0.4
QTR	99	V	300-150	14970	0	0	4.1	0.3
RAM	99	V	300-150	432	30	0	10.0	0.4
RBA	99	V	300-150	104	0	0	8.8	0.6
RCH	99	V	300-150	3454	0	0	4.9	0.4
RDN	99	V	300-150	98	0	0	3.9	0.6
REN	99	V	300-150	33	0	0	3.9	0.3
RJA	99	V	300-150	1050	26	0	14.1	-0.0
ROJ	99	V	300-150	34	0	0	3.8	0.1
ROU	99	V	300-150	30	0	7	5.6	-1.4
RRR	99	V	300-150	243	0	0	3.8	0.5
RZO	99	V	300-150	225	0	4	4.4	0.9
SAM	99	V	300-150	311	0	0	3.9	0.2
SAS	99	V	300-150	3738	0	0	3.4	0.1
SAZ	99	V	300-150	56	0	0	3.8	0.4
SCX	99	V	300-150	120	1	1	6.2	1.2
SDM	99	V	300-150	177	0	1	4.6	0.6
SHE	99	V	300-150	186	0	0	3.9	0.1
SIA	99	V	300-150	3625	0	0	3.8	-0.0
SIS	99	V	300-150	32	0	0	3.8	0.1
SLM	99	V	300-150	161	0	1	4.6	0.2
SOO	99	V	300-150	577	0	0	3.7	-0.2
SPA	99	V	300-150	247	0	0	4.1	0.0
SVA	99	V	300-150	4102	0	0	4.5	0.4
SVF	99	V	300-150	23	0	0	2.6	-0.7
SVW	99	V	300-150	124	0	1	4.3	0.3
SWR	99	V	300-150	8741	0	1	4.0	0.2
TAP	99	V	300-150	1132	0	2	4.5	-0.4
TAR	99	V	300-150	171	0	0	3.8	-0.2
TAY	99	V	300-150	267	0	0	4.5	-0.1
TCX	99	V	300-150	1782	0	0	4.3	0.2
TFL	99	V	300-150	1628	28	0	10.0	0.1
TGW	99	V	300-150	64	0	0	3.5	0.3

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
THA	99	V	300-150	362	3	0	8.4	0.7
THT	99	V	300-150	2535	8	0	11.6	0.8
THY	99	V	300-150	7578	0	0	4.0	0.2
TMN	99	V	300-150	221	0	0	3.5	0.3
TOM	99	V	300-150	3944	33	0	12.0	0.2
TOW	99	V	300-150	70	0	1	3.8	0.5
TPA	99	V	300-150	250	0	0	4.4	-0.4
TRK	99	V	300-150	50	0	0	3.5	-0.9
TSC	99	V	300-150	2699	0	0	3.8	-0.1
TVP	99	V	300-150	224	0	0	3.8	0.6
TWB	99	V	300-150	38	3	3	8.3	1.1
TWY	99	V	300-150	343	0	0	3.8	-0.2
UAE	99	V	300-150	14525	0	0	3.9	0.3
UAL	99	V	300-150	60776	3	2	7.4	0.2
ULC	99	V	300-150	86	0	0	3.9	0.3
UPS	99	V	300-150	4429	0	0	4.5	0.1
UZB	99	V	300-150	78	3	0	16.1	-0.3
VIR	99	V	300-150	17515	5	0	6.1	0.1
VJT	99	V	300-150	793	0	0	3.9	0.5
VKG	99	V	300-150	342	0	0	4.3	0.6
VMP	99	V	300-150	21	0	0	4.3	1.2
VOZ	99	V	300-150	6579	0	0	4.7	0.3
WGT	99	V	300-150	72	0	0	4.6	0.6
WJA	99	V	300-150	2844	1	1	5.9	0.3
WOW	99	V	300-150	3709	0	0	3.6	0.4
WWI	99	V	300-150	62	0	0	5.6	0.4
XAX	99	V	300-150	158	0	0	3.3	0.2
XLF	99	V	300-150	916	0	0	4.1	0.0

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10°N - 90°N, 70°W - 40°E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10°N - 90°N, 70°W - 40°E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	50	27	19.7	18.7
01001	12	Z	50	28	17.7	14.8
01028	00	Z	50	28	16.2	14.6
01028	12	Z	50	28	14.6	12.5
01400	12	Z	50	15	89.6	89.2
01400	00	Z	50	12	91.7	91.1
01415	12	Z	50	26	16.6	15.7
01415	00	Z	50	26	18.9	16.0
02365	00	Z	50	23	16.8	14.1
02365	12	Z	50	18	16.3	14.3
02591	00	Z	50	28	22.5	20.8
02591	12	Z	50	25	18.5	15.9
02836	12	Z	50	28	16.3	13.7
02836	00	Z	50	28	18.7	16.7
02963	00	Z	50	25	16.3	13.1
02963	12	Z	50	23	13.6	12.4
03005	12	Z	50	28	14.5	12.0
03005	00	Z	50	27	14.1	12.6
03238	12	Z	50	6	13.1	10.2
03238	00	Z	50	27	21.4	16.6
03808	00	Z	50	27	15.7	11.9
03808	12	Z	50	27	12.9	9.2
03918	00	Z	50	27	20.7	19.2
03918	12	Z	50	9	18.4	15.9
03953	00	Z	50	27	29.7	27.9
03953	12	Z	50	28	39.3	35.9
04018	00	Z	50	26	18.6	15.4
04018	12	Z	50	26	11.8	9.3
04220	12	Z	50	27	29.1	6.3
04220	00	Z	50	28	16.7	15.9
04270	00	Z	50	26	20.4	16.6
04270	12	Z	50	25	17.3	13.4
04320	12	Z	50	28	16.0	15.1
04320	00	Z	50	28	19.6	18.9
04339	00	Z	50	28	18.9	18.2
04339	12	Z	50	28	20.7	15.2
04360	12	Z	50	26	12.0	3.3
04360	00	Z	50	26	18.3	3.5
06011	00	Z	50	23	20.1	12.9

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	50	24	17.6	13.3
06260	00	Z	50	27	14.8	11.9
06260	12	Z	50	4	22.8	22.1
06610	12	Z	50	27	15.1	13.5
06610	00	Z	50	27	16.7	14.5
07110	00	Z	50	27	19.0	15.3
07110	12	Z	50	27	22.4	19.2
07510	00	Z	50	26	29.2	27.7
07510	12	Z	50	27	42.9	39.8
07645	12	Z	50	27	20.3	18.2
07645	00	Z	50	25	22.7	19.2
07761	12	Z	50	26	41.2	39.5
07761	00	Z	50	26	29.6	27.9
08001	00	Z	50	26	23.2	21.7
08001	12	Z	50	23	30.7	29.5
08221	00	Z	50	27	22.9	22.0
08221	12	Z	50	27	21.8	21.2
08302	00	Z	50	28	16.8	15.2
08302	12	Z	50	28	15.9	14.8
08508	12	Z	50	20	16.4	13.7
08522	12	Z	50	28	21.8	19.9
08579	12	Z	50	25	31.2	29.0
10035	12	Z	50	27	15.4	14.2
10393	12	Z	50	28	14.2	11.8
10393	00	Z	50	28	14.2	11.7
10410	00	Z	50	28	14.9	12.8
10410	12	Z	50	26	10.7	8.4
10739	12	Z	50	27	15.7	13.7
10739	00	Z	50	25	19.4	17.0
11035	12	Z	50	28	19.1	16.6
11035	00	Z	50	27	21.6	20.7
12982	00	Z	50	21	21.7	19.2
12982	12	Z	50	22	59.3	48.3
16080	12	Z	50	28	12.8	10.0
16080	00	Z	50	28	15.2	12.2
16245	00	Z	50	27	15.0	9.2
16245	12	Z	50	26	22.3	18.2
16320	00	Z	50	27	22.9	20.5
16320	12	Z	50	26	23.5	20.4
16429	00	Z	50	28	19.7	17.0
16429	12	Z	50	25	18.0	16.6
16622	00	Z	50	28	25.0	22.5
16754	00	Z	50	21	24.8	19.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
17607	12	Z	50	26	19.1	17.3
26435	12	Z	50	9	12.0	11.0
60018	00	Z	50	27	25.6	25.2
60018	12	Z	50	28	15.8	14.9
7HCPVT	00	Z	50	6	49.3	48.7
7HCPVT	12	Z	50	11	48.4	46.9
7JUNA4	00	Z	50	1	10.3	10.3
7JUNA4	12	Z	50	2	42.5	40.7
FHM5UJ	00	Z	50	3	32.7	30.2
FHM5UJ	12	Z	50	3	34.8	33.4
QCY3TG	12	Z	50	5	34.2	33.0
QCY3TG	00	Z	50	6	30.6	30.0
VKB4L5	12	Z	50	2	47.3	47.3
VKB4L5	00	Z	50	2	39.8	39.4
XWHDEA	00	Z	50	4	18.6	18.3
XWHDEA	12	Z	50	5	17.0	15.6
YLV96W	12	Z	50	2	50.4	48.6
YLV96W	00	Z	50	1	16.8	-16.8
ZVQEQC	12	Z	50	13	21.1	20.3

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	50	26	3.3	-0.1	-0.4
01001	12	V	50	28	3.5	-0.2	0.3
01028	00	V	50	24	2.8	0.4	0.7
01028	12	V	50	28	3.2	-0.1	-0.4
01400	12	V	50	15	4.2	-0.9	-0.4
01400	00	V	50	12	2.9	0.3	-0.8
01415	12	V	50	26	4.7	-0.7	0.0
01415	00	V	50	25	3.0	-0.2	-0.5
02365	00	V	50	21	3.9	0.1	-1.1
02365	12	V	50	17	4.0	-0.5	-0.9
02591	00	V	50	27	4.5	-0.7	-0.5
02591	12	V	50	23	4.8	-0.6	0.0
02836	12	V	50	28	3.5	0.8	-0.2
02836	00	V	50	27	3.1	-0.1	-0.6
02963	00	V	50	20	3.8	0.1	1.2
02963	12	V	50	20	4.1	0.0	-0.4
03005	12	V	50	28	4.0	-0.1	0.0
03005	00	V	50	25	2.9	0.7	0.0
03238	12	V	50	6	4.1	1.3	-1.2
03238	00	V	50	25	4.0	-1.0	0.1
03808	00	V	50	24	4.0	-0.4	-0.5
03808	12	V	50	27	3.8	0.9	-0.1
03918	00	V	50	22	4.5	-0.8	-0.4
03918	12	V	50	9	5.2	-0.4	-1.7
03953	00	V	50	26	3.9	-0.2	0.0
03953	12	V	50	27	4.1	0.3	0.2
04018	00	V	50	23	4.1	-0.1	-0.6
04018	12	V	50	26	3.7	-0.2	-0.3
04220	12	V	50	27	2.8	0.2	0.2
04220	00	V	50	26	3.4	0.4	0.2
04270	00	V	50	23	3.5	0.1	0.1
04270	12	V	50	25	3.5	0.2	0.0
04320	12	V	50	28	3.1	-0.2	-0.6
04320	00	V	50	26	2.9	0.0	-0.6
04339	00	V	50	25	2.9	0.1	0.3
04339	12	V	50	28	2.8	0.2	-0.6
04360	12	V	50	26	3.3	-0.3	0.1
04360	00	V	50	23	3.6	0.1	0.1
06011	00	V	50	21	3.3	0.7	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	50	24	3.9	0.6	0.1
06260	00	V	50	23	3.8	-0.6	0.4
06260	12	V	50	4	4.8	-2.8	1.4
06610	12	V	50	27	3.7	0.6	-0.4
06610	00	V	50	23	4.3	0.4	0.0
07110	00	V	50	24	3.2	-1.0	0.5
07110	12	V	50	27	4.2	0.8	-0.8
07510	00	V	50	24	3.8	0.8	0.8
07510	12	V	50	27	3.6	1.0	-0.3
07645	12	V	50	27	4.0	-0.7	-0.3
07645	00	V	50	23	3.8	1.1	-0.3
07761	12	V	50	26	3.6	0.8	-0.2
07761	00	V	50	23	4.4	0.8	-0.8
08001	00	V	50	23	4.3	-1.2	0.4
08001	12	V	50	21	4.1	0.7	0.0
08221	00	V	50	24	4.0	0.8	-0.5
08221	12	V	50	27	4.2	0.7	-0.7
08302	00	V	50	23	3.0	0.4	0.7
08302	12	V	50	28	4.2	0.0	-1.0
08508	12	V	50	20	4.5	0.3	-0.3
08522	12	V	50	28	4.3	0.8	-0.3
08579	12	V	50	24	3.3	0.7	-0.6
10035	12	V	50	27	3.5	-0.9	-0.1
10393	12	V	50	28	4.4	-0.7	-0.3
10393	00	V	50	27	4.0	0.5	-0.3
10410	00	V	50	25	3.6	0.3	-0.4
10410	12	V	50	26	3.1	0.0	-0.2
10739	12	V	50	27	3.6	-0.2	-0.2
10739	00	V	50	24	3.4	-0.2	1.0
11035	12	V	50	28	3.4	0.1	-0.2
11035	00	V	50	25	4.6	-0.5	-0.9
12982	00	V	50	21	4.2	-0.8	-0.4
12982	12	V	50	22	4.0	0.1	0.6
16080	12	V	50	28	4.3	-0.7	-0.1
16080	00	V	50	27	5.0	0.6	-1.0
16245	00	V	50	22	4.4	2.2	-0.6
16245	12	V	50	26	4.9	-0.7	-0.8
16320	00	V	50	25	6.0	0.1	0.5
16320	12	V	50	26	4.3	1.3	-0.3
16429	00	V	50	24	4.9	0.8	1.1
16429	12	V	50	25	4.1	0.4	-0.3
16622	00	V	50	23	3.9	1.0	-0.4
16754	00	V	50	17	4.1	1.1	0.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
17607	12	V	50	1	2.5	-0.2	-2.5
26435	12	V	50	9	3.0	-1.6	-0.8
60018	00	V	50	26	4.0	1.0	0.6
60018	12	V	50	28	4.5	0.2	0.5
7HCPVT	00	V	50	6	2.8	0.4	-0.1
7HCPVT	12	V	50	11	2.6	0.4	1.1
7JUNA4	00	V	50	1	5.2	-0.3	5.2
7JUNA4	12	V	50	2	2.4	0.8	0.7
FHM5UJ	00	V	50	3	2.4	0.7	1.7
FHM5UJ	12	V	50	3	3.6	-0.3	-1.0
QCY3TG	12	V	50	5	4.2	-1.2	1.7
QCY3TG	00	V	50	6	2.8	-0.2	-0.2
VKB4L5	12	V	50	2	1.9	1.0	1.4
VKB4L5	00	V	50	2	4.9	-2.0	0.7
XWHDEA	00	V	50	4	3.4	-0.5	1.5
XWHDEA	12	V	50	5	3.8	-1.0	1.3
YLV96W	12	V	50	2	3.6	-1.6	-0.3
YLV96W	00	V	50	1	7.5	-6.6	3.6
ZVQEQC	12	V	50	12	3.0	0.4	-0.2

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	100	27	7.8	5.9
01001	12	Z	100	28	7.7	2.3
01028	00	Z	100	28	6.1	0.9
01028	12	Z	100	28	5.0	2.3
01400	12	Z	100	16	80.9	80.6
01400	00	Z	100	13	80.7	80.2
01415	12	Z	100	26	7.2	5.2
01415	00	Z	100	26	9.8	6.2
02365	00	Z	100	25	9.9	4.8
02365	12	Z	100	22	11.1	4.8
02591	00	Z	100	28	14.2	12.6
02591	12	Z	100	28	11.0	8.3
02836	12	Z	100	28	7.8	2.7
02836	00	Z	100	28	6.2	3.1
02963	00	Z	100	27	7.1	3.5
02963	12	Z	100	27	6.5	4.0
03005	12	Z	100	28	6.7	3.7
03005	00	Z	100	28	7.0	1.8
03238	12	Z	100	6	6.6	2.7
03238	00	Z	100	28	11.1	5.9
03808	00	Z	100	28	8.4	5.4
03808	12	Z	100	28	9.2	3.5
03918	00	Z	100	28	12.3	8.2
03918	12	Z	100	10	8.5	6.0
03953	00	Z	100	27	14.7	12.2
03953	12	Z	100	29	21.4	16.7
04018	00	Z	100	27	9.0	4.8
04018	12	Z	100	27	6.6	0.7
04220	12	Z	100	27	27.2	-1.7
04220	00	Z	100	28	6.9	5.8
04270	00	Z	100	28	12.3	6.9
04270	12	Z	100	27	10.0	2.5
04320	12	Z	100	28	5.9	3.2
04320	00	Z	100	28	8.0	6.6
04339	00	Z	100	28	9.5	7.8
04339	12	Z	100	28	14.5	3.7
04360	12	Z	100	27	10.3	-6.1
04360	00	Z	100	26	14.7	-9.0
06011	00	Z	100	27	11.7	5.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	100	25	9.5	5.4
06260	00	Z	100	27	9.4	2.2
06260	12	Z	100	4	12.5	9.9
06610	12	Z	100	28	6.7	4.1
06610	00	Z	100	28	11.5	2.5
07110	00	Z	100	27	8.9	4.1
07110	12	Z	100	28	11.0	7.8
07510	00	Z	100	27	15.0	12.7
07510	12	Z	100	27	26.3	22.9
07645	12	Z	100	28	12.0	8.0
07645	00	Z	100	27	10.8	5.0
07761	12	Z	100	27	25.3	23.1
07761	00	Z	100	27	16.0	12.6
08001	00	Z	100	28	13.2	10.7
08001	12	Z	100	27	19.3	16.0
08221	00	Z	100	28	12.8	11.7
08221	12	Z	100	27	13.8	13.0
08302	00	Z	100	28	8.5	6.2
08302	12	Z	100	28	8.8	7.1
08508	12	Z	100	21	8.7	5.1
08522	12	Z	100	28	11.4	9.4
08579	12	Z	100	25	16.7	14.0
10035	12	Z	100	28	8.5	6.3
10393	12	Z	100	28	8.0	4.3
10393	00	Z	100	28	6.4	3.6
10410	00	Z	100	28	6.6	3.3
10410	12	Z	100	28	5.2	1.4
10739	12	Z	100	27	8.0	5.0
10739	00	Z	100	28	8.9	6.9
11035	12	Z	100	28	10.7	8.3
11035	00	Z	100	27	13.2	11.6
12982	00	Z	100	21	15.3	10.4
12982	12	Z	100	22	44.3	26.9
16080	12	Z	100	28	6.4	-0.4
16080	00	Z	100	28	7.2	1.9
16245	00	Z	100	28	7.5	-0.1
16245	12	Z	100	28	12.0	6.3
16320	00	Z	100	27	13.6	8.7
16320	12	Z	100	27	14.6	11.2
16429	00	Z	100	28	9.5	6.5
16429	12	Z	100	27	26.6	9.7
16622	00	Z	100	28	11.9	9.5
16754	00	Z	100	26	12.6	6.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
17607	12	Z	100	27	9.3	7.2
26435	12	Z	100	9	6.2	2.6
60018	00	Z	100	28	16.2	15.5
60018	12	Z	100	28	10.4	8.9
7HCPVT	00	Z	100	8	38.1	37.2
7HCPVT	12	Z	100	11	35.2	34.1
7JUNA4	00	Z	100	2	3.2	3.2
7JUNA4	12	Z	100	3	12.6	12.3
FHM5UJ	00	Z	100	3	22.1	21.2
FHM5UJ	12	Z	100	3	23.3	20.8
QCY3TG	12	Z	100	6	24.9	23.5
QCY3TG	00	Z	100	7	15.7	13.2
VKB4L5	12	Z	100	2	36.7	36.7
VKB4L5	00	Z	100	2	33.0	32.9
XWHDEA	00	Z	100	5	6.2	4.7
XWHDEA	12	Z	100	6	12.6	5.6
YLV96W	12	Z	100	4	34.3	32.7
YLV96W	00	Z	100	2	2.3	-1.4
ZVQEQC	12	Z	100	14	18.7	18.0

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	100	26	2.5	0.1	0.2
01001	12	V	100	28	2.8	-0.6	0.1
01028	00	V	100	24	2.8	0.5	-0.8
01028	12	V	100	28	2.2	0.2	-0.1
01400	12	V	100	16	2.4	-0.6	0.0
01400	00	V	100	13	3.3	-0.3	0.1
01415	12	V	100	26	2.9	0.0	0.2
01415	00	V	100	26	4.0	-1.3	0.0
02365	00	V	100	25	3.7	0.6	-0.1
02365	12	V	100	21	4.3	0.7	-1.0
02591	00	V	100	28	3.8	-1.1	1.3
02591	12	V	100	28	4.1	-1.0	0.0
02836	12	V	100	28	3.3	-0.1	-0.2
02836	00	V	100	27	3.2	-0.3	0.5
02963	00	V	100	23	3.0	-0.3	-0.8
02963	12	V	100	27	4.1	-1.6	0.2
03005	12	V	100	28	3.6	0.8	1.0
03005	00	V	100	26	3.5	-0.6	-0.4
03238	12	V	100	6	3.7	1.1	-0.5
03238	00	V	100	27	3.7	-0.2	-0.6
03808	00	V	100	25	3.5	-0.3	0.2
03808	12	V	100	28	3.9	0.3	0.0
03918	00	V	100	26	5.2	0.2	-1.5
03918	12	V	100	9	4.0	0.7	0.4
03953	00	V	100	26	3.9	0.5	-0.4
03953	12	V	100	28	3.7	1.2	0.2
04018	00	V	100	26	3.4	0.3	-0.9
04018	12	V	100	27	3.4	0.6	0.3
04220	12	V	100	27	3.1	0.3	0.4
04220	00	V	100	28	2.7	0.3	0.3
04270	00	V	100	28	3.5	-0.6	-0.5
04270	12	V	100	27	3.2	-0.1	0.4
04320	12	V	100	28	2.9	0.8	-0.1
04320	00	V	100	28	2.3	-0.1	0.1
04339	00	V	100	27	3.5	0.3	0.7
04339	12	V	100	28	3.1	0.8	-0.3
04360	12	V	100	27	2.7	-0.5	-0.1
04360	00	V	100	24	2.9	0.6	0.0
06011	00	V	100	23	2.5	-0.2	0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	100	24	3.6	0.2	-0.4
06260	00	V	100	23	3.7	-0.6	0.2
06260	12	V	100	4	5.3	-0.2	-0.5
06610	12	V	100	28	4.5	0.8	0.1
06610	00	V	100	25	3.3	0.2	-0.1
07110	00	V	100	24	3.7	-0.2	-0.5
07110	12	V	100	28	3.4	0.1	0.1
07510	00	V	100	25	3.3	1.7	-0.2
07510	12	V	100	27	3.0	0.8	0.1
07645	12	V	100	28	3.3	0.8	-0.2
07645	00	V	100	24	4.4	1.2	-0.8
07761	12	V	100	27	4.1	0.7	0.4
07761	00	V	100	24	4.9	0.3	-1.2
08001	00	V	100	24	3.5	-0.1	-0.4
08001	12	V	100	25	3.8	-0.4	1.1
08221	00	V	100	25	4.3	-0.6	0.8
08221	12	V	100	27	3.4	-0.3	0.2
08302	00	V	100	24	3.3	0.1	0.5
08302	12	V	100	28	4.2	0.5	0.1
08508	12	V	100	21	4.2	0.1	-0.3
08522	12	V	100	28	4.3	-0.3	0.5
08579	12	V	100	24	3.5	-0.4	1.0
10035	12	V	100	28	3.8	0.2	0.4
10393	12	V	100	28	3.2	0.8	-0.7
10393	00	V	100	28	3.1	-0.3	-0.6
10410	00	V	100	26	3.4	0.2	-0.7
10410	12	V	100	28	3.5	0.0	-0.1
10739	12	V	100	27	3.1	0.1	0.3
10739	00	V	100	28	3.7	-0.2	0.6
11035	12	V	100	28	3.4	-0.4	-0.3
11035	00	V	100	25	3.4	-0.3	0.0
12982	00	V	100	21	4.6	-0.7	0.1
12982	12	V	100	22	3.3	-0.6	-0.7
16080	12	V	100	28	3.6	0.0	1.0
16080	00	V	100	27	3.5	0.4	-0.1
16245	00	V	100	26	4.5	0.0	0.9
16245	12	V	100	28	4.2	0.2	0.6
16320	00	V	100	26	4.4	0.1	0.4
16320	12	V	100	27	4.0	0.3	0.7
16429	00	V	100	27	4.4	-0.8	0.2
16429	12	V	100	27	4.1	1.2	0.7
16622	00	V	100	28	3.5	0.1	-0.6
16754	00	V	100	23	3.7	1.1	0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
17607	12	V	100	2	10.3	-3.3	2.0
26435	12	V	100	9	3.1	-1.0	0.7
60018	00	V	100	27	4.4	0.6	1.1
60018	12	V	100	28	4.1	1.4	1.1
7HCPVT	00	V	100	8	4.3	0.2	-0.1
7HCPVT	12	V	100	11	4.4	1.7	0.5
7JUNA4	00	V	100	2	3.1	-1.7	0.3
7JUNA4	12	V	100	3	3.7	1.4	1.2
FHM5UJ	00	V	100	3	3.9	-0.5	-2.5
FHM5UJ	12	V	100	3	3.1	2.6	-0.6
QCY3TG	12	V	100	6	2.8	-0.4	1.1
QCY3TG	00	V	100	7	3.9	0.1	-1.7
VKB4L5	12	V	100	2	2.4	1.2	1.4
VKB4L5	00	V	100	2	2.1	-1.2	1.6
XWHDEA	00	V	100	5	3.5	1.8	-1.2
XWHDEA	12	V	100	6	3.2	0.0	1.2
YLV96W	12	V	100	4	2.8	0.6	0.5
YLV96W	00	V	100	2	5.2	4.0	3.3
ZVQEQC	12	V	100	14	4.6	-0.6	0.1

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	500	27	4.1	2.2
01001	12	Z	500	28	5.2	0.8
01028	00	Z	500	28	4.9	2.1
01028	12	Z	500	28	4.2	1.0
01400	12	Z	500	16	80.1	79.8
01400	00	Z	500	13	80.0	79.8
01415	12	Z	500	26	7.7	6.6
01415	00	Z	500	26	6.3	4.2
02365	00	Z	500	26	5.5	3.4
02365	12	Z	500	24	5.8	1.6
02591	00	Z	500	28	9.4	8.9
02591	12	Z	500	28	10.1	9.1
02836	12	Z	500	28	3.6	0.8
02836	00	Z	500	28	4.2	2.1
02963	00	Z	500	27	4.8	4.1
02963	12	Z	500	28	4.3	2.0
03005	12	Z	500	28	3.4	0.1
03005	00	Z	500	28	3.9	0.3
03238	12	Z	500	6	5.0	2.5
03238	00	Z	500	28	6.3	5.1
03808	00	Z	500	28	5.7	4.3
03808	12	Z	500	28	4.9	4.0
03918	00	Z	500	28	9.0	8.7
03918	12	Z	500	10	8.5	8.3
03953	00	Z	500	28	7.7	2.1
03953	12	Z	500	29	9.1	7.6
04018	00	Z	500	27	3.8	2.2
04018	12	Z	500	27	3.8	1.1
04220	12	Z	500	28	4.9	2.4
04220	00	Z	500	28	4.3	0.4
04270	00	Z	500	28	5.2	2.7
04270	12	Z	500	27	6.2	0.3
04320	12	Z	500	28	4.2	2.2
04320	00	Z	500	28	5.8	3.5
04339	00	Z	500	28	7.3	6.2
04339	12	Z	500	28	12.5	1.8
04360	12	Z	500	27	10.2	-9.2
04360	00	Z	500	26	11.1	-9.2
06011	00	Z	500	26	8.7	6.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	500	26	7.9	4.7
06260	00	Z	500	28	6.1	-0.2
06260	12	Z	500	4	4.6	2.6
06610	12	Z	500	28	5.3	4.1
06610	00	Z	500	28	4.0	3.2
07110	00	Z	500	27	3.7	-0.4
07110	12	Z	500	28	5.2	1.8
07510	00	Z	500	28	5.2	3.7
07510	12	Z	500	28	10.0	7.5
07645	12	Z	500	28	6.7	2.6
07645	00	Z	500	27	4.7	0.5
07761	12	Z	500	27	9.0	7.8
07761	00	Z	500	27	6.1	0.9
08001	00	Z	500	28	6.9	6.2
08001	12	Z	500	27	10.4	8.2
08221	00	Z	500	28	8.3	7.6
08221	12	Z	500	27	9.2	9.0
08302	00	Z	500	28	3.4	1.1
08302	12	Z	500	28	4.9	1.8
08508	12	Z	500	21	6.9	3.7
08522	12	Z	500	28	7.6	6.8
08579	12	Z	500	25	10.4	8.8
10035	12	Z	500	28	7.4	6.8
10393	12	Z	500	28	3.7	2.2
10393	00	Z	500	28	3.6	1.9
10410	00	Z	500	28	3.1	1.7
10410	12	Z	500	28	4.0	1.4
10739	12	Z	500	27	6.7	5.6
10739	00	Z	500	28	6.5	5.8
11035	12	Z	500	28	7.1	6.3
11035	00	Z	500	27	8.9	8.5
12982	00	Z	500	21	5.4	4.1
12982	12	Z	500	22	7.5	6.1
16080	12	Z	500	28	3.2	-0.4
16080	00	Z	500	28	2.9	0.1
16245	00	Z	500	28	4.5	0.0
16245	12	Z	500	28	8.1	0.5
16320	00	Z	500	28	8.3	4.5
16320	12	Z	500	28	10.9	6.2
16429	00	Z	500	28	6.4	3.5
16429	12	Z	500	27	5.7	3.5
16622	00	Z	500	28	6.4	3.8
16754	00	Z	500	28	8.7	0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
17607	12	Z	500	27	6.7	4.3
26435	12	Z	500	9	3.9	3.0
60018	00	Z	500	28	8.1	7.4
60018	12	Z	500	28	8.4	7.8
7HCPVT	00	Z	500	10	15.9	15.5
7HCPVT	12	Z	500	12	19.0	18.7
7JUNA4	00	Z	500	2	6.7	-1.9
7JUNA4	12	Z	500	5	5.2	-1.8
FHM5UJ	00	Z	500	3	20.6	19.6
FHM5UJ	12	Z	500	3	21.1	21.0
QCY3TG	12	Z	500	6	9.9	9.1
QCY3TG	00	Z	500	7	7.2	5.5
VKB4L5	12	Z	500	2	35.0	35.0
VKB4L5	00	Z	500	2	33.5	33.5
XWHDEA	00	Z	500	5	6.2	-5.9
XWHDEA	12	Z	500	7	7.6	-1.1
YLV96W	12	Z	500	6	10.9	-5.8
YLV96W	00	Z	500	4	3.1	3.0
ZVQEQC	12	Z	500	14	10.0	9.6

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	500	27	3.3	-0.3	-0.1
01001	12	V	500	28	2.9	-0.4	0.5
01028	00	V	500	28	2.7	0.1	0.2
01028	12	V	500	28	2.1	-0.1	0.3
01400	12	V	500	16	2.6	-0.3	0.8
01400	00	V	500	13	3.0	-0.6	0.4
01415	12	V	500	26	3.2	-0.5	0.1
01415	00	V	500	26	3.8	0.7	0.4
02365	00	V	500	26	2.6	0.3	-0.3
02365	12	V	500	24	3.9	0.2	0.3
02591	00	V	500	28	2.4	0.2	-0.2
02591	12	V	500	28	2.3	0.3	-0.7
02836	12	V	500	28	2.5	0.2	0.2
02836	00	V	500	28	2.7	0.2	0.3
02963	00	V	500	27	3.4	0.3	-0.3
02963	12	V	500	28	2.8	0.4	0.2
03005	12	V	500	28	3.7	0.6	0.8
03005	00	V	500	28	3.7	1.5	-0.1
03238	12	V	500	6	5.4	0.4	1.3
03238	00	V	500	28	3.5	0.1	-1.2
03808	00	V	500	27	2.6	1.0	-0.3
03808	12	V	500	28	3.4	-0.4	0.4
03918	00	V	500	28	2.5	0.6	0.2
03918	12	V	500	10	3.2	0.4	0.4
03953	00	V	500	28	3.3	0.3	0.6
03953	12	V	500	28	3.2	-0.6	0.0
04018	00	V	500	27	2.7	-0.4	-0.2
04018	12	V	500	27	2.8	0.3	0.2
04220	12	V	500	28	3.1	0.4	0.1
04220	00	V	500	28	2.6	-0.2	0.4
04270	00	V	500	28	4.1	-0.9	0.3
04270	12	V	500	27	3.2	0.2	0.1
04320	12	V	500	28	2.3	0.1	-0.6
04320	00	V	500	28	2.9	0.3	0.1
04339	00	V	500	28	2.6	0.0	0.3
04339	12	V	500	28	3.6	-0.2	0.7
04360	12	V	500	27	3.0	0.0	0.8
04360	00	V	500	26	3.3	-0.3	0.0
06011	00	V	500	26	3.4	-0.1	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	500	25	4.0	-0.1	0.5
06260	00	V	500	28	2.3	0.4	-0.1
06260	12	V	500	4	1.8	1.2	-0.5
06610	12	V	500	28	2.2	-0.1	-0.8
06610	00	V	500	26	2.5	0.5	-0.4
07110	00	V	500	27	3.3	0.0	-0.1
07110	12	V	500	28	3.1	0.2	-0.1
07510	00	V	500	28	2.6	0.1	-1.0
07510	12	V	500	28	3.0	0.0	-0.2
07645	12	V	500	28	2.3	0.3	-0.4
07645	00	V	500	27	2.9	-0.1	-0.7
07761	12	V	500	27	2.2	0.4	-0.7
07761	00	V	500	27	2.9	0.3	-0.4
08001	00	V	500	28	3.3	0.1	0.4
08001	12	V	500	27	2.3	0.5	-0.1
08221	00	V	500	27	2.4	-0.1	-0.2
08221	12	V	500	27	2.6	0.3	-0.3
08302	00	V	500	27	2.4	-0.2	-0.6
08302	12	V	500	28	2.4	0.4	-0.5
08508	12	V	500	21	3.4	0.3	0.2
08522	12	V	500	28	2.8	0.5	0.0
08579	12	V	500	25	2.2	-0.3	0.0
10035	12	V	500	28	2.7	-0.3	-0.5
10393	12	V	500	28	3.0	-0.3	0.2
10393	00	V	500	28	2.5	0.3	-0.5
10410	00	V	500	27	2.1	0.2	-0.1
10410	12	V	500	28	2.8	0.0	-0.5
10739	12	V	500	27	2.5	0.5	-0.9
10739	00	V	500	28	2.1	-0.1	-0.2
11035	12	V	500	28	3.2	-0.1	-0.8
11035	00	V	500	27	2.6	0.2	-0.1
12982	00	V	500	21	3.5	-0.1	-0.1
12982	12	V	500	22	3.2	0.0	-0.3
16080	12	V	500	28	3.0	-0.2	-0.1
16080	00	V	500	28	3.3	-0.2	0.0
16245	00	V	500	28	3.3	0.2	0.9
16245	12	V	500	28	2.6	0.3	0.1
16320	00	V	500	28	2.7	0.7	0.1
16320	12	V	500	28	2.5	0.7	-0.4
16429	00	V	500	28	2.7	0.5	0.0
16429	12	V	500	27	3.1	0.7	0.0
16622	00	V	500	28	3.0	0.9	0.3
16754	00	V	500	26	3.5	-0.3	-0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
17607	12	V	500	10	11.5	1.6	3.3
26435	12	V	500	9	2.3	-0.5	0.0
60018	00	V	500	28	2.7	0.5	-0.8
60018	12	V	500	28	2.1	0.5	-0.2
7HCPVT	00	V	500	10	2.4	0.4	1.1
7HCPVT	12	V	500	12	2.1	0.4	0.3
7JUNA4	00	V	500	2	1.0	-0.2	0.9
7JUNA4	12	V	500	5	1.8	-0.5	-0.9
FHM5UJ	00	V	500	3	1.1	1.0	0.1
FHM5UJ	12	V	500	3	4.1	3.2	-0.1
QCY3TG	12	V	500	6	2.6	-0.2	0.5
QCY3TG	00	V	500	7	1.9	-0.4	0.6
VKB4L5	12	V	500	2	3.5	-0.6	2.0
VKB4L5	00	V	500	2	3.1	2.0	-0.8
XWHDEA	00	V	500	5	3.2	1.1	0.1
XWHDEA	12	V	500	7	2.1	-0.4	1.0
YLV96W	12	V	500	6	3.2	0.7	0.7
YLV96W	00	V	500	4	2.4	-0.5	0.7
ZVQEQC	12	V	500	14	2.9	1.3	0.6

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	00	Z	850	28	3.5	-0.3
01001	12	Z	850	28	4.3	0.1
01028	00	Z	850	28	2.3	0.8
01028	12	Z	850	28	2.6	-0.1
01400	12	Z	850	16	81.2	80.9
01400	00	Z	850	14	79.3	79.2
01415	12	Z	850	26	5.4	4.5
01415	00	Z	850	26	5.1	4.6
02365	00	Z	850	26	6.0	4.7
02365	12	Z	850	24	4.6	3.7
02591	00	Z	850	28	8.9	8.5
02591	12	Z	850	28	8.9	8.6
02836	12	Z	850	28	2.8	1.7
02836	00	Z	850	28	4.1	2.2
02963	00	Z	850	27	3.7	3.2
02963	12	Z	850	28	3.2	2.5
03005	12	Z	850	28	3.6	0.0
03005	00	Z	850	28	3.0	-0.5
03238	12	Z	850	6	5.8	5.6
03238	00	Z	850	28	5.4	4.7
03808	00	Z	850	28	4.1	3.5
03808	12	Z	850	28	3.9	3.2
03918	00	Z	850	28	8.9	7.9
03918	12	Z	850	10	9.6	9.2
03953	00	Z	850	28	4.8	3.9
03953	12	Z	850	29	6.2	4.8
04018	00	Z	850	27	2.9	0.5
04018	12	Z	850	27	3.4	0.1
04220	12	Z	850	28	3.9	1.7
04220	00	Z	850	28	3.2	0.1
04270	00	Z	850	28	5.9	2.4
04270	12	Z	850	27	5.5	3.3
04320	12	Z	850	28	4.6	-2.0
04320	00	Z	850	28	4.0	-0.2
04339	00	Z	850	28	5.2	3.5
04339	12	Z	850	28	15.7	-0.4
04360	12	Z	850	27	11.1	-9.3
04360	00	Z	850	26	9.0	-8.0
06011	00	Z	850	27	7.4	3.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	12	Z	850	26	8.6	3.0
06260	00	Z	850	28	5.3	-0.2
06260	12	Z	850	4	3.3	2.8
06610	12	Z	850	28	4.1	2.8
06610	00	Z	850	28	4.0	3.1
07110	00	Z	850	27	1.7	-0.2
07110	12	Z	850	28	2.9	1.4
07510	00	Z	850	28	2.9	0.8
07510	12	Z	850	28	3.8	2.5
07645	12	Z	850	28	3.0	-0.1
07645	00	Z	850	27	3.1	-0.5
07761	12	Z	850	27	4.0	3.5
07761	00	Z	850	27	3.7	0.6
08001	00	Z	850	28	3.6	3.0
08001	12	Z	850	27	4.1	3.3
08221	00	Z	850	28	5.6	5.0
08221	12	Z	850	27	6.1	5.5
08302	00	Z	850	28	2.2	-0.9
08302	12	Z	850	28	3.1	-1.8
08508	12	Z	850	21	4.5	2.5
08522	12	Z	850	28	4.4	4.0
08579	12	Z	850	25	6.3	4.3
10035	12	Z	850	28	7.1	6.6
10393	12	Z	850	28	2.9	1.2
10393	00	Z	850	28	2.8	1.4
10410	00	Z	850	28	2.3	0.5
10410	12	Z	850	28	2.0	1.4
10739	12	Z	850	27	6.2	5.8
10739	00	Z	850	28	5.6	5.0
11035	12	Z	850	28	8.4	7.8
11035	00	Z	850	27	8.5	8.0
12982	00	Z	850	21	4.3	3.3
12982	12	Z	850	22	4.2	3.9
16080	12	Z	850	28	3.2	-1.9
16080	00	Z	850	28	3.4	-1.7
16245	00	Z	850	28	3.7	-1.3
16245	12	Z	850	28	7.6	-0.4
16320	00	Z	850	28	7.7	1.8
16320	12	Z	850	28	9.0	5.3
16429	00	Z	850	28	4.2	2.5
16429	12	Z	850	27	4.7	3.2
16622	00	Z	850	28	4.5	3.4
16754	00	Z	850	28	4.3	-0.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
17607	12	Z	850	28	4.5	3.9
26435	12	Z	850	9	3.4	3.0
60018	00	Z	850	28	3.5	2.4
60018	12	Z	850	28	4.1	3.1
7HCPVT	00	Z	850	10	11.5	11.3
7HCPVT	12	Z	850	12	11.3	10.8
7JUNA4	00	Z	850	2	2.8	1.2
7JUNA4	12	Z	850	5	3.3	-2.2
FHM5UJ	00	Z	850	3	18.5	17.4
FHM5UJ	12	Z	850	3	19.9	17.9
QCY3TG	12	Z	850	6	4.3	1.7
QCY3TG	00	Z	850	7	4.2	-0.1
VKB4L5	12	Z	850	2	28.8	28.8
VKB4L5	00	Z	850	2	28.7	28.6
XWHDEA	00	Z	850	5	6.9	-6.7
XWHDEA	12	Z	850	8	6.0	-4.2
YLV96W	12	Z	850	6	7.4	-2.1
YLV96W	00	Z	850	4	4.1	2.9
ZVQEQC	12	Z	850	14	4.9	4.2

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	00	V	850	28	4.3	0.0	-0.8
01001	12	V	850	28	4.4	0.6	0.2
01028	00	V	850	28	2.9	0.0	-0.4
01028	12	V	850	28	3.1	0.6	-0.6
01400	12	V	850	16	2.5	0.2	0.4
01400	00	V	850	14	2.2	-0.3	-0.8
01415	12	V	850	26	2.4	-0.2	-0.2
01415	00	V	850	26	2.3	-0.1	0.4
02365	00	V	850	26	3.6	-1.3	0.4
02365	12	V	850	24	3.6	-0.1	0.8
02591	00	V	850	28	2.8	0.0	-0.6
02591	12	V	850	28	2.8	-0.5	0.7
02836	12	V	850	28	2.3	0.4	0.1
02836	00	V	850	28	3.3	0.2	-0.8
02963	00	V	850	27	2.3	-0.4	0.1
02963	12	V	850	28	2.5	-0.1	-0.2
03005	12	V	850	28	3.4	-0.2	0.4
03005	00	V	850	28	3.8	0.7	-0.5
03238	12	V	850	6	3.5	0.3	-1.5
03238	00	V	850	28	2.9	-0.4	0.0
03808	00	V	850	27	2.4	0.4	0.0
03808	12	V	850	28	2.9	-0.3	-0.3
03918	00	V	850	28	2.8	0.6	-0.3
03918	12	V	850	10	3.4	-0.2	-0.7
03953	00	V	850	28	3.4	-0.2	0.1
03953	12	V	850	28	3.1	0.2	0.6
04018	00	V	850	27	3.9	0.6	0.7
04018	12	V	850	27	3.8	0.7	-0.4
04220	12	V	850	28	3.5	0.1	-0.6
04220	00	V	850	28	3.6	0.9	-0.2
04270	00	V	850	28	6.8	-1.6	0.4
04270	12	V	850	27	4.7	-0.1	1.5
04320	12	V	850	28	2.6	0.1	0.5
04320	00	V	850	28	2.8	-0.1	-0.1
04339	00	V	850	28	3.9	0.8	0.8
04339	12	V	850	28	3.7	-0.7	0.2
04360	12	V	850	27	7.0	2.3	-0.3
04360	00	V	850	26	8.0	4.9	-0.3
06011	00	V	850	27	4.0	-1.4	-0.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	12	V	850	25	4.5	-0.2	-1.0
06260	00	V	850	28	2.0	0.0	-0.2
06260	12	V	850	4	2.6	-0.7	0.0
06610	12	V	850	28	2.8	-0.4	-0.8
06610	00	V	850	26	2.9	0.4	-0.5
07110	00	V	850	27	2.7	-0.7	-0.6
07110	12	V	850	28	2.6	0.0	-0.4
07510	00	V	850	28	3.4	-0.1	-0.1
07510	12	V	850	28	3.2	0.2	-0.4
07645	12	V	850	28	3.4	0.1	-0.6
07645	00	V	850	27	2.7	-0.1	-0.2
07761	12	V	850	27	5.0	1.6	0.9
07761	00	V	850	27	4.8	1.5	-0.3
08001	00	V	850	28	2.3	-0.3	0.3
08001	12	V	850	27	2.9	0.3	0.5
08221	00	V	850	27	3.2	0.2	0.0
08221	12	V	850	27	2.8	0.2	-0.3
08302	00	V	850	27	2.9	-0.1	0.2
08302	12	V	850	28	3.3	-0.1	0.4
08508	12	V	850	21	3.7	-0.6	-0.7
08522	12	V	850	28	4.2	0.3	0.5
08579	12	V	850	25	2.7	0.5	-0.6
10035	12	V	850	28	2.3	0.2	-0.3
10393	12	V	850	28	2.2	-0.3	-0.3
10393	00	V	850	28	2.1	-0.5	0.1
10410	00	V	850	27	2.1	-0.1	0.1
10410	12	V	850	28	2.5	0.1	-0.3
10739	12	V	850	27	2.7	-0.7	-0.2
10739	00	V	850	28	2.6	-0.6	-0.4
11035	12	V	850	28	4.1	0.1	-0.9
11035	00	V	850	27	2.4	0.5	0.5
12982	00	V	850	21	2.7	0.3	0.2
12982	12	V	850	22	3.2	0.0	-0.8
16080	12	V	850	28	3.0	-0.2	-0.4
16080	00	V	850	28	3.4	0.3	0.0
16245	00	V	850	28	4.0	1.2	0.4
16245	12	V	850	28	4.2	-0.1	0.7
16320	00	V	850	28	3.6	-0.3	-0.2
16320	12	V	850	28	3.8	0.2	-1.0
16429	00	V	850	28	2.7	-0.4	-0.3
16429	12	V	850	27	2.6	0.6	-0.2
16622	00	V	850	28	3.4	0.4	-0.6
16754	00	V	850	26	3.4	0.3	-0.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
17607	12	V	850	28	3.3	0.1	0.3
26435	12	V	850	9	3.1	0.2	0.2
60018	00	V	850	28	3.3	0.4	0.0
60018	12	V	850	28	2.9	1.0	0.3
7HCPVT	00	V	850	10	2.1	0.7	0.4
7HCPVT	12	V	850	12	2.2	0.2	-0.3
7JUNA4	00	V	850	2	2.1	-0.7	-1.4
7JUNA4	12	V	850	5	4.5	1.4	-1.6
FHM5UJ	00	V	850	3	2.1	-0.3	-0.9
FHM5UJ	12	V	850	3	4.8	-0.7	-1.6
QCY3TG	12	V	850	6	3.6	1.9	-1.8
QCY3TG	00	V	850	7	2.6	-0.3	0.6
VKB4L5	12	V	850	2	1.4	-0.1	0.3
VKB4L5	00	V	850	2	2.0	1.6	0.8
XWHDEA	00	V	850	5	3.0	-0.4	-1.7
XWHDEA	12	V	850	8	3.0	0.0	-1.3
YLV96W	12	V	850	6	2.5	-0.9	0.3
YLV96W	00	V	850	4	2.6	-0.3	-0.5
ZVQEQC	12	V	850	14	2.8	0.5	0.6

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
03380	99	P	SUR	54	0	675	0	0.3	-0.1	0.3
1300001	99	P	SUR	11	-23	582	0	0.3	-0.1	0.3
1300008	99	P	SUR	15	-38	598	0	0.2	-0.2	0.3
1300130	99	P	SUR	28	-16	672	0	0.4	0.2	0.4
1300131	99	P	SUR	28	-17	672	0	0.4	0.0	0.4
1301603	99	P	SUR	24	-57	671	0	0.3	-0.1	0.4
1301605	99	P	SUR	23	-53	672	0	0.3	0.1	0.3
1301607	99	P	SUR	23	-42	672	0	0.3	0.4	0.5
1301608	99	P	SUR	28	-45	671	0	0.3	0.5	0.6
1301609	99	P	SUR	19	-53	671	0	0.3	0.4	0.5
1301610	99	P	SUR	22	-44	672	0	0.2	0.2	0.3
1301611	99	P	SUR	28	-36	672	0	0.3	0.2	0.4
1301612	99	P	SUR	24	-35	672	0	0.3	0.1	0.3
1301618	99	P	SUR	15	-25	672	0	0.4	0.5	0.6
1402554	99	P	SUR	22	-64	368	2	0.3	0.4	0.5
1402558	99	P	SUR	22	-64	6	0	1.7	-1.2	2.1
1402559	99	P	SUR	32	-49	475	0	0.4	0.3	0.5
1501529	99	P	SUR	25	-34	667	0	0.2	0.1	0.3
1501531	99	P	SUR	20	-57	667	0	0.3	-0.3	0.4
1501534	99	P	SUR	24	-63	667	0	0.3	-1.0	1.1
1501581	99	P	SUR	13	-41	668	0	0.2	0.2	0.3
2601621	99	P	SUR	82	-4	672	0	0.8	-0.2	0.8
3100735	99	P	SUR	30	-60	384	0	3.4	-0.0	3.4
31735	99	P	SUR	30	-60	384	0	3.4	-0.0	3.4
3301518	99	P	SUR	11	-59	669	0	0.3	0.6	0.7
3301520	99	P	SUR	11	-59	666	0	0.3	0.3	0.4
3301528	99	P	SUR	15	-66	667	0	0.3	0.2	0.3
4100041	99	P	SUR	14	-46	4010	0	0.3	0.2	0.3
4100043	99	P	SUR	21	-65	3875	0	0.3	0.1	0.3
4100044	99	P	SUR	22	-59	3844	0	0.4	0.2	0.4
4100046	99	P	SUR	24	-68	3999	0	0.3	0.6	0.6
4100049	99	P	SUR	27	-63	3920	0	0.3	-0.1	0.3
4100052	99	P	SUR	18	-65	3943	0	0.3	-1.2	1.2
4100053	99	P	SUR	18	-66	3950	0	0.3	-0.7	0.8
4100056	99	P	SUR	18	-65	3957	0	0.3	-0.8	0.8
4100139	99	P	SUR	20	-38	628	0	0.2	-0.3	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4100300	99	P	SUR	16	-57	672	0	0.3	0.0	0.3
4100597	99	P	SUR	30	-41	616	0	2.0	-0.3	2.0
4100729	99	P	SUR	36	-36	672	1	1.9	-0.3	1.9
4100730	99	P	SUR	39	-31	672	7	2.5	-0.2	2.5
4101528	99	P	SUR	33	-29	624	0	0.4	0.8	0.8
4101530	99	P	SUR	34	-30	359	0	0.4	0.5	0.6
4101531	99	P	SUR	40	-17	578	0	0.4	0.9	0.9
4101532	99	P	SUR	38	-47	547	0	0.6	-0.0	0.6
4101533	99	P	SUR	52	-48	475	0	0.7	0.7	0.9
4101534	99	P	SUR	51	-28	489	0	0.8	0.3	0.8
4101535	99	P	SUR	45	-42	409	0	0.7	0.0	0.8
4101536	99	P	SUR	45	-27	620	0	0.6	0.2	0.7
4101537	99	P	SUR	41	-19	616	0	0.4	0.7	0.8
4101539	99	P	SUR	35	-64	672	0	0.5	-0.0	0.5
4101554	99	P	SUR	28	-60	662	0	0.3	0.2	0.4
4101556	99	P	SUR	41	-28	669	0	0.6	0.5	0.8
4101557	99	P	SUR	37	-32	670	0	0.5	0.1	0.5
4101558	99	P	SUR	27	-30	671	0	0.2	0.5	0.5
4101560	99	P	SUR	34	-46	668	0	0.4	0.5	0.6
4101562	99	P	SUR	33	-55	594	0	0.4	0.3	0.5
4101564	99	P	SUR	31	-42	663	0	0.3	-0.1	0.3
4101565	99	P	SUR	32	-40	621	0	0.4	0.3	0.5
4101566	99	P	SUR	28	-53	596	0	0.3	0.2	0.3
4101567	99	P	SUR	38	-48	341	0	0.5	0.2	0.6
4101568	99	P	SUR	34	-52	454	0	0.4	0.2	0.4
4101570	99	P	SUR	28	-53	671	0	0.3	0.2	0.4
4101572	99	P	SUR	48	-28	589	0	0.6	0.2	0.6
4101573	99	P	SUR	39	-49	671	0	0.5	-0.3	0.6
4101575	99	P	SUR	40	-55	497	0	0.5	0.2	0.5
4101579	99	P	SUR	22	-62	672	0	1.8	-0.2	1.8
4101586	99	P	SUR	39	-62	115	107	0.5	14.2	14.2
4101594	99	P	SUR	13	-58	253	29	2.0	-1.6	2.6
4101595	99	P	SUR	18	-65	672	0	0.3	0.4	0.5
4101596	99	P	SUR	59	-14	671	0	0.6	0.8	1.0
4101598	99	P	SUR	15	-51	671	0	0.3	0.3	0.4
4101599	99	P	SUR	50	-7	256	0	0.9	-0.3	1.0
4101600	99	P	SUR	14	-70	672	0	0.3	0.5	0.6
4101606	99	P	SUR	44	-12	672	0	0.4	0.5	0.6
4101607	99	P	SUR	42	-13	672	0	0.4	0.4	0.5
4101608	99	P	SUR	67	-13	672	0	0.5	0.5	0.8
4101609	99	P	SUR	36	-21	672	0	0.4	0.2	0.5
4101610	99	P	SUR	68	-14	672	0	0.5	0.6	0.8
4101612	99	P	SUR	44	-4	672	0	0.4	0.6	0.8

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4101619	99	P	SUR	50	-15	672	0	0.5	0.2	0.5
4101620	99	P	SUR	51	-10	672	0	0.4	0.5	0.6
4101622	99	P	SUR	70	-8	672	0	0.7	0.3	0.7
4101623	99	P	SUR	58	-58	672	0	0.9	0.0	0.9
4101624	99	P	SUR	64	-33	672	0	0.9	0.4	1.0
4101625	99	P	SUR	62	-38	672	0	0.7	0.4	0.8
4101626	99	P	SUR	63	-27	672	0	0.9	0.4	1.0
4101627	99	P	SUR	55	-32	672	0	0.8	0.1	0.8
4101700	99	P	SUR	24	-53	672	0	0.3	0.0	0.3
4101702	99	P	SUR	31	-59	672	0	0.3	-0.1	0.3
4101705	99	P	SUR	30	-35	671	0	0.4	-0.1	0.4
4101706	99	P	SUR	36	-29	672	0	0.6	-0.7	0.9
4101707	99	P	SUR	34	-31	672	0	0.5	-0.2	0.6
4101708	99	P	SUR	28	-42	673	0	0.3	-0.5	0.6
4101709	99	P	SUR	18	-61	672	0	1.0	0.0	1.0
4101712	99	P	SUR	36	-30	662	0	0.5	0.1	0.6
4101713	99	P	SUR	36	-68	672	0	0.5	-0.2	0.5
4101714	99	P	SUR	32	-30	672	0	0.3	-0.0	0.3
4101715	99	P	SUR	30	-55	670	0	0.3	0.1	0.4
4101716	99	P	SUR	26	-53	672	0	0.3	-1.0	1.1
4101717	99	P	SUR	24	-60	672	0	0.3	-0.2	0.3
4101718	99	P	SUR	38	-36	672	0	0.4	-0.0	0.4
4101719	99	P	SUR	35	-52	672	0	0.5	-0.1	0.5
4101720	99	P	SUR	43	-51	671	0	0.5	1.0	1.2
4101721	99	P	SUR	41	-50	671	0	0.5	0.2	0.6
4101742	99	P	SUR	40	-61	528	28	1.9	-0.4	1.9
4101743	99	P	SUR	27	-63	672	0	0.3	0.5	0.5
4101760	99	P	SUR	29	-54	417	0	0.3	0.2	0.3
4101762	99	P	SUR	25	-60	386	0	0.6	0.3	0.7
41041	99	P	SUR	14	-46	1146	0	0.4	0.6	0.7
41043	99	P	SUR	21	-65	1207	0	0.4	0.5	0.6
41044	99	P	SUR	22	-59	1228	0	0.4	0.6	0.7
41046	99	P	SUR	24	-68	1081	0	0.4	1.0	1.0
41049	99	P	SUR	28	-63	1109	0	0.4	0.3	0.5
41052	99	P	SUR	18	-65	1729	0	0.3	-1.2	1.2
41053	99	P	SUR	19	-66	1822	0	0.3	-0.7	0.8
41056	99	P	SUR	18	-66	1742	0	0.4	-0.8	0.9
41300	99	P	SUR	16	-57	672	0	0.3	0.0	0.3
41597	99	P	SUR	30	-41	616	0	2.0	-0.3	2.0
41729	99	P	SUR	36	-36	672	1	1.9	-0.3	1.9
41730	99	P	SUR	39	-31	672	7	2.5	-0.2	2.5
4200060	99	P	SUR	16	-63	3950	0	0.3	-0.2	0.4
4200085	99	P	SUR	18	-67	689	0	0.3	-0.8	0.8

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4201527	99	P	SUR	38	-66	651	0	0.5	0.5	0.8
42060	99	P	SUR	16	-63	1158	0	0.4	0.2	0.5
42085	99	P	SUR	18	-67	689	0	0.3	-0.8	0.9
4400005	99	P	SUR	43	-69	636	0	0.7	-0.5	0.9
4400027	99	P	SUR	44	-67	670	0	0.7	-0.6	0.9
4400032	99	P	SUR	44	-69	568	0	0.6	-1.2	1.3
4400033	99	P	SUR	44	-69	647	0	0.6	-1.0	1.1
4400034	99	P	SUR	44	-68	590	0	0.6	-0.6	0.8
4400037	99	P	SUR	43	-68	603	0	0.5	-1.1	1.3
44005	99	P	SUR	43	-69	643	0	0.7	-0.5	0.9
4400513	99	P	SUR	54	-10	508	0	0.5	-0.3	0.5
4400517	99	P	SUR	26	-67	672	0	0.3	0.1	0.3
4400521	99	P	SUR	36	-32	637	0	0.5	-1.0	1.2
4400746	99	P	SUR	34	-43	672	0	0.6	-0.0	0.6
4400777	99	P	SUR	26	-45	671	0	0.2	0.2	0.3
4400778	99	P	SUR	23	-52	672	0	0.3	0.2	0.3
4400857	99	P	SUR	33	-48	671	1	1.4	0.2	1.4
4400874	99	P	SUR	37	-37	224	0	2.3	-0.6	2.4
4400887	99	P	SUR	45	-24	522	0	0.6	-0.3	0.7
4401503	99	P	SUR	37	-58	672	0	0.5	-0.4	0.6
4401531	99	P	SUR	41	-51	672	0	0.5	-0.0	0.5
4401536	99	P	SUR	37	-16	666	0	0.4	0.6	0.7
4401537	99	P	SUR	34	-38	587	0	0.6	-0.3	0.7
4401539	99	P	SUR	41	-30	322	0	3.6	-1.0	3.7
4401540	99	P	SUR	33	-54	670	0	0.4	-0.1	0.5
4401541	99	P	SUR	34	-29	670	0	0.4	-0.2	0.5
4401542	99	P	SUR	30	-70	670	0	0.3	0.2	0.4
4401544	99	P	SUR	39	-48	664	0	0.5	-1.2	1.2
4401549	99	P	SUR	60	-12	609	0	0.7	0.2	0.7
4401551	99	P	SUR	40	-28	584	0	1.9	0.1	1.9
4401552	99	P	SUR	13	-51	613	0	0.3	0.1	0.3
4401553	99	P	SUR	72	15	670	6	2.7	-0.4	2.8
4401556	99	P	SUR	35	-28	672	0	0.5	0.2	0.5
4401557	99	P	SUR	36	-28	672	0	0.5	0.1	0.5
4401558	99	P	SUR	66	12	672	0	0.6	-0.2	0.6
4401559	99	P	SUR	44	-12	671	0	0.5	0.5	0.7
4401561	99	P	SUR	27	-42	672	0	0.3	-0.2	0.3
4401562	99	P	SUR	34	-21	672	0	1.1	0.0	1.1
4401563	99	P	SUR	27	-46	672	0	0.3	-0.5	0.6
4401564	99	P	SUR	39	-34	672	0	0.6	0.1	0.6
4401565	99	P	SUR	61	-14	669	0	0.6	0.4	0.7
4401567	99	P	SUR	54	-42	671	0	0.6	0.4	0.7
4401568	99	P	SUR	47	-42	672	0	0.7	0.3	0.8

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4401569	99	P	SUR	53	-47	672	0	0.6	0.2	0.6
4401570	99	P	SUR	47	-22	672	0	0.6	0.1	0.6
4401571	99	P	SUR	48	-18	671	0	0.6	0.2	0.7
4401572	99	P	SUR	47	-49	592	0	2.7	1.5	3.1
4401573	99	P	SUR	50	-44	672	0	0.6	0.2	0.6
4401574	99	P	SUR	54	-36	346	0	0.9	0.1	0.9
4401575	99	P	SUR	49	-44	346	0	0.5	0.7	0.8
4401605	99	P	SUR	65	9	664	0	0.4	-0.1	0.4
4401611	99	P	SUR	43	-61	664	0	0.5	0.4	0.6
4401613	99	P	SUR	40	-10	664	0	0.3	0.7	0.7
4401616	99	P	SUR	38	-40	664	0	0.4	-0.3	0.5
4401633	99	P	SUR	35	-15	664	0	0.4	0.5	0.6
4401750	99	P	SUR	62	-8	629	0	0.5	-1.3	1.4
4401751	99	P	SUR	63	-1	644	0	0.4	0.4	0.6
4401753	99	P	SUR	63	-13	600	0	0.6	0.8	1.0
4401755	99	P	SUR	72	40	453	0	0.4	0.6	0.7
4401799	99	P	SUR	18	-46	623	0	0.3	0.2	0.4
4401802	99	P	SUR	42	-21	664	19	3.1	-0.2	3.1
44027	99	P	SUR	44	-67	680	0	0.7	-0.6	0.9
44032	99	P	SUR	44	-69	570	0	0.6	-1.2	1.3
44033	99	P	SUR	44	-69	650	0	0.6	-1.0	1.1
44034	99	P	SUR	44	-68	592	0	0.6	-0.6	0.8
44037	99	P	SUR	44	-68	605	0	0.6	-1.2	1.3
44137	99	P	SUR	42	-62	666	0	0.5	-0.5	0.8
44139	99	P	SUR	44	-57	636	1	0.5	-0.2	0.5
44150	99	P	SUR	43	-64	642	0	0.5	-0.3	0.6
44258	99	P	SUR	45	-63	665	0	0.6	-0.4	0.7
44513	99	P	SUR	54	-10	508	0	0.5	-0.3	0.5
44517	99	P	SUR	26	-67	672	0	0.3	0.1	0.3
44521	99	P	SUR	36	-32	629	0	0.5	-1.0	1.2
44746	99	P	SUR	34	-43	672	0	0.6	-0.0	0.6
44777	99	P	SUR	26	-45	671	0	0.2	0.2	0.3
44778	99	P	SUR	23	-52	672	0	0.3	0.2	0.3
44857	99	P	SUR	33	-48	671	1	1.4	0.2	1.4
44874	99	P	SUR	37	-37	224	0	2.3	-0.6	2.4
44887	99	P	SUR	45	-24	522	0	0.6	-0.3	0.7
4700546	99	P	SUR	26	-50	659	0	0.3	-0.0	0.3
4701669	99	P	SUR	43	-37	664	0	0.6	-0.0	0.6
47546	99	P	SUR	26	-50	667	0	0.3	-0.0	0.3
4802004	99	P	SUR	66	-15	658	0	0.6	-0.3	0.7
4802504	99	P	SUR	84	-66	665	0	0.5	0.4	0.6
6100001	99	P	SUR	43	8	671	0	0.6	0.0	0.6
6100002	99	P	SUR	42	5	669	0	0.4	0.2	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
61001	99	P	SUR	43	8	671	0	0.6	0.0	0.6
6100196	99	P	SUR	42	4	672	0	0.7	-0.0	0.7
6100197	99	P	SUR	40	4	672	0	0.4	0.1	0.4
6100198	99	P	SUR	37	-2	655	0	0.4	0.4	0.5
61002	99	P	SUR	42	5	669	0	0.4	0.2	0.5
6100280	99	P	SUR	41	1	672	0	0.4	0.1	0.4
6100281	99	P	SUR	40	0	672	0	0.5	0.0	0.5
6100417	99	P	SUR	38	0	672	0	0.4	0.2	0.4
6102501	99	P	SUR	34	21	672	0	0.5	0.0	0.5
6200024	99	P	SUR	44	-3	671	0	0.5	-0.2	0.5
6200025	99	P	SUR	44	-6	672	0	0.4	0.0	0.4
6200082	99	P	SUR	44	-8	586	0	0.4	0.2	0.5
6200084	99	P	SUR	42	-9	672	0	0.4	0.0	0.4
6200085	99	P	SUR	36	-7	672	0	0.3	0.4	0.5
6200091	99	P	SUR	53	-5	654	0	0.5	-0.0	0.5
6200092	99	P	SUR	51	-11	145	0	0.7	-0.0	0.7
6200094	99	P	SUR	52	-7	656	1	0.7	0.1	0.7
62001	99	P	SUR	45	-5	671	0	0.6	0.1	0.6
6200191	99	P	SUR	41	-10	561	0	0.5	0.7	0.8
6200192	99	P	SUR	40	-10	607	0	0.3	0.2	0.4
6200199	99	P	SUR	40	-9	616	0	0.3	0.0	0.3
6200200	99	P	SUR	36	-8	623	0	0.3	0.1	0.3
6200940	99	P	SUR	33	-39	204	0	0.3	-0.1	0.3
6201030	99	P	SUR	44	-4	514	0	0.4	1.1	1.2
62029	99	P	SUR	49	-12	1334	0	0.5	-0.1	0.5
6203503	99	P	SUR	46	-18	672	0	0.4	-0.1	0.5
6203504	99	P	SUR	30	-63	521	0	0.3	-0.1	0.3
6203523	99	P	SUR	68	-1	634	0	0.5	-0.3	0.6
6203525	99	P	SUR	68	-1	636	0	0.6	-0.5	0.8
6203527	99	P	SUR	63	-9	632	0	0.6	-2.3	2.3
6203528	99	P	SUR	31	-21	410	0	0.3	0.0	0.3
6203529	99	P	SUR	26	-68	671	0	0.4	-0.5	0.6
6203575	99	P	SUR	64	-24	366	0	0.5	0.2	0.5
6203576	99	P	SUR	64	-28	336	0	0.5	0.6	0.8
6203577	99	P	SUR	63	-21	82	0	0.5	0.4	0.7
6203578	99	P	SUR	63	-21	87	0	0.5	0.6	0.8
6203601	99	P	SUR	46	-9	672	0	0.4	0.7	0.8
6203603	99	P	SUR	63	-26	671	0	0.7	0.2	0.7
6203607	99	P	SUR	34	-31	672	0	0.5	0.0	0.5
6203608	99	P	SUR	51	-9	672	0	0.5	0.5	0.7
6203609	99	P	SUR	48	-16	671	0	0.5	0.0	0.5
6203610	99	P	SUR	49	-10	611	0	0.4	0.4	0.6
6203706	99	P	SUR	23	-62	402	0	0.3	0.3	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
6203707	99	P	SUR	35	-42	515	0	1.1	1.0	1.4
6203708	99	P	SUR	33	-46	490	0	1.5	1.6	2.2
62050	99	P	SUR	50	-4	673	0	0.4	0.3	0.5
62081	99	P	SUR	51	-13	680	0	0.5	-0.1	0.5
62087	99	P	SUR	54	9	675	0	0.3	-1.7	1.7
62091	99	P	SUR	53	-5	654	0	0.5	-0.0	0.5
62092	99	P	SUR	51	-11	145	0	0.7	-0.0	0.7
62094	99	P	SUR	52	-7	654	1	0.7	0.1	0.7
62095	99	P	SUR	53	-16	648	0	0.5	-0.0	0.5
62102	99	P	SUR	58	2	674	0	0.5	0.3	0.5
62103	99	P	SUR	50	-3	676	0	0.4	0.6	0.8
62104	99	P	SUR	57	1	676	0	0.4	0.0	0.4
62107	99	P	SUR	50	-6	1333	0	0.7	0.5	0.8
62112	99	P	SUR	58	0	673	0	0.4	0.3	0.5
62113	99	P	SUR	58	0	675	0	0.6	0.4	0.7
62114	99	P	SUR	58	0	1333	0	0.5	0.2	0.5
62115	99	P	SUR	58	-3	675	0	0.4	0.1	0.4
62116	99	P	SUR	58	1	675	0	0.6	0.2	0.6
62118	99	P	SUR	58	1	674	0	0.4	0.5	0.6
62119	99	P	SUR	57	2	670	0	0.4	0.4	0.5
62120	99	P	SUR	56	2	674	0	0.6	0.0	0.6
62121	99	P	SUR	54	3	676	0	0.5	0.6	0.8
62122	99	P	SUR	57	2	1317	0	0.4	0.3	0.5
62124	99	P	SUR	54	-4	672	0	0.4	0.2	0.4
62127	99	P	SUR	54	1	674	0	0.4	0.7	0.8
62129	99	P	SUR	58	0	515	0	0.5	0.5	0.7
62130	99	P	SUR	59	1	467	0	0.5	-0.0	0.5
62131	99	P	SUR	54	1	676	0	0.4	0.6	0.7
62132	99	P	SUR	56	2	676	0	0.4	0.5	0.7
62133	99	P	SUR	57	1	675	0	0.5	0.3	0.6
62134	99	P	SUR	58	1	674	0	0.4	0.8	0.9
62135	99	P	SUR	54	2	670	0	0.4	0.5	0.6
62136	99	P	SUR	54	3	668	0	0.4	0.8	0.9
62138	99	P	SUR	54	0	1322	0	0.5	1.2	1.2
62139	99	P	SUR	53	2	1314	0	0.4	0.4	0.6
62140	99	P	SUR	57	1	1331	0	0.4	0.3	0.5
62141	99	P	SUR	58	-4	655	0	0.5	-2.2	2.2
62143	99	P	SUR	58	2	674	0	0.6	0.6	0.8
62144	99	P	SUR	53	2	674	0	0.3	0.4	0.5
62145	99	P	SUR	53	3	1329	0	0.3	0.4	0.6
62146	99	P	SUR	57	2	674	0	0.5	0.1	0.5
62148	99	P	SUR	54	2	674	0	0.4	0.8	0.9
62149	99	P	SUR	54	1	674	0	0.3	0.8	0.9

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62150	99	P	SUR	54	1	511	0	0.3	1.4	1.4
62151	99	P	SUR	57	2	1330	0	0.3	0.4	0.5
62152	99	P	SUR	57	2	673	0	0.3	0.7	0.8
62153	99	P	SUR	57	2	1333	0	0.4	0.4	0.5
62154	99	P	SUR	56	2	675	0	0.4	0.3	0.5
62155	99	P	SUR	58	1	666	0	0.4	0.7	0.8
62157	99	P	SUR	58	0	674	0	0.4	0.2	0.5
62160	99	P	SUR	57	2	1330	0	0.4	0.4	0.6
62161	99	P	SUR	58	1	673	0	0.6	0.4	0.7
62162	99	P	SUR	57	1	621	0	0.4	0.2	0.4
62163	99	P	SUR	48	-8	668	0	0.6	0.3	0.7
62165	99	P	SUR	54	1	671	0	0.4	0.6	0.7
62168	99	P	SUR	58	1	666	0	0.4	0.3	0.5
62170	99	P	SUR	51	2	675	0	0.8	0.3	0.8
62296	99	P	SUR	53	2	673	0	0.3	0.2	0.4
62297	99	P	SUR	59	2	1328	0	0.4	0.3	0.5
62302	99	P	SUR	61	-2	674	0	0.6	0.2	0.6
62304	99	P	SUR	51	2	674	0	0.4	0.4	0.6
62305	99	P	SUR	50	0	670	0	0.4	0.4	0.5
62442	99	P	SUR	49	-16	640	0	0.6	-0.1	0.6
62940	99	P	SUR	33	-39	204	0	0.3	-0.1	0.3
6301558	99	P	SUR	82	-4	672	0	0.7	1.1	1.3
6301560	99	P	SUR	71	11	80	2	4.7	-1.3	4.8
6301562	99	P	SUR	69	-10	480	2	2.3	0.8	2.5
6301563	99	P	SUR	80	-3	671	0	0.6	0.9	1.1
6301564	99	P	SUR	73	0	550	0	2.7	-0.4	2.7
6301592	99	P	SUR	84	3	665	0	0.4	0.1	0.4
6301596	99	P	SUR	84	2	665	0	0.4	0.6	0.7
6301598	99	P	SUR	84	-1	665	0	0.5	0.5	0.7
6301600	99	P	SUR	84	-2	665	0	0.5	0.3	0.5
6301670	99	P	SUR	82	33	415	70	5.1	-1.3	5.2
63055	99	P	SUR	61	2	674	0	0.5	0.1	0.5
63056	99	P	SUR	60	2	674	0	0.5	0.5	0.7
63057	99	P	SUR	59	2	674	0	0.4	0.0	0.4
63058	99	P	SUR	53	2	907	0	0.3	0.3	0.5
63059	99	P	SUR	58	-1	675	0	0.4	0.5	0.7
63101	99	P	SUR	61	1	674	0	0.6	0.3	0.7
63102	99	P	SUR	61	1	674	0	0.5	0.2	0.5
63103	99	P	SUR	61	1	675	0	0.4	0.3	0.5
63104	99	P	SUR	61	2	675	0	0.4	0.0	0.4
63105	99	P	SUR	61	2	675	0	0.4	-0.1	0.4
63108	99	P	SUR	61	2	674	0	0.5	0.1	0.5
63109	99	P	SUR	60	2	676	0	0.4	-0.3	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
63110	99	P	SUR	60	2	674	0	0.6	-0.1	0.6
63111	99	P	SUR	61	2	1326	0	0.5	-0.3	0.5
63112	99	P	SUR	61	1	674	0	0.4	-0.2	0.5
63115	99	P	SUR	62	1	674	0	0.5	0.0	0.5
63117	99	P	SUR	61	1	1331	0	0.6	0.7	0.9
63118	99	P	SUR	58	1	662	0	0.5	-0.1	0.5
63120	99	P	SUR	54	2	667	0	0.3	0.6	0.7
6400562	99	P	SUR	74	14	672	0	0.5	-0.0	0.5
6401502	99	P	SUR	67	10	640	0	0.5	0.4	0.6
6401503	99	P	SUR	60	2	609	0	0.3	0.7	0.8
6401505	99	P	SUR	65	-27	488	18	5.6	2.6	6.2
6401506	99	P	SUR	63	-8	627	0	0.6	0.4	0.7
6401531	99	P	SUR	56	-40	666	0	0.6	0.2	0.6
6401539	99	P	SUR	61	-60	666	27	2.7	0.8	2.8
6401550	99	P	SUR	68	12	671	0	0.5	0.0	0.5
6401555	99	P	SUR	73	26	672	0	1.9	0.0	1.9
6401556	99	P	SUR	74	8	672	0	0.5	0.2	0.5
6401561	99	P	SUR	65	-1	672	0	0.4	0.2	0.5
6401562	99	P	SUR	70	11	672	0	0.9	0.1	0.9
6401565	99	P	SUR	71	30	668	0	0.5	-0.6	0.8
6401566	99	P	SUR	63	8	672	0	0.4	0.1	0.4
6401568	99	P	SUR	61	-6	672	0	0.5	0.4	0.7
6401569	99	P	SUR	63	-14	672	0	0.6	0.5	0.7
6401570	99	P	SUR	68	-2	672	0	0.5	0.4	0.7
6401571	99	P	SUR	66	4	671	0	0.5	0.5	0.7
6401572	99	P	SUR	65	-28	671	0	0.9	0.6	1.0
6401654	99	P	SUR	82	-4	665	0	0.6	-0.2	0.6
64041	99	P	SUR	61	-3	675	0	0.5	-0.0	0.5
64045	99	P	SUR	59	-12	1056	2	0.7	-0.2	0.7
64046	99	P	SUR	61	-4	666	0	0.5	-0.0	0.5
64562	99	P	SUR	74	14	672	0	0.5	-0.0	0.5
6500596	99	P	SUR	66	-22	82	0	3.5	5.5	6.6
6501555	99	P	SUR	65	-52	495	12	1.4	-0.6	1.5
6501556	99	P	SUR	68	6	672	10	2.4	-0.0	2.4
65596	99	P	SUR	66	-22	82	0	3.5	5.5	6.6
66023	99	P	SUR	55	11	675	0	0.4	0.2	0.5

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	SPEED	SUR	11	-23	582	0	0	0.7	0.6	0.9
1300002	99	SPEED	SUR	20	-23	622	0	0	0.9	0.6	1.1
1300008	99	SPEED	SUR	15	-38	598	0	0	0.9	0.1	0.9
1300131	99	SPEED	SUR	28	-17	670	0	0	1.8	0.3	1.8
4100026	99	SPEED	SUR	12	-38	260	0	0	0.8	0.1	0.8
4100041	99	SPEED	SUR	14	-46	4010	0	0	0.8	-0.2	0.8
4100043	99	SPEED	SUR	21	-65	3875	0	0	1.0	-0.3	1.0
4100044	99	SPEED	SUR	22	-59	3844	0	0	1.2	0.1	1.2
4100046	99	SPEED	SUR	24	-68	3998	0	0	1.0	-0.5	1.1
4100049	99	SPEED	SUR	27	-63	3919	0	0	1.3	-0.0	1.3
4100052	99	SPEED	SUR	18	-65	3943	0	0	0.9	-0.7	1.1
4100053	99	SPEED	SUR	18	-66	3950	0	0	1.6	1.0	1.9
4100056	99	SPEED	SUR	18	-65	3957	0	0	1.1	-1.1	1.6
4100139	99	SPEED	SUR	20	-38	628	0	0	0.9	0.2	0.9
4100300	99	SPEED	SUR	16	-57	672	0	0	0.9	-0.5	1.0
41026	99	SPEED	SUR	12	-38	259	0	0	0.9	0.1	0.9
41041	99	SPEED	SUR	14	-46	1146	0	0	0.9	-0.3	1.0
41043	99	SPEED	SUR	21	-65	1229	0	0	1.0	-0.4	1.1
41044	99	SPEED	SUR	22	-59	1228	0	0	1.2	-0.2	1.2
41046	99	SPEED	SUR	24	-68	1080	0	0	1.1	-0.6	1.2
41049	99	SPEED	SUR	28	-63	1109	0	0	1.4	-0.1	1.4
41052	99	SPEED	SUR	18	-65	1729	0	0	0.9	-0.6	1.1
41053	99	SPEED	SUR	19	-66	1822	0	0	1.5	0.3	1.6
41056	99	SPEED	SUR	18	-66	1742	0	0	1.2	-0.8	1.4
41300	99	SPEED	SUR	16	-57	672	0	0	0.9	-0.5	1.1
4200060	99	SPEED	SUR	16	-63	3950	0	0	0.9	-0.1	0.9
4200085	99	SPEED	SUR	18	-67	689	0	0	1.1	-0.8	1.4
42060	99	SPEED	SUR	16	-63	1167	0	0	0.9	-0.4	1.0
42085	99	SPEED	SUR	18	-67	689	0	0	1.1	-0.3	1.2
4400027	99	SPEED	SUR	44	-67	670	0	0	1.4	0.6	1.5
4400032	99	SPEED	SUR	44	-69	573	0	0	1.7	0.0	1.7
4400033	99	SPEED	SUR	44	-69	653	0	0	1.8	0.1	1.8
4400034	99	SPEED	SUR	44	-68	652	0	0	1.5	0.1	1.5
4400037	99	SPEED	SUR	43	-68	621	0	0	1.4	0.2	1.4

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
44027	99	SPEED	SUR	44	-67	680	0	0	1.4	0.7	1.6
44032	99	SPEED	SUR	44	-69	575	0	0	1.8	0.1	1.8
44033	99	SPEED	SUR	44	-69	656	0	0	1.7	0.5	1.8
44034	99	SPEED	SUR	44	-68	655	0	0	1.5	0.2	1.5
44037	99	SPEED	SUR	44	-68	624	0	0	1.4	0.3	1.5
44137	99	SPEED	SUR	42	-62	643	0	0	2.7	-0.2	2.7
44139	99	SPEED	SUR	44	-57	649	0	0	1.2	-0.1	1.2
44150	99	SPEED	SUR	43	-64	647	0	0	1.3	0.1	1.3
44258	99	SPEED	SUR	45	-63	666	0	0	2.1	0.5	2.2
6100001	99	SPEED	SUR	43	8	671	0	0	1.7	-0.3	1.7
6100002	99	SPEED	SUR	42	5	669	0	0	1.2	0.3	1.2
61001	99	SPEED	SUR	43	8	671	0	0	2.0	-1.0	2.2
6100196	99	SPEED	SUR	42	4	664	0	0	1.8	-0.5	1.8
6100197	99	SPEED	SUR	40	4	667	0	0	1.3	-0.4	1.4
6100198	99	SPEED	SUR	37	-2	668	0	0	1.2	-0.3	1.3
61002	99	SPEED	SUR	42	5	669	0	0	1.4	-0.2	1.4
6100280	99	SPEED	SUR	41	1	672	0	0	3.3	5.8	6.6
6100281	99	SPEED	SUR	40	0	667	0	0	2.0	0.4	2.0
6100417	99	SPEED	SUR	38	0	665	0	0	1.2	-0.0	1.2
6101008	99	SPEED	SUR	37	22	45	0	0	2.7	-6.8	7.3
6200024	99	SPEED	SUR	44	-3	669	0	0	1.4	-0.3	1.4
6200082	99	SPEED	SUR	44	-8	584	0	0	1.1	-0.6	1.2
6200083	99	SPEED	SUR	43	-9	415	0	0	1.5	-0.8	1.7
6200084	99	SPEED	SUR	42	-9	664	0	0	1.2	-1.1	1.7
6200085	99	SPEED	SUR	36	-7	663	0	0	1.2	-0.2	1.2
6200091	99	SPEED	SUR	53	-5	654	0	0	1.5	0.2	1.5
6200092	99	SPEED	SUR	51	-11	145	0	0	1.2	-0.3	1.2
6200094	99	SPEED	SUR	52	-7	656	0	0	1.1	-0.0	1.1
62001	99	SPEED	SUR	45	-5	671	0	0	1.3	0.6	1.4
6200192	99	SPEED	SUR	40	-10	607	0	0	1.2	-0.2	1.2
6200199	99	SPEED	SUR	40	-9	616	0	0	1.5	0.0	1.5
6200200	99	SPEED	SUR	36	-8	622	17	0	1.3	-0.1	1.3
6201030	99	SPEED	SUR	44	-4	512	0	0	1.3	-0.5	1.4
62029	99	SPEED	SUR	49	-12	1334	0	0	1.2	0.3	1.3
62050	99	SPEED	SUR	50	-4	673	0	0	1.4	0.3	1.4
62081	99	SPEED	SUR	51	-13	680	0	0	1.3	-0.2	1.3
62087	99	SPEED	SUR	54	9	675	0	0	1.4	0.8	1.6
62091	99	SPEED	SUR	53	-5	654	0	0	1.5	0.2	1.5
62092	99	SPEED	SUR	51	-11	145	0	0	1.3	-0.2	1.3
62094	99	SPEED	SUR	52	-7	654	0	0	1.1	0.0	1.1
62095	99	SPEED	SUR	53	-16	603	0	0	1.4	-0.2	1.5

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62102	99	SPEED	SUR	58	2	674	0	0	1.4	-0.3	1.5
62103	99	SPEED	SUR	50	-3	675	1	0	1.5	1.3	2.0
62104	99	SPEED	SUR	57	1	676	0	0	1.3	-0.1	1.3
62107	99	SPEED	SUR	50	-6	1333	0	0	1.5	0.7	1.6
62112	99	SPEED	SUR	58	0	298	0	0	1.3	0.2	1.3
62113	99	SPEED	SUR	58	0	675	0	0	1.9	1.0	2.2
62114	99	SPEED	SUR	58	0	1333	0	0	1.8	1.1	2.2
62118	99	SPEED	SUR	58	1	674	0	0	1.4	1.0	1.7
62119	99	SPEED	SUR	57	2	670	0	0	1.5	-0.0	1.5
62120	99	SPEED	SUR	56	2	674	0	0	1.5	0.5	1.5
62121	99	SPEED	SUR	54	3	676	0	0	1.4	0.4	1.4
62122	99	SPEED	SUR	57	2	1317	0	0	1.2	-0.2	1.2
62129	99	SPEED	SUR	58	0	515	0	0	1.7	0.6	1.8
62131	99	SPEED	SUR	54	1	676	0	0	1.7	0.3	1.7
62132	99	SPEED	SUR	56	2	661	0	0	2.0	-2.2	3.0
62133	99	SPEED	SUR	57	1	675	0	0	1.5	0.4	1.5
62134	99	SPEED	SUR	58	1	674	0	0	1.5	0.4	1.6
62140	99	SPEED	SUR	57	1	1331	0	0	1.2	0.0	1.2
62143	99	SPEED	SUR	58	2	674	0	0	2.2	-1.0	2.4
62144	99	SPEED	SUR	53	2	674	0	0	1.9	-0.3	1.9
62145	99	SPEED	SUR	53	3	1329	0	0	1.5	1.5	2.1
62146	99	SPEED	SUR	57	2	674	0	0	1.3	-0.1	1.3
62148	99	SPEED	SUR	54	2	674	0	0	1.5	0.2	1.5
62149	99	SPEED	SUR	54	1	674	0	0	2.0	0.1	2.0
62150	99	SPEED	SUR	54	1	511	0	0	1.6	-0.1	1.6
62152	99	SPEED	SUR	57	2	673	0	0	1.5	-1.0	1.8
62153	99	SPEED	SUR	57	2	1333	0	0	2.4	-1.5	2.9
62154	99	SPEED	SUR	56	2	675	0	0	1.5	-0.0	1.5
62155	99	SPEED	SUR	58	1	399	0	0	1.5	0.4	1.6
62163	99	SPEED	SUR	48	-8	668	0	0	1.2	-0.1	1.2
62165	99	SPEED	SUR	54	1	671	0	0	1.5	-0.1	1.5
62170	99	SPEED	SUR	51	2	675	0	0	1.8	0.7	2.0
62304	99	SPEED	SUR	51	2	662	0	0	1.8	1.6	2.4
62305	99	SPEED	SUR	50	0	670	0	0	1.8	0.9	2.0
62442	99	SPEED	SUR	49	-16	639	0	0	1.3	-0.0	1.3
63055	99	SPEED	SUR	61	2	674	0	0	1.3	-0.7	1.4
63056	99	SPEED	SUR	60	2	674	0	0	1.4	0.2	1.5
63057	99	SPEED	SUR	59	2	674	0	0	1.8	0.6	1.9
63058	99	SPEED	SUR	53	2	907	0	0	1.3	0.7	1.5
63101	99	SPEED	SUR	61	1	674	0	0	1.3	-0.5	1.4
63103	99	SPEED	SUR	61	1	675	0	0	1.8	0.2	1.8

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
63104	99	SPEED	SUR	61	2	675	0	0	1.4	-0.2	1.4
63105	99	SPEED	SUR	61	2	675	0	0	1.6	0.0	1.6
63106	99	SPEED	SUR	61	2	675	0	0	1.4	-0.1	1.4
63108	99	SPEED	SUR	61	2	674	0	0	1.7	0.3	1.7
63109	99	SPEED	SUR	60	2	664	0	0	1.5	0.6	1.6
63110	99	SPEED	SUR	60	2	674	0	0	1.4	-0.2	1.4
63112	99	SPEED	SUR	61	1	674	0	0	1.4	-0.6	1.5
63113	99	SPEED	SUR	61	2	675	0	0	1.3	-0.4	1.4
63115	99	SPEED	SUR	62	1	674	0	0	1.3	-0.4	1.4
63117	99	SPEED	SUR	61	1	1331	0	0	1.5	-0.3	1.5
64041	99	SPEED	SUR	61	-3	675	0	0	1.6	0.2	1.6
64045	99	SPEED	SUR	59	-12	1055	0	0	1.4	0.1	1.5
64046	99	SPEED	SUR	61	-4	666	0	0	1.2	0.7	1.4
66021	99	SPEED	SUR	55	14	672	0	0	1.2	0.4	1.2
66023	99	SPEED	SUR	55	11	8	0	0	0.7	0.8	1.1

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : FEB 2019
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	DIRN	SUR	11	-23	581	0	0	8.1	-2.0	8.3
1300002	99	DIRN	SUR	20	-23	604	0	0	9.8	-1.1	9.8
1300008	99	DIRN	SUR	15	-38	598	0	0	8.4	2.5	8.7
1300131	99	DIRN	SUR	28	-17	415	0	0	22.8	3.2	23.0
4100004	99	DIRN	SUR	33	-79	3159	0	0	30.7	7.1	31.5
4100008	99	DIRN	SUR	31	-81	432	0	0	33.0	14.2	35.9
4100009	99	DIRN	SUR	29	-80	2525	0	0	22.1	10.0	24.2
4100010	99	DIRN	SUR	29	-78	3264	0	0	17.5	8.4	19.4
4100013	99	DIRN	SUR	33	-78	3256	0	0	24.4	18.2	30.5
4100024	99	DIRN	SUR	34	-78	396	0	0	30.5	-3.3	30.7
4100026	99	DIRN	SUR	12	-38	260	0	0	8.2	-2.9	8.7
4100029	99	DIRN	SUR	33	-80	429	0	0	29.4	2.2	29.5
4100033	99	DIRN	SUR	32	-80	431	0	0	34.1	1.1	34.1
4100037	99	DIRN	SUR	34	-77	516	0	0	27.1	-8.9	28.5
4100038	99	DIRN	SUR	34	-78	433	1	0	23.2	-2.6	23.3
4100041	99	DIRN	SUR	14	-46	4010	0	0	8.4	-9.9	13.0
4100043	99	DIRN	SUR	21	-65	3587	0	0	12.9	-8.4	15.4
4100044	99	DIRN	SUR	22	-59	3707	0	0	19.5	5.3	20.2
4100046	99	DIRN	SUR	24	-68	3521	0	0	14.2	3.1	14.5
4100047	99	DIRN	SUR	28	-71	3344	0	0	15.4	-2.7	15.6
4100049	99	DIRN	SUR	27	-63	3319	0	0	17.5	4.6	18.1
4100052	99	DIRN	SUR	18	-65	3785	0	0	9.8	4.2	10.7
4100053	99	DIRN	SUR	18	-66	2868	0	0	14.5	0.2	14.5
4100056	99	DIRN	SUR	18	-65	3704	0	0	12.5	2.2	12.7
4100064	99	DIRN	SUR	34	-77	513	0	0	17.2	-20.1	26.4
4100139	99	DIRN	SUR	20	-38	548	0	0	10.0	0.5	10.1
4100300	99	DIRN	SUR	16	-57	666	0	0	11.8	4.8	12.7
41004	99	DIRN	SUR	33	-79	838	0	0	29.9	6.0	30.5
41008	99	DIRN	SUR	31	-81	422	0	0	32.7	14.0	35.6
41009	99	DIRN	SUR	29	-80	625	0	0	22.9	6.8	23.9
41010	99	DIRN	SUR	29	-79	1006	0	0	18.0	7.1	19.4
41013	99	DIRN	SUR	33	-78	902	0	0	29.8	19.9	35.8

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
41024	99	DIRN	SUR	34	-79	400	0	0	30.7	-2.8	30.8
41026	99	DIRN	SUR	12	-38	259	0	0	8.5	-3.5	9.2
41029	99	DIRN	SUR	33	-80	637	0	0	27.3	1.8	27.3
41033	99	DIRN	SUR	32	-80	408	0	0	34.9	0.4	34.9
41037	99	DIRN	SUR	34	-77	504	0	0	27.3	-9.5	28.9
41038	99	DIRN	SUR	34	-78	432	1	0	25.8	-2.0	25.9
41041	99	DIRN	SUR	14	-46	1144	0	0	8.8	-10.7	13.8
41043	99	DIRN	SUR	21	-65	1119	0	0	14.3	-9.1	17.0
41044	99	DIRN	SUR	22	-59	1155	0	0	18.5	2.3	18.6
41046	99	DIRN	SUR	24	-68	932	0	0	13.9	2.1	14.0
41047	99	DIRN	SUR	28	-72	923	0	0	15.1	-3.7	15.6
41049	99	DIRN	SUR	28	-63	899	0	0	17.3	3.3	17.6
41052	99	DIRN	SUR	18	-65	1653	0	0	10.1	3.9	10.8
41053	99	DIRN	SUR	19	-66	1372	0	0	13.9	-0.6	13.9
41056	99	DIRN	SUR	18	-66	1619	0	0	12.4	2.2	12.6
41064	99	DIRN	SUR	34	-77	503	0	0	18.9	-19.4	27.1
41300	99	DIRN	SUR	16	-57	665	0	0	11.6	4.9	12.6
4200013	99	DIRN	SUR	27	-83	608	0	0	20.8	10.5	23.3
4200022	99	DIRN	SUR	28	-84	947	0	0	20.4	8.7	22.2
4200023	99	DIRN	SUR	26	-83	6	0	0	79.2	1.0	79.2
4200057	99	DIRN	SUR	17	-81	3706	0	0	9.1	1.2	9.2
4200060	99	DIRN	SUR	16	-63	3708	0	0	10.5	3.6	11.1
4200085	99	DIRN	SUR	18	-67	630	0	0	14.7	13.8	20.2
42013	99	DIRN	SUR	27	-83	419	0	0	21.3	9.8	23.5
42022	99	DIRN	SUR	28	-84	860	0	0	23.0	7.3	24.1
42023	99	DIRN	SUR	26	-83	3	0	0	60.1	90.0	108.2
42057	99	DIRN	SUR	17	-81	1178	0	0	9.3	2.0	9.5
42060	99	DIRN	SUR	16	-63	1079	0	0	10.5	-0.6	10.5
42085	99	DIRN	SUR	18	-67	614	0	0	13.9	12.8	18.9
4400007	99	DIRN	SUR	44	-70	570	0	0	21.2	-2.4	21.3
4400013	99	DIRN	SUR	42	-71	592	0	0	18.3	11.0	21.4
4400014	99	DIRN	SUR	37	-75	543	0	0	18.9	4.2	19.3
4400017	99	DIRN	SUR	41	-72	571	0	0	14.4	11.8	18.7
4400018	99	DIRN	SUR	42	-70	606	0	0	13.7	10.2	17.0
4400020	99	DIRN	SUR	41	-70	3253	0	0	13.6	3.3	14.0
4400025	99	DIRN	SUR	40	-73	569	0	0	19.9	5.2	20.5
4400027	99	DIRN	SUR	44	-67	640	0	0	13.9	7.9	16.0
4400029	99	DIRN	SUR	43	-71	601	0	0	20.0	-1.2	20.1
4400030	99	DIRN	SUR	43	-70	589	0	0	20.0	-1.3	20.1
4400032	99	DIRN	SUR	44	-69	523	0	0	16.1	7.4	17.7
4400033	99	DIRN	SUR	44	-69	557	0	0	20.2	-3.2	20.5

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)

(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
4400034	99	DIRN	SUR	44	-68	612	0	0	14.0	3.0	14.3
4400037	99	DIRN	SUR	43	-68	588	0	0	12.7	2.7	13.0
4400039	99	DIRN	SUR	41	-73	185	0	0	13.5	1.4	13.5
4400042	99	DIRN	SUR	38	-76	814	0	0	26.3	-13.1	29.4
4400058	99	DIRN	SUR	38	-76	415	0	0	21.8	-26.5	34.4
4400064	99	DIRN	SUR	37	-76	2404	0	0	25.6	-16.4	30.4
4400065	99	DIRN	SUR	40	-74	3243	0	0	23.5	6.7	24.5
44007	99	DIRN	SUR	44	-70	570	0	0	18.6	-1.4	18.6
44013	99	DIRN	SUR	42	-71	602	0	0	18.9	9.9	21.3
44014	99	DIRN	SUR	37	-75	547	0	0	18.8	3.9	19.2
44017	99	DIRN	SUR	41	-72	566	0	0	13.3	11.1	17.4
44018	99	DIRN	SUR	42	-70	612	0	0	13.6	9.7	16.7
44020	99	DIRN	SUR	42	-70	977	0	0	14.5	5.5	15.5
44025	99	DIRN	SUR	40	-73	575	0	0	20.1	3.2	20.4
44027	99	DIRN	SUR	44	-67	647	0	0	14.1	7.2	15.8
44029	99	DIRN	SUR	43	-71	724	0	0	19.9	-1.1	19.9
44030	99	DIRN	SUR	43	-70	584	0	0	20.1	-1.3	20.2
44032	99	DIRN	SUR	44	-69	520	0	0	14.7	7.8	16.6
44033	99	DIRN	SUR	44	-69	551	0	0	20.1	-3.2	20.3
44034	99	DIRN	SUR	44	-68	607	0	0	14.2	2.9	14.5
44037	99	DIRN	SUR	44	-68	588	0	0	13.2	2.8	13.5
44039	99	DIRN	SUR	41	-73	58	0	0	9.0	-0.2	9.0
44042	99	DIRN	SUR	38	-76	166	0	0	28.8	-15.8	32.9
44058	99	DIRN	SUR	38	-76	82	0	0	24.5	-30.0	38.7
44064	99	DIRN	SUR	37	-76	599	0	0	24.0	-18.0	30.0
44065	99	DIRN	SUR	40	-74	949	0	0	21.4	4.3	21.8
44137	99	DIRN	SUR	42	-62	579	0	0	11.4	1.8	11.5
44139	99	DIRN	SUR	44	-57	608	0	0	9.7	-25.6	27.4
44150	99	DIRN	SUR	43	-64	605	0	0	11.8	7.4	14.0
44258	99	DIRN	SUR	45	-63	601	0	0	14.2	4.6	14.9
6100198	99	DIRN	SUR	37	-2	517	0	0	14.1	2.9	14.4
6100281	99	DIRN	SUR	40	0	225	0	0	30.1	-17.4	34.8
6100417	99	DIRN	SUR	38	0	514	0	0	12.4	6.4	14.0
6200024	99	DIRN	SUR	44	-3	443	0	0	25.7	15.8	30.2
6200082	99	DIRN	SUR	44	-8	415	0	0	12.1	2.4	12.3
6200083	99	DIRN	SUR	43	-9	310	0	0	12.8	2.2	13.0
6200084	99	DIRN	SUR	42	-9	424	0	0	14.5	4.0	15.0
6200085	99	DIRN	SUR	36	-7	523	0	0	11.4	-2.3	11.6
6200091	99	DIRN	SUR	53	-5	626	0	0	10.6	2.6	11.0
6200092	99	DIRN	SUR	51	-11	139	0	0	11.6	5.2	12.7
6200094	99	DIRN	SUR	52	-7	619	0	0	9.4	-0.2	9.4

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62001	99	DIRN	SUR	45	-5	507	0	0	13.7	9.2	16.5
6200192	99	DIRN	SUR	40	-10	419	0	0	12.8	-1.7	12.9
6200199	99	DIRN	SUR	40	-9	371	0	0	16.5	-0.6	16.5
6200200	99	DIRN	SUR	36	-8	513	17	0	169.1	-22.2	170.5
6201030	99	DIRN	SUR	44	-4	242	0	0	17.5	1.9	17.6
62029	99	DIRN	SUR	49	-12	1314	0	0	11.8	11.0	16.1
62050	99	DIRN	SUR	50	-4	615	0	0	11.5	5.8	12.9
62081	99	DIRN	SUR	51	-13	669	0	0	10.3	12.0	15.8
62091	99	DIRN	SUR	53	-5	622	0	0	11.2	2.0	11.4
62092	99	DIRN	SUR	51	-11	138	0	0	12.0	4.7	12.9
62094	99	DIRN	SUR	52	-7	614	0	0	9.7	-0.7	9.7
62095	99	DIRN	SUR	53	-16	588	0	0	16.9	12.9	21.3
62103	99	DIRN	SUR	50	-3	640	1	0	20.3	8.9	22.2
62107	99	DIRN	SUR	50	-6	1304	0	0	12.8	3.4	13.3
62112	99	DIRN	SUR	58	0	264	0	0	9.9	-0.9	10.0
62114	99	DIRN	SUR	58	0	1191	0	0	14.3	-1.2	14.3
62163	99	DIRN	SUR	48	-8	648	0	0	11.3	1.1	11.4
62305	99	DIRN	SUR	50	0	606	0	0	20.0	11.0	22.8
62442	99	DIRN	SUR	49	-16	625	0	0	10.4	-5.8	11.9
64041	99	DIRN	SUR	61	-3	630	0	0	13.4	9.2	16.3
64045	99	DIRN	SUR	59	-12	1019	0	0	16.0	7.6	17.7
64046	99	DIRN	SUR	61	-4	636	0	0	15.3	-2.2	15.5

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

DBLK	FHM5UJH	QCY3TGN	VKB4L5Q	WDK38HS	XQFJRGX	XWHDEAD	YLV96WM	ZVQEQCM
7HCPVTB	7JUNA4N	01001	01004	01010	01028	01241	01400	01415
01492	02185	02365	02527	02591	02836	02963	03005	03238
03354	03502	03743	03808	03882	03918	03953	04018	04089
04220	04270	04320	04339	04360	06011	06260	06458	06610
07110	07145	07510	07645	07761	08001	08023	08190	08221
08302	08383	08430	08508	08522	08579	10035	10113	10184
10238	10304	10393	10410	10548	10618	10739	10771	10868
10954	10962	11010	11035	11120	11240	11520	11747	11952
12120	12374	12843	12982	13275	14015	14240	14430	15420
15614	16045	16080	16113	16144	16245	16320	16429	16546
16622	16716	16754	17030	17064	17130	17220	17240	17281
17607	22008	26038	26435	27713	33008	33041	40179	40186
43599	45004	47102	47104	47138	47155	47169	47186	47401
47412	47418	47582	47600	47646	47678	47741	47778	47807
47827	47909	47918	47945	47971	47991	48698	60018	60155
61901	61980	61998	67083	68263	68424	68442	68816	68842
70026	70133	70200	70219	70231	70261	70308	70316	70326
70350	70361	70398	71043	71081	71082	71109	71119	71600
71603	71722	71802	71811	71815	71816	71823	71836	71845
71867	71906	71907	71908	71909	71913	71917	71924	71925
71926	71934	71945	71957	71964	72201	72206	72208	72210
72214	72215	72230	72233	72235	72240	72248	72249	72250
72251	72261	72265	72274	72293	72317	72327	72340	72363
72364	72365	72376	72388	72426	72440	72451	72476	72489
72493	72501	72518	72520	72528	72558	72562	72572	72582
72597	72632	72634	72645	72649	72659	72662	72672	72681
72694	72712	72747	72764	72768	72776	72786	72797	73033
74389	74494	74560	76225	76405	76458	76612	76679	76743
78897	78954	81405	85442	85469	85586	85799	85934	87155
87344	87418	87576	87623	87715	87860	88889	89002	89022
89062	89564	89571	89611	89625	89642	89662	89859	91212
91285	91592	91765	91925	91938	91948	91958	93112	93417
93817	93844	93997	94120	94150	94170	94203	94294	94299
94302	94312	94326	94332	94374	94403	94430	94461	94510
94578	94610	94637	94638	94653	94659	94672	94711	94767
94776	94802	94821	94866	94910	94975	94995	94996	94998
95527	96996							

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

DBLK	FHM5UJH	QCY3TGN	VKB4L5Q	WDK38HS	XQFJRGX	XWHDEAD	YLV96WM	ZVQEQCM
7HCPVTB	7JUNA4N	01001	01004	01010	01028	01241	01400	01415
01492	02185	02365	02527	02591	02836	02963	03005	03238
03354	03502	03743	03808	03882	03918	03953	04018	04089
04220	04270	04320	04339	04360	06260	06610	07110	07145
07510	07645	07761	08001	08023	08190	08302	08383	08430
08522	08579	10035	10113	10184	10238	10304	10393	10410
10548	10618	10771	10868	10954	10962	11010	11120	11240
11520	11747	11952	12120	12374	12843	13275	14015	14240
14430	15614	16045	16080	16113	16144	16245	16320	16429
16546	16622	16716	16754	17607	22008	27713	33008	33041
40179	40186	43599	45004	47138	47155	47186	47401	47412
47418	47582	47600	47646	47678	47741	47778	47807	47909
47918	47945	47971	47991	48698	60018	61980	61998	68263
68442	68842	70200	70316	70326	71082	71600	71823	71845
71867	71906	71908	71913	71926	71934	71964	72201	72206
72208	72210	72214	72215	72233	72235	72240	72249	72250
72251	72261	72265	72274	72293	72317	72340	72363	72364
72365	72376	72388	72426	72440	72451	72476	72489	72493
72518	72520	72528	72558	72562	72572	72632	72634	72645
72649	72659	72662	72672	72681	72747	72764	72776	72786
73033	74389	74560	76225	76612	76743	78897	78954	81405
85442	85586	85799	85934	87344	87860	89002	89564	89571
89611	89625	89642	89662	89859	91285	91592	91765	91925
91938	93112	94120	94150	94170	94203	94294	94302	94312
94326	94332	94374	94403	94430	94461	94510	94578	94610
94637	94638	94653	94659	94672	94711	94767	94776	94802
94821	94866	94910	94975	94995	94996	94998	95527	96996

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., *Monthly Weather Review*, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERS, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPS and PILOTSHIPS this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PILOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.