



ECMWF Global Data Monitoring Report

June 2017

*This paper has not been published
and has only a very limited circulation.*

*Permission to quote from it should be
obtained from the ECMWF.*

**European Centre for Medium-Range Weather Forecasts
Europäisches Zentrum für mittelfristige Wettervorhersage
Centre européen pour les prévisions météorologiques à moyen terme**

Contents

1	Introduction	3
2	Data summary - History of events	4
2.1	Radiosondes	4
2.2	Drifting Buoys	6
3	Global monitoring statistics	6
3.1	Data Availability	6
3.2	Data Quality	6
3.2.1	Figure 1 - Availability - SYNOP PRESSURE	8
3.2.2	Figure 2 - Availability - DRIFTER PRESSURE	9
3.2.3	Figure 3 - Availability - TEMP 500 hPa geopotential	10
3.2.4	Figure 4 - Availability - TEMP/PILOT 300 hPa wind	11
3.2.5	Figure 5 - Availability - AIRCRAFT winds 300-150 hPa	12
3.2.6	Figure 6 - Availability - SATOB winds 400-150 hPa	13
3.2.7	Figure 7 - Availability - SATOB winds 1000-700 hPa	14
3.2.8	Figure 8 - Availability - NOAA15 ATOVS : AMSU-A	15
3.2.9	Figure 9.1 - Availability - NOAA18 ATOVS : AMSU-A	16
3.2.10	Figure 9.2 - Availability - AQUA ATOVS : AMSU-A	17
3.2.11	Figure 9.3 - Availability - METOP ATOVS : AMSU-A	18
3.2.12	Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)	19
3.2.13	Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)	21
3.2.14	Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)	22
3.2.15	Table 4 - Suspect drifters: Surface pressure (HPA)	23
3.2.16	Table 5 - Suspect drifters: Wind speed (m/s)	24
3.2.17	Table 6 - Suspect drifters: Wind direction (degrees)	25
3.2.18	Table 7 - Suspect radiosondes: Geopotential height (metres)	26
3.2.19	Table 8 - Suspect radiosondes: Wind (m/s)	28
3.2.20	Table 9 - Suspect radiosondes: Wind direction (degrees)	29
3.2.21	Figure 10 - Suspect TEMP observations - geopotential : 00 UTC	30
3.2.22	Figure 11 - Suspect TEMP observations - geopotential : 12 UTC	31
3.2.23	Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC	32
3.2.24	Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC	33
3.2.25	Table 10 - Radiosonde monitoring statistics (SHIPs): Geopotential height (metres)	34
3.2.26	Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)	35
3.2.27	Figure 14 - SATOB Winds: 700-1000hPa	36
3.2.28	Figure 15 - SATOB Winds: 150- 400hPa	37
3.2.29	Figure 16 - SATOB Winds: 700-1000hPa	38
3.2.30	Figure 17 - SATOB Winds: 150- 400hPa	39
3.2.31	Figure 18 - AIRCRAFT Winds: 150- 300hPa	40
3.2.32	Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)	41
4	EUCOS Area Monitoring Statistics	47
4.1	Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)	48
4.2	Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)	51
4.3	Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)	54
4.4	Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)	57
4.5	Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)	60
4.6	Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)	63
4.7	Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)	66
4.8	Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)	69
4.9	Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)	72
4.10	Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)	82
4.11	Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction	85
4.12	Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations	89
4.13	Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart	90

5 Annex - Explanations of figures and tables	91
5.1 General	91
5.2 Data Availability	91
5.3 Data Quality	91

Summary of Revisions (in reverse order)

- Revision 28 (June 15) - Monitoring of SYNOP and SYNOP-SHIPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart.
- Revision 27 (Feb 15) - Selection criteria for SHIPs are modified as per SOT-7/Doc.9.1.1. Different criteria applied to Manual and Automatic SHIPs.
- Revision 26 (Dec 14) - Coverage chart for ATOVS AMSU-A for Noaa_16 removed
- Revision 25 (Mar 13) - Monitoring of Radiosondes and ASAPs now includes BUFR encoded observations for those which were assimilated as well as for those without TAC counterpart. Tables 24 and 25 are also added to show the identifiers of these BUFR observations separately.
- Revision 24 (Aug 06) - North Atlantic Monitoring statistics replaced by EUCOS Area Monitoring Statistics (tables 13 to 23). Airep tables removed from this section.
- Revision 23 (Dec 00) - Coverage charts for Noaa_14 MSU replaced by ATOVS AMSU-A for Noaa_16.
- Revision 22 (Aug 99) - Coverage charts for TOVS thickness 300-100 hPa replaced by (A)TOVS AMSU-A and MSU (Noaa_15 and Noaa_14).
- Revision 21 (May 99) - Monitoring statistics ceased for Noaa_11 as satellite is no more available.
- Revision 20 (Sep 98) - Changes to tables and annex to remove all mention about data usage. Two more levels (50 and 850 hPa) added to the COSNA statistics for Sondes.
- Revision 19 (Jul 98) - From June 29th, 1998 ECMWF model assimilates temperature data instead of geopotential from radiosondes. As a consequence the number of used geopotential data drops to zero in tables 7, 10, 13 and 15.
- Revision 18 (Apr 98) - Changes to tables and annex to introduce the usage of accepted numbers and observations instead of percentage of rejection.

1 Introduction

The ECMWF global data monitoring report is a monthly publication intended to give an overview of the availability and quality of observations from the Global Observing System within the World Weather Watch of the World Meteorological Organisation. It should be recognised that the statistics given in this report refer to data as received at ECMWF in time for the appropriate analysis. The annex of the report gives further explanations of the methods applied to compile the statistics and on the reference used to establish the quality of observations.

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. It should be recognised that although the quality of the first-guess is of a generally high standard this is only true to a limited extent in certain areas, such as the tropics and data-sparse areas of both northern and southern hemispheres. The data quality results should therefore be used with care when assessing the absolute quality of a particular observing platform. Other indicators such as long-term trends of station performance, particularly in comparison with nearby stations, can be more useful in this respect.

The global monitoring results presented in this report are meant to serve a wider meteorological community as well as to support special WMO programmes such as TOGA and EUCOS. The contents of the report may therefore be adapted for special requirements as necessary.

As recommended at the ninth session of the Commission for Basic Systems at Geneva 1988, lead centres have been appointed for each main type of observation which should liaise with the participating centres and co-ordinate all the results, inform the WMO Secretariat immediately of obvious problems, and produce every six months a consolidated list of observations of that particular type believed to be of low quality. The presently nominated centres are: RSMC Exeter for marine surface observations; RSMC ECMWF for radiosonde and pilot observations; WMC Washington for aircraft and satellite observations.

ECMWF produces this monthly report as part of its routine monitoring activity in order to facilitate the exchange of monitoring information. Tables are presented according to the CBS recommended standards for the exchange of monitoring results. Copies of the report will be provided to major GDPS centres participating in data monitoring activities as initiated and recommended at the ninth session of the Commission for Basic Systems in Geneva 1988, and to the WMO Secretariat and the International TOGA office in Geneva.

Any comments on the contents and the format of the report are welcome and should be addressed to:

ECMWF
Attn. Head of Evaluation Section
Shinfield Park
Reading, Berkshire, RG2 9AX
United Kingdom

2 Data summary - History of events

2.1 Radiosondes

The following is a list of land-based stations showing a change in reporting frequency (of 500 hPa geopotential) of at least 10 observations compared with the average over the previous 3 months. The number of reports received at ECMWF for the current and previous month is shown in addition to the observation time.

Ident	Time	May	Jun	Ident	Time	May	Jun
30635	(00)	27	0	01004	(00)	6	21
30635	(12)	26	0	02591	(00)	3	28
43346	(00)	29	0	02591	(12)	1	29
48327	(00)	30	7	33008	(00)	0	17
48407	(00)	19	3	40745	(12)	3	30
48568	(00)	31	6	40811	(00)	19	30
61052	(12)	29	0	41169	(00)	11	29
64910	(12)	28	0	43014	(00)	0	14
67083	(12)	31	1	43333	(00)	9	29
67197	(00)	31	6	47102	(00)	10	30
67197	(12)	31	5	47102	(12)	11	30
71909	(00)	30	0	47104	(00)	19	30
71909	(12)	31	0	47104	(12)	18	30
98618	(00)	29	4	47138	(00)	18	31
98618	(12)	29	0	47138	(12)	17	30
-	-	-	-	47169	(00)	14	30
-	-	-	-	47169	(12)	15	30
-	-	-	-	47186	(00)	16	30
-	-	-	-	47186	(12)	19	30
-	-	-	-	58968	(00)	0	30
-	-	-	-	58968	(12)	1	29
-	-	-	-	65578	(00)	0	16
-	-	-	-	65578	(12)	0	17
-	-	-	-	68592	(12)	2	24
-	-	-	-	76644	(00)	0	20
-	-	-	-	76644	(12)	0	22
-	-	-	-	78583	(00)	18	30
-	-	-	-	78583	(12)	18	30
-	-	-	-	78897	(00)	0	15
-	-	-	-	82107	(00)	6	30
-	-	-	-	82107	(12)	8	29
-	-	-	-	82705	(00)	0	20
-	-	-	-	87715	(12)	9	33
-	-	-	-	89611	(12)	3	29

2.2 Drifting Buoys

Surface pressure observations from **1614** drifting buoys were received during the month.

3 Global monitoring statistics

The following figures and tables provide information on both the availability and quality of various data types as received at ECMWF during the month. A brief description of each figure/table is given below. For a full explanation please refer to the Annex.

3.1 Data Availability

Figures 1-9 are global charts for each data type showing the average number of observations received in 24 hours in 5 degree boxes. The average daily number of observations (global) is also displayed with a breakdown, where appropriate, for each WMO region (figures 1, 3 and 4) and Ocean (figures 1-4).

Fig	Observation Type	Parameter	Level/Layer
1	SYNOP/SHIP	MSL Pressure	Surface
2	DRIFTER	MSL Pressure	Surface
3	TEMP	Geopotential	500 hPa
4	TEMP/PILOT	Wind	300 hPa
5	AIRCRAFT (AIREP/AMDAR etc.)	Wind	300-150 hPa
6	SATOB	Wind	400-150 hPa
7	SATOB	Wind	1000-700 hPa
9	TOVS (120 km) - NOAA14	Thickness	300-100 hPa

(Figure 1 includes data from fixed marine platforms e.g. moored buoys.)

3.2 Data Quality

Tables 1-8 contain lists of suspect stations in the format according to Recommendation 3 CBS-Ext(85).

Tab	Observation Type	Parameter	Level/Layer
1	SHIP	MSL Pressure	Surface
2	SHIP	Wind Speed	Surface
3	SHIP	Wind Direction	Surface
4	DRIFTER	MSL Pressure	Surface
5	DRIFTER	Wind Speed	Surface
6	DRIFTER	Wind Direction	Surface
7	TEMP	Geopotential	1000- 30 hPa
8	TEMP/PILOT	Wind	1000-100 hPa
9	TEMP/PILOT	Wind Direction	500-150 hPa

(SHIP tables include data from fixed marine platforms e.g. moored buoys.)

Figures 10-13 show the locations of suspect stations given in tables 7 and 8.

Fig	Observation Type	Parameter	Observation Time
10	TEMP	Geopotential	00 UTC
11	TEMP	Geopotential	12 UTC
12	TEMP/PILOT	Wind	00 UTC
13	TEMP/PILOT	Wind	12 UTC

Tables 10 and 11 provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month.

Tab	Parameter	Observation Time
10	Geopotential	00 and 12 UTC
11	Wind	00 and 12 UTC

Figures 14-18 show global charts of SATOB and aircraft wind statistics in the form of wind vectors averaged over 5 degree boxes.


Fig	Parameter	Level/Layer
14	SATOB - Mean observed wind	1000-700 hPa
15	SATOB - Mean observed wind	400-150 hPa
16	SATOB - Mean observed minus first-guess wind	1000-700 hPa
17	SATOB - Mean observed minus first-guess wind	400-150 hPa
18	AIRCRAFT WIND - Mean observed minus first-guess	300-150 hPa

Table 12 provides quality statistics of aircraft wind observations stratified by airline carrier.

3.2.1 Figure 1 - Availability - SYNOP PRESSURE


Figure 1

ECMWF Monitoring Statistics - JUN 2017
 Availability - SYNOP/SHIP (manual, auto) pressure
 Average number of observations in 24 hours - 96068
 LAND - WMO Region I: 4402 II:18555 III: 3448 IV: 7249
 Region V: 8843 VI:37828 Antarctic: 872
 Oceans - N. Atlantic 8708 S. Atlantic 120 Indian 522 Pacific 5519



3.2.2 Figure 2 - Availability - DRIFTER PRESSURE


Figure 2



3.2.3 Figure 3 - Availability - TEMP 500 hPa geopotential

Figure 3

ECMWF Monitoring Statistics - JUN 2017
 Availability - TEMP 500 hPa Geopotential
 Average number of observations in 24 hours - 1312
 LAND - WMO Region I: 40 II: 493 III: 83 IV: 270
 Region V: 134 VI: 258 Antarctic: 16
 Oceans - N. Atlantic 16 S. Atlantic 0 Indian 0 Pacific 1




Magics 2.24.2 (64 bit)



3.2.4 Figure 4 - Availability - TEMP/PILOT 300 hPa wind

Figure 4

ECMWF Monitoring Statistics - JUN 2017
 Availability - TEMP/PILOT 300 hPa wind
 Average number of observations in 24 hours - 1295
 LAND - WMO Region I: 39 II: 486 III: 82 IV: 268
 Region V: 132 VI: 256 Antarctic: 16
 Oceans - N. Atlantic 15 S. Atlantic 0 Indian 0 Pacific 1




Magics 2.24.2 (64 bit)



3.2.5 Figure 5 - Availability - AIRCRAFT winds 300-150 hPa

Figure 5


ECMWF Monitoring Statistics - JUN 2017
Availability - Aircraft winds 300-150 hPa
Average number of observations in 24 hours - 186568



3.2.7 Figure 7 - Availability - SATOB winds 1000-700 hPa

Figure 7

ECMWF Monitoring Statistics - JUN 2017
Availability - AMV winds 1000-700 hPa
Average number of observations in 24 hours - 1365129



Magics 2.24.2 (64 bit)



3.2.8 Figure 8 - Availability - NOAA15 ATOVS : AMSU-A

Figure 8

ECMWF Monitoring Statistics - JUN 2017
Availability - NOAA15 ATOVS : AMSU-A
Average number of observations in 24 hours - 314795

Table with 180 columns (representing 2-degree longitude bins from 170°W to 170°E) and 18 rows (representing 2-degree latitude bins from 80°N to 70°S). The table contains numerical data representing the average number of observations per 2-degree bin.

Majics 2.24.2 (64 bit)



3.2.10 Figure 9.2 - Availability - AQUA ATOVS : AMSU-A

Figure 9.2

ECMWF Monitoring Statistics - JUN 2017
Availability - AQUA ATOVS : AMSU-A
Average number of observations in 24 hours - 298556

Table with 180 columns representing longitude (170°W to 170°E) and 18 rows representing latitude (80°N to 70°S). The table contains numerical data representing the average number of observations in 24 hours for AMSU-A.

Magics 2.24.2 (64 bit)



3.2.11 Figure 9.3 - Availability - METOP ATOVS : AMSU-A

Figure 9.3

ECMWF Monitoring Statistics - JUN 2017
Availability - METOP ATOVS : AMSU-A
Average number of observations in 24 hours - 445433

Table with 18 columns representing longitude (170°W to 170°E) and 18 rows representing latitude (80°N to 80°S). The table contains numerical data representing the average number of observations in 24 hours for each geographic grid cell.



Magics 2.24.2 (64 bit)

3.2.12 Table 1 - Suspect ships and fixed marine platforms: Surface pressure - (hPa)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 3(2) HPA, OR,
 STANDARD DEVIATION >= 5(4) HPA, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
3FFA5	99	P	SUR	78	7	2.7	12.4	12.7
3FZO8	99	P	SUR	45	0	1.9	-3.2	3.7
46054	99	P	SUR	263	1	5.3	-3.8	6.5
4XFB	99	P	SUR	25	0	2.2	3.2	3.9
9HJD9	99	P	SUR	23	0	1.3	-3.6	3.8
9V9132	99	P	SUR	47	0	1.5	3.9	4.2
AUXE	99	P	SUR	101	101	0.0	0.0	0.0
BATEU08	99	P	SUR	20	0	0.7	-4.3	4.3
BPBE	99	P	SUR	45	44	0.0	14.2	14.2
C6BC8	99	P	SUR	38	0	0.5	3.4	3.4
C6BR3	99	P	SUR	47	0	3.0	10.5	11.0
C6FM5	99	P	SUR	23	0	2.1	4.5	5.0
C6YA7	99	P	SUR	81	0	3.7	4.5	5.9
C6YM5	99	P	SUR	39	0	1.1	4.5	4.7
LAQO7	99	P	SUR	81	0	7.6	1.1	7.7
LAUW7	99	P	SUR	29	0	0.9	5.7	5.8
OUHC2	99	P	SUR	25	0	1.1	4.3	4.4
OWNT2	99	P	SUR	27	0	1.6	-3.5	3.8
OZ2049	99	P	SUR	17	0	0.5	-4.9	4.9
PBGJ	99	P	SUR	18	6	4.5	-0.9	4.6
PDKK	99	P	SUR	57	0	1.3	3.3	3.5
S6LT6	99	P	SUR	43	0	2.0	3.5	4.0
UASP	99	P	SUR	24	0	2.6	-3.0	4.0
UGYU	99	P	SUR	19	0	0.8	-4.0	4.0
UHOW	99	P	SUR	34	0	2.8	-8.7	9.2
V7UU7	99	P	SUR	20	0	1.3	7.3	7.4
VNVZ	99	P	SUR	26	0	1.4	4.9	5.1
VRBI2	99	P	SUR	24	0	5.9	-0.3	5.9
VRDJ7	99	P	SUR	17	0	2.3	3.0	3.8
VREM6	99	P	SUR	56	0	1.9	3.0	3.6
VRFI7	99	P	SUR	68	0	1.8	5.2	5.5
VRID2	99	P	SUR	67	0	0.9	3.8	4.0

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	SD	BIAS	RMS
VRIR7	99	P	SUR	20	0	2.4	4.5	5.1
VRKZ9	99	P	SUR	27	0	0.8	-3.4	3.5
VRNR5	99	P	SUR	19	0	2.2	4.7	5.1
VRPP5	99	P	SUR	21	0	3.1	6.4	7.1
VRYO4	99	P	SUR	38	0	2.9	-3.3	4.4
VWTI	99	P	SUR	101	0	0.7	3.8	3.9
WAIU	99	P	SUR	51	0	1.3	-5.4	5.5
WAZV	99	P	SUR	16	0	0.6	3.7	3.7
WC5932	99	P	SUR	40	5	6.4	-10.9	12.7
WDG8555	99	P	SUR	26	0	2.1	5.5	5.9
WMMK	99	P	SUR	25	0	1.5	-5.6	5.8

3.2.13 Table 2 - Suspect ships and fixed marine platforms: Wind speed (m/s)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15(50), AND,
 Manual (Automatic) ABSOLUTE BIAS >= 4(4) M/S, OR,
 % GROSS ERROR >= 25(15)
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
--------------	-------------	-----	-------	------------	--------------	------------	----	------	-----

3.2.14 Table 3 - Suspect ships and fixed marine platforms: Wind direction (DEGREES)

LIST OF SUSPECT STATIONS : SHIPS + FIXED MARINE PLATFORMS
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 15 (50) (WIND SPEEDS > 3M/S), AND ,
 Manual (Automatic) ABSOLUTE BIAS >= 30 (25) DEGREES, OR,
 STANDARD DEVIATION >= 70 (50) DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF 00, 06, 12 AND 18 UTC OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42022	99	DIRN	SUR	81	0	0	77.1	50.3	92.1
42043	99	DIRN	SUR	27	0	0	14.3	-52.8	54.7
45025	99	DIRN	SUR	67	0	0	86.0	15.9	87.4
45166	99	DIRN	SUR	120	0	0	17.5	-46.0	49.2
46092	99	DIRN	SUR	101	0	0	14.6	31.6	34.8
46120	99	DIRN	SUR	58	0	0	72.6	-45.0	85.4
46207	99	DIRN	SUR	107	0	0	10.3	47.5	48.6

3.2.15 Table 4 - Suspect drifters: Surface pressure (HPA)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 4 HPA, OR,
 STANDARD DEVIATION >= 6 HPA, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT = 15 HPA)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
1501504	99	P	SUR	-22	-36	20	20	0.0	0.0	0.0
2300592	99	P	SUR	10	84	1889	1702	1.7	0.2	1.7
2301547	99	P	SUR	-17	57	307	6	3.9	4.9	6.3
2301564	99	P	SUR	2	80	423	115	2.5	-1.7	3.1
23592	99	P	SUR	10	84	1842	1661	1.7	0.2	1.7
2600568	99	P	SUR	81	22	682	119	9.2	2.5	9.5
26568	99	P	SUR	81	22	690	129	9.2	2.5	9.5
4500508	99	P	SUR	45	-88	669	669	0.0	0.0	0.0
45508	99	P	SUR	45	-88	1403	1403	0.0	0.0	0.0
45509	99	P	SUR	45	-88	1428	1428	0.0	0.0	0.0
4800513	99	P	SUR	73	167	705	169	6.7	-1.0	6.8
48513	99	P	SUR	73	167	703	168	6.7	-0.9	6.8
5600942	99	P	SUR	-25	81	623	34	1.1	-5.0	5.1
5600946	99	P	SUR	-32	87	626	206	0.5	0.4	0.6
56942	99	P	SUR	-25	81	666	40	1.1	-5.0	5.2
56946	99	P	SUR	-32	87	662	208	0.5	0.3	0.6
6400757	99	P	SUR	63	-29	643	643	0.0	0.0	0.0
64757	99	P	SUR	63	-29	643	643	0.0	0.0	0.0
7301503	99	P	SUR	-64	170	449	190	3.6	1.4	3.9

3.2.16 Table 5 - Suspect drifters: Wind speed (m/s)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20, AND,
 ABSOLUTE BIAS >= 5 M/S, OR,
 % GROSS ERROR >= 25
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
3100374	99	SPEED	SUR	-25	-45	202	0	0	1.7	-6.2	6.4
31374	99	SPEED	SUR	-25	-45	202	0	0	1.7	-6.3	6.6

3.2.17 Table 6 - Suspect drifters: Wind direction (degrees)

LIST OF SUSPECT STATIONS : DRIFTER
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20 (WIND SPEEDS > 3M/S), AND ,
 ABSOLUTE BIAS >= 20 DEGREES, OR,
 STANDARD DEVIATION >= 60 DEGREES
 (GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S)

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
23451	99	DIRN	SUR	15	69	191	0	0	18.5	30.8	35.9
23456	99	DIRN	SUR	19	67	174	0	0	16.4	42.7	45.8
23497	99	DIRN	SUR	11	72	234	0	0	17.7	-21.8	28.1
3100231	99	DIRN	SUR	-27	-47	199	1	0	47.1	45.7	65.6
3100380	99	DIRN	SUR	-20	-40	528	0	0	25.2	-33.5	41.9
3101000	99	DIRN	SUR	-24	-42	477	0	0	33.3	-96.8	102.4
31231	99	DIRN	SUR	-27	-47	201	1	0	46.7	45.3	65.1
31380	99	DIRN	SUR	-20	-40	534	0	0	25.2	-34.0	42.3
42022	99	DIRN	SUR	28	-84	460	0	0	72.5	55.6	91.3
42043	99	DIRN	SUR	29	-95	160	0	0	13.9	-51.0	52.9
42361	99	DIRN	SUR	28	-93	628	1	0	19.1	23.0	29.9
42365	99	DIRN	SUR	28	-89	336	0	0	20.1	-25.6	32.5
44008	99	DIRN	SUR	41	-69	545	0	0	13.9	22.4	26.3
44058	99	DIRN	SUR	38	-76	705	0	0	19.9	-28.0	34.4
44062	99	DIRN	SUR	39	-76	794	0	0	28.6	-22.7	36.5
45004	99	DIRN	SUR	48	-87	695	0	0	29.5	20.7	36.1
45025	99	DIRN	SUR	47	-88	344	0	0	83.3	20.3	85.8
45147	99	DIRN	SUR	42	-83	58	0	0	164.9	10.0	165.2
45166	99	DIRN	SUR	45	-73	652	0	0	20.7	-46.9	51.3
46060	99	DIRN	SUR	61	-147	282	0	0	26.5	20.3	33.3
46092	99	DIRN	SUR	37	-122	719	0	0	13.8	31.9	34.8
46118	99	DIRN	SUR	49	-123	354	0	0	54.6	31.1	62.8
46120	99	DIRN	SUR	48	-122	344	0	0	76.4	-37.9	85.3
46207	99	DIRN	SUR	51	-130	642	0	0	10.5	47.1	48.2
6101003	99	DIRN	SUR	40	25	46	0	0	54.4	20.4	58.1

3.2.18 Table 7 - Suspect radiosondes: Geopotential height (metres)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 3 LEVELS WITH
 10 OBS AND 100 M WEIGHTED RMS

ONLY THE WORST LEVEL IS SHOWN (WITH UNWEIGHTED RMS)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
04360	00	Z	1000	66	-38	22	0	2.9	41.4	41.5
04360	12	Z	1000	66	-38	23	0	10.2	39.6	40.9
24726	12	Z	200	63	114	24	0	44.4	67.0	80.4
30230	12	Z	200	58	108	23	0	42.0	85.2	95.0
30230	00	Z	250	58	108	22	0	32.1	70.1	77.1
31873	12	Z	50	46	134	29	0	36.0	-124.7	129.8
33393	00	Z	150	50	24	18	0	53.3	89.1	103.8
33658	00	Z	200	48	26	26	0	35.8	88.0	95.0
36096	12	Z	50	52	94	25	0	58.3	136.8	148.7
38064	00	Z	50	45	66	22	0	69.8	129.8	147.4
40437	00	Z	925	25	47	27	0	2.6	34.5	34.6
40437	12	Z	925	25	47	27	0	0.0	34.3	34.3
42027	00	Z	30	34	75	28	0	13.7	188.1	188.6
42361	00	Z	70	26	78	13	0	74.1	131.1	150.6
42874	00	Z	30	21	82	15	0	47.7	200.3	205.9
42886	00	Z	30	22	84	17	0	15.9	211.3	211.9
43014	00	Z	30	20	75	11	0	14.3	205.2	205.7
43041	00	Z	30	19	82	23	0	22.9	201.7	203.0
43128	00	Z	30	17	78	23	1	65.2	308.7	315.5
43295	00	Z	30	13	78	12	0	22.9	187.1	188.5
47155	00	Z	1000	35	129	30	13	23.7	59.9	64.4
47155	12	Z	1000	35	129	29	11	21.6	-71.5	74.7
61291	12	Z	925	13	-8	16	0	15.5	27.2	31.3
89512	00	Z	50	-71	12	30	0	85.9	-174.6	194.6
89592	00	Z	50	-67	93	24	1	96.3	-225.6	245.3
89664	00	Z	850	-78	167	15	0	7.3	-32.6	33.4
96147	12	Z	925	4	108	18	2	8.0	45.0	45.7
96147	00	Z	925	4	108	29	2	14.8	56.9	58.8

LIST OF SUSPECT STATIONS (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
97372	12	Z	500	-10	124	25	0	63.4	77.2	99.9
97372	00	Z	500	-10	124	29	0	61.8	48.2	78.4
98223	00	Z	30	18	121	20	1	155.7	236.8	283.4
98233	00	Z	1000	18	122	16	1	31.6	43.7	53.9
ASDK03	00	Z	1000	61	-11	11	0	12.6	29.1	31.7
ASDK3	00	Z	1000	61	-11	10	0	11.2	27.2	29.4
ASEU02	00	Z	1000	24	-61	12	0	5.4	28.6	29.1
ASEU02	12	Z	1000	23	-65	10	0	6.3	27.8	28.5

3.2.19 Table 8 - Suspect radiosondes: Wind (m/s)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: AT LEAST 10 OBS AND 15 M/S RMS VECTOR WIND

STANDARD LEVEL (1000-100 HPA) WITH HIGHEST RMS IS SHOWN

WMO IDENT	OBS TIME	ELM	LEV	LAT	LONG	NUM OBS	NUM GROSS	UBIAS	VBIAS	RMS
06011	00	V	200	62	-7	28	0	-2.6	-8.9	16.3
06011	12	V	250	62	-7	28	1	-1.9	-12.0	20.2
21432	12	V	300	76	138	27	0	-0.9	8.3	17.0
21432	00	V	300	76	138	27	0	-3.1	8.6	17.9


3.2.20 Table 9 - Suspect radiosondes: Wind direction (degrees)

LIST OF SUSPECT STATIONS : RADIOSONDES
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: OBSERVED/FORECAST WIND SPEEDS \geq 5 M/S
 NO. OF OBSERVATIONS \geq 5, AND,
 ABSOLUTE BIAS \geq 10 DEGREES, WITH
 STANDARD DEVIATION $<$ 30 DEGREES, AND,
 VERTICAL SPREAD $<$ 10 DEGREES
 (AVERAGE BETWEEN 500 AND 150 HPA)

WMO IDENT	OBS TIME	ELM	LAT	LONG	NUM OBS	BIAS	MAX SPREAD	SD
21432	12	DD	76	138	24	19.3	4.3	24.4
21432	00	DD	76	138	23	23.4	4.2	23.7

3.2.21 Figure 10 - Suspect TEMP observations - geopotential : 00 UTC



3.2.22 Figure 11 - Suspect TEMP observations - geopotential : 12 UTC






Figure 11
ECMWF Monitoring Statistics - JUN 2017 12 UTC
Suspect TEMP observations - GEOPOTENTIAL

3.2.23 Figure 12 - Suspect TEMP/PILOT observations - wind : 00 UTC



3.2.24 Figure 13 - Suspect TEMP/PILOT observations - wind : 12 UTC



3.2.25 Table 10 - Radiosonde monitoring statistics (SHIPS): Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
ASDE01	00	Z	100	1	5.8	5.8
ASDE01	12	Z	100	15	8.6	3.2
ASDE02	00	Z	100	19	12.2	10.0
ASDE03	00	Z	100	3	106.5	84.0
ASDE03	12	Z	100	3	59.8	59.4
ASDK01	12	Z	100	13	44.7	19.0
ASDK01	00	Z	100	14	15.5	4.8
ASDK02	00	Z	100	3	6.3	-2.2
ASDK02	12	Z	100	3	6.1	4.3
ASDK03	00	Z	100	11	25.8	21.5
ASDK03	12	Z	100	11	22.7	21.9
ASDK1	12	Z	100	11	35.6	2.1
ASDK1	00	Z	100	12	13.8	-1.1
ASDK2	00	Z	100	3	10.6	-6.5
ASDK2	12	Z	100	3	7.9	-7.3
ASDK3	00	Z	100	10	23.0	17.6
ASDK3	12	Z	100	9	14.8	13.9
ASES01	12	Z	100	21	31.5	28.8
ASEU01	12	Z	100	1	26.7	26.7
ASEU02	12	Z	100	10	43.9	43.6
ASEU02	00	Z	100	12	42.0	41.3
ASEU03	00	Z	100	6	12.7	7.3
ASEU03	12	Z	100	7	32.3	28.6
ASEU04	00	Z	100	7	7.9	-6.2
ASEU04	12	Z	100	8	10.1	-7.5
ASEU05	12	Z	100	8	28.4	26.5
ASEU05	00	Z	100	6	52.3	30.2
ASEU06	00	Z	100	11	15.6	8.9
ASEU06	12	Z	100	17	39.4	29.2
ASFR1	00	Z	100	17	13.5	10.1
ASFR1	12	Z	100	15	13.0	12.0
ASFR3	00	Z	100	10	13.0	10.1
ASFR3	12	Z	100	9	18.8	13.9
ASFR4	12	Z	100	17	23.1	21.0
ASFR4	00	Z	100	13	18.5	15.8
DBLK	12	Z	100	43	8.6	7.2
DBLK	00	Z	100	39	7.1	4.9
JGQH	00	Z	100	9	10.5	4.2
JGQH	12	Z	100	9	9.0	2.3

3.2.26 Table 11 - Radiosonde monitoring statistics (SHIPs): Wind (m/s)


RADIOSONDE MONITORING STATISTICS (SHIPS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD


WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
ASDE01	00	V	100	1	3.5	-1.9	-2.9
ASDE01	12	V	100	14	3.1	-0.2	-0.4
ASDE02	00	V	100	11	3.9	1.2	2.0
ASDE03	00	V	100	3	4.0	-1.2	0.6
ASDE03	12	V	100	3	5.9	1.9	-2.4
ASDK01	12	V	100	11	2.9	1.0	-0.3
ASDK01	00	V	100	13	2.5	0.4	1.2
ASDK02	00	V	100	3	2.3	0.6	1.5
ASDK02	12	V	100	3	4.1	0.8	1.9
ASDK03	00	V	100	10	3.5	-0.2	-1.1
ASDK03	12	V	100	10	3.1	0.4	-0.5
ASDK1	12	V	100	11	2.8	1.1	-0.5
ASDK1	00	V	100	12	2.3	0.8	0.8
ASDK2	00	V	100	3	2.4	0.7	1.7
ASDK2	12	V	100	3	3.7	-0.5	-1.3
ASDK3	00	V	100	10	3.4	-0.3	-0.9
ASDK3	12	V	100	9	2.4	0.2	-0.5
ASES01	12	V	100	15	3.6	-0.6	0.3
ASEU01	12	V	100	1	2.0	-1.8	0.9
ASEU02	12	V	100	9	3.3	0.2	0.0
ASEU02	00	V	100	10	4.3	-0.5	0.6
ASEU03	00	V	100	6	2.3	0.4	-0.5
ASEU03	12	V	100	3	2.8	-0.7	1.1
ASEU04	00	V	100	7	3.2	1.4	1.1
ASEU04	12	V	100	7	2.8	-0.2	-0.8
ASEU05	12	V	100	6	4.9	0.7	2.5
ASEU05	00	V	100	6	4.3	-0.1	0.2
ASEU06	00	V	100	10	4.8	-1.8	1.0
ASEU06	12	V	100	12	2.5	-0.2	0.7
ASFR1	00	V	100	10	3.2	-0.3	0.4
ASFR1	12	V	100	10	3.6	-0.5	0.0
ASFR3	00	V	100	6	4.8	-0.7	-0.6
ASFR3	12	V	100	8	2.8	-0.5	-0.1
ASFR4	12	V	100	11	3.9	0.9	1.2
ASFR4	00	V	100	10	3.6	-1.3	-0.8
DBLK	12	V	100	25	1.7	-0.7	-0.4
DBLK	00	V	100	20	1.7	-0.2	-0.4
JGQH	00	V	100	9	3.5	2.0	-0.1
JGQH	12	V	100	9	5.8	2.7	-1.0

3.2.27 Figure 14 - SATOB Winds: 700-1000hPa

Figure 14
ECMWF Monitoring Statistics: Jun 2017
AMV Winds: 700-1000hPa
Mean Observed Wind




3.2.28 Figure 15 - SATOB Winds: 150- 400hPa




3.2.29 Figure 16 - SATOB Winds: 700-1000hPa

Figure 16
ECMWF Monitoring Statistics: Jun 2017
AMV Winds: 700-1000hPa
Wind bias: Observation - FG




3.2.30 Figure 17 - SATOB Winds: 150- 400hPa

Figure 17
ECMWF Monitoring Statistics: Jun 2017
AMV Winds: 150- 400hPa
Mean Observed Wind



3.2.31 Figure 18 - AIRCRAFT Winds: 150- 300hPa

Figure 18
ECMWF Monitoring Statistics: Jun 2017
Aircraft Winds: 150- 300hPa
Wind bias: Observation - FG



3.2.32 Table 12 - Airep Monitoring Statistics For Airline Carriers (Global)

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : VECTOR WIND (M/S)
 AREA : GLOBAL
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

SELECTION CRITERIA: NO. OF OBS. >= 20

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT ON VECTOR WIND = 40 M/S

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AAB	99	V	300-150	100	0	0	4.5	0.7
AAL	99	V	300-150	72392	1	0	4.7	0.3
AAR	99	V	300-150	296	0	0	4.3	-1.3
AAY	99	V	300-150	67	0	0	3.9	0.1
ABD	99	V	300-150	409	0	0	4.1	-0.7
ABW	99	V	300-150	1107	0	0	3.7	-0.3
ABX	99	V	300-150	188	0	1	5.5	0.4
ACA	99	V	300-150	33822	2	0	5.2	0.3
ACI	99	V	300-150	2883	0	0	4.2	0.5
AEA	99	V	300-150	872	1	0	5.2	0.1
AFL	99	V	300-150	2606	0	0	3.3	0.6
AFR	99	V	300-150	33333	0	0	3.7	0.4
AHY	99	V	300-150	284	8	0	6.7	0.4
AIC	99	V	300-150	1806	4	0	6.2	0.0
AKK	99	V	300-150	24	0	0	4.3	0.5
AMX	99	V	300-150	3321	14	0	9.1	0.2
ANZ	99	V	300-150	21463	1	0	4.7	0.7
AOJ	99	V	300-150	44	16	0	20.2	0.6
ASA	99	V	300-150	1902	0	0	4.7	0.2
ASL	99	V	300-150	731	0	0	3.3	0.3
ASY	99	V	300-150	388	0	0	6.0	0.7
AUA	99	V	300-150	6056	0	0	4.3	-0.1
AUH	99	V	300-150	24	21	0	10.5	-0.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
AVA	99	V	300-150	321	16	0	9.5	0.4
AVL	99	V	300-150	44	0	0	2.8	-0.0
AWC	99	V	300-150	79	0	0	3.7	0.5
AXM	99	V	300-150	196	0	1	5.0	0.8
AZA	99	V	300-150	10421	0	0	3.5	0.4
AZG	99	V	300-150	207	0	0	3.4	0.1
AZU	99	V	300-150	20	5	5	7.9	-1.2
BAH	99	V	300-150	44	0	0	3.3	1.2
BAW	99	V	300-150	56075	2	0	4.8	0.2
BBR	99	V	300-150	34	0	6	9.1	2.0
BEL	99	V	300-150	2892	0	0	3.2	0.4
BER	99	V	300-150	10574	0	0	3.3	0.5
BLU	99	V	300-150	23	0	0	4.9	0.6
BMW	99	V	300-150	120	0	0	3.0	0.3
BOG	99	V	300-150	27	0	0	5.7	4.2
BOX	99	V	300-150	664	0	0	3.6	0.0
BOX	99	V	300-150	67	0	0	4.2	1.0
BRK	99	V	300-150	72	0	0	5.1	1.0
BVR	99	V	300-150	44	32	0	13.5	1.4
CAL	99	V	300-150	318	0	0	4.5	0.4
CAZ	99	V	300-150	196	0	0	3.2	0.4
CCA	99	V	300-150	968	0	0	4.4	0.6
CEF	99	V	300-150	44	0	0	5.5	2.6
CES	99	V	300-150	1188	0	0	4.5	0.2
CFC	99	V	300-150	354	0	0	3.6	0.3
CFG	99	V	300-150	4322	0	0	3.8	-0.3
CHH	99	V	300-150	107	0	0	4.5	1.1
CJT	99	V	300-150	143	0	0	3.9	-0.9
CKS	99	V	300-150	1942	0	0	3.7	-0.0
CLE	99	V	300-150	150	0	0	3.2	-0.4
CLF	99	V	300-150	36	0	0	3.2	0.2
CLU	99	V	300-150	52	0	0	4.7	0.2
CLX	99	V	300-150	3740	0	0	3.8	-0.2
CMB	99	V	300-150	974	0	0	3.7	-0.2
CNV	99	V	300-150	279	0	0	3.0	-0.1
COB	99	V	300-150	21	0	0	2.9	0.3
CPA	99	V	300-150	653	0	0	3.8	0.5
CRK	99	V	300-150	828	0	0	3.6	0.5
CRL	99	V	300-150	1257	0	0	3.4	0.2
CSC	99	V	300-150	129	0	0	4.2	0.4
CSN	99	V	300-150	678	2	0	6.4	0.7
CTM	99	V	300-150	72	0	0	4.0	0.3
DAH	99	V	300-150	926	0	0	3.5	0.5

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
DAL	99	V	300-150	91967	0	0	3.6	0.2
DGX	99	V	300-150	82	0	0	3.7	0.3
DHK	99	V	300-150	1840	0	0	4.2	-0.5
DJT	99	V	300-150	2090	0	0	4.4	0.5
DLH	99	V	300-150	37236	0	0	3.4	0.3
DSO	99	V	300-150	66	0	0	4.2	0.2
DUB	99	V	300-150	101	0	0	3.0	-0.2
EAV	99	V	300-150	73	70	0	18.9	2.0
EDG	99	V	300-150	74	0	0	4.1	0.4
EDW	99	V	300-150	2035	0	0	3.3	0.4
EIN	99	V	300-150	16339	0	0	3.5	0.3
EJM	99	V	300-150	1492	10	0	9.8	0.2
ELY	99	V	300-150	3456	0	0	3.9	-0.2
EMM	99	V	300-150	20	0	0	3.1	1.7
ESR	99	V	300-150	26	0	0	3.2	1.0
ETD	99	V	300-150	3722	3	0	4.9	0.1
ETH	99	V	300-150	2128	4	0	6.1	0.1
EWG	99	V	300-150	2143	0	0	3.6	0.5
EXS	99	V	300-150	109	0	0	3.4	0.7
EXU	99	V	300-150	25	0	0	4.4	0.2
FDX	99	V	300-150	6452	0	0	3.6	0.4
FIN	99	V	300-150	938	0	0	3.1	0.5
FJI	99	V	300-150	6299	0	0	4.5	0.6
FPG	99	V	300-150	23	0	0	3.6	-1.2
FWI	99	V	300-150	1358	0	0	3.2	0.2
FYG	99	V	300-150	40	0	0	4.4	0.0
GAB	99	V	300-150	22	0	0	2.0	-0.3
GAF	99	V	300-150	60	0	0	3.5	0.9
GAJ	99	V	300-150	53	0	0	3.2	0.7
GCR	99	V	300-150	110	0	0	4.5	1.1
GEC	99	V	300-150	2851	0	0	3.4	0.3
GES	99	V	300-150	74	15	0	13.0	1.3
GHA	99	V	300-150	25	0	0	3.8	0.2
GLJ	99	V	300-150	56	18	0	18.5	1.2
GLO	99	V	300-150	74	3	4	9.9	-0.8
GMA	99	V	300-150	52	0	0	2.4	0.4
GTH	99	V	300-150	161	0	0	3.9	-0.2
GTI	99	V	300-150	2256	0	0	4.1	-0.1
HAL	99	V	300-150	4062	0	0	4.4	0.7
HFY	99	V	300-150	41	0	0	2.2	0.7
HRT	99	V	300-150	91	37	0	13.1	0.1
HVN	99	V	300-150	22	14	0	11.1	-0.1
HZM	99	V	300-150	40	0	0	2.8	-0.2

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
HZS	99	V	300-150	63	0	0	3.4	0.0
IAM	99	V	300-150	64	0	0	3.6	0.8
IBE	99	V	300-150	3851	0	0	3.4	0.4
ICL	99	V	300-150	846	0	0	4.3	0.2
ICV	99	V	300-150	332	0	0	3.9	0.1
IFA	99	V	300-150	52	87	0	34.3	-1.1
IJM	99	V	300-150	102	0	0	3.8	0.7
ISS	99	V	300-150	919	0	0	3.8	-0.0
JAF	99	V	300-150	1105	10	0	7.2	0.4
JAI	99	V	300-150	1144	0	0	3.6	0.5
JAS	99	V	300-150	166	3	0	7.8	0.2
JET	99	V	300-150	49	0	0	2.9	0.2
JJA	99	V	300-150	55	2	2	5.2	0.8
JME	99	V	300-150	134	0	0	3.8	0.6
JST	99	V	300-150	3178	0	0	5.8	0.4
KAC	99	V	300-150	1162	0	0	3.6	0.4
KAI	99	V	300-150	62	0	0	4.9	-0.1
KAL	99	V	300-150	1193	0	0	3.9	0.7
KCE	99	V	300-150	80	0	0	3.5	-0.2
KFE	99	V	300-150	21	0	0	5.0	-2.1
KIW	99	V	300-150	192	0	0	4.3	1.1
KLM	99	V	300-150	19050	1	0	4.2	0.2
KUG	99	V	300-150	37	0	0	3.3	-0.2
LAN	99	V	300-150	1839	8	0	8.8	0.2
LCO	99	V	300-150	128	0	0	3.7	-0.1
LDM	99	V	300-150	147	0	0	3.4	0.1
LEA	99	V	300-150	66	0	0	3.3	0.0
LMJ	99	V	300-150	44	0	0	4.5	0.7
LOT	99	V	300-150	2208	2	0	7.5	-0.0
LUC	99	V	300-150	86	0	0	3.5	1.1
LXJ	99	V	300-150	476	18	0	8.5	0.1
MAS	99	V	300-150	362	0	1	4.2	0.8
MJF	99	V	300-150	27	0	0	4.0	-1.4
MLM	99	V	300-150	28	86	0	26.2	-0.8
MMD	99	V	300-150	245	0	0	3.5	0.3
MPH	99	V	300-150	646	0	0	3.6	-0.2
MSR	99	V	300-150	1365	0	0	3.5	0.2
MXD	99	V	300-150	26	0	4	6.6	1.0
NAS	99	V	300-150	91	0	0	4.0	0.0
NAX	99	V	300-150	8518	9	0	8.9	-0.0
NCA	99	V	300-150	284	0	0	3.5	-0.9
NJE	99	V	300-150	388	18	0	11.1	0.5
NOS	99	V	300-150	335	0	0	4.6	-0.4

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
NWS	99	V	300-150	204	0	0	3.4	-0.0
OAE	99	V	300-150	141	0	1	5.2	0.4
OPM	99	V	300-150	51	43	0	19.9	-0.3
PAC	99	V	300-150	180	1	0	4.2	0.5
PAL	99	V	300-150	105	2	0	9.1	-0.2
PAT	99	V	300-150	42	0	0	3.9	-0.2
PIA	99	V	300-150	435	0	0	3.3	0.3
PJZ	99	V	300-150	21	0	0	3.5	1.8
PLM	99	V	300-150	66	0	0	3.7	-1.5
PNC	99	V	300-150	41	0	0	5.0	-0.5
QAF	99	V	300-150	187	0	0	3.1	0.2
QFA	99	V	300-150	15796	0	0	4.2	0.2
QID	99	V	300-150	34	0	0	2.9	0.0
QQE	99	V	300-150	60	52	0	23.4	1.3
QTR	99	V	300-150	9284	0	0	3.7	0.1
RAM	99	V	300-150	469	11	0	6.6	0.5
RCH	99	V	300-150	6297	0	0	4.3	0.3
REU	99	V	300-150	64	0	0	3.5	-0.2
RJA	99	V	300-150	1985	10	0	9.1	0.1
RON	99	V	300-150	76	0	0	4.2	1.8
ROU	99	V	300-150	12839	0	0	4.2	0.1
RRR	99	V	300-150	400	0	0	3.3	0.2
RZO	99	V	300-150	391	0	0	4.0	0.6
SAM	99	V	300-150	477	0	0	3.7	0.4
SAS	99	V	300-150	5124	0	0	3.1	0.3
SHE	99	V	300-150	215	0	0	3.2	0.5
SIA	99	V	300-150	2857	0	0	3.5	0.3
SIO	99	V	300-150	42	0	0	4.2	-0.4
SJE	99	V	300-150	27	0	0	3.9	-0.8
SLM	99	V	300-150	168	0	0	3.3	-0.0
SOL	99	V	300-150	26	0	0	5.7	1.0
SOO	99	V	300-150	660	0	0	3.7	0.0
SPA	99	V	300-150	188	0	1	3.0	0.5
SQC	99	V	300-150	591	0	0	3.8	-0.5
SVA	99	V	300-150	3215	3	0	4.9	0.2
SVW	99	V	300-150	196	0	0	3.8	0.3
SWR	99	V	300-150	11164	0	0	3.3	0.4
TAM	99	V	300-150	394	1	0	4.2	0.2
TAP	99	V	300-150	1372	0	0	4.0	0.7
TAR	99	V	300-150	343	0	0	3.5	0.3
TAY	99	V	300-150	790	0	0	4.4	-0.2
TBJ	99	V	300-150	44	43	0	3.4	1.8
TCV	99	V	300-150	43	0	0	5.7	-1.0

AIREP MONITORING STATISTICS FOR AIRLINE CARRIERS
(CONTINUED)

IDENT	OBS TIME	ELM	LEVEL	NUM OBS	% GROSS	% CALM	VECTOR RMS	SPEE D BIAS
TCX	99	V	300-150	7392	0	0	3.2	0.2
TEU	99	V	300-150	32	78	0	24.0	0.7
TFL	99	V	300-150	1597	17	0	9.8	-0.0
TGM	99	V	300-150	83	7	0	7.3	0.5
THA	99	V	300-150	224	0	0	3.8	0.7
THT	99	V	300-150	4453	0	0	3.7	0.5
THY	99	V	300-150	8680	0	0	3.7	0.3
TMN	99	V	300-150	57	2	23	3.5	1.5
TOM	99	V	300-150	7271	14	0	9.6	0.2
TOW	99	V	300-150	77	0	0	3.6	0.3
TSC	99	V	300-150	17806	0	0	3.4	0.2
TWB	99	V	300-150	36	0	0	3.7	0.3
TWY	99	V	300-150	329	17	0	13.2	0.2
UAE	99	V	300-150	10692	0	0	3.8	0.1
UAL	99	V	300-150	94298	1	1	4.6	0.2
ULC	99	V	300-150	149	40	0	21.9	0.6
UPS	99	V	300-150	5003	0	0	4.1	0.0
UZB	99	V	300-150	174	1	1	9.7	-0.0
VCJ	99	V	300-150	27	0	4	2.7	0.7
VCN	99	V	300-150	48	0	0	3.4	0.9
VIR	99	V	300-150	24516	3	0	5.6	0.2
VJT	99	V	300-150	1051	37	0	20.1	0.3
VMP	99	V	300-150	72	0	0	2.9	-0.2
VOZ	99	V	300-150	6695	0	0	3.9	0.4
WGT	99	V	300-150	104	0	0	3.1	0.2
WJA	99	V	300-150	5720	0	0	3.7	0.3
WOW	99	V	300-150	610	0	0	2.7	0.2
WWI	99	V	300-150	60	0	0	2.8	-0.3
XAX	99	V	300-150	386	0	0	3.9	0.5
XLF	99	V	300-150	1796	0	0	3.5	0.3

4 EUCOS Area Monitoring Statistics

The following tables provide information on the quality of upper-air data and surface DRIFTER data over the EUCOS area as received at ECMWF during the month.

Tables 13, 14 (50 hPa level), 15, 16 (100 hPa level) 17, 18 (500 hPa level) 19 and 20 (850 hPa level) provide quality statistics for all TEMPSHIPS and PILOTSHIPS received during the month in the area 10°N - 90°N, 70°W - 40°E and for TEMPS and PILOTS from selected land stations within the same area. The statistics are in the same form as tables 10 and 11.

Tables 21-23 provides quality statistics of pressure and wind for all DRIFTER reports received in the area 10°N - 90°N, 70°W - 40°E. The statistics are in the same form as tables 4-6.

4.1 Table 13 - Radiosonde Monitoring Statistics (EUCOS): 50 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	50	15	10.4	9.0
01001	00	Z	50	13	9.8	8.9
01028	12	Z	50	30	10.5	5.9
01028	00	Z	50	30	9.0	6.7
01400	12	Z	50	20	32.6	28.4
01400	00	Z	50	16	28.7	27.1
01415	12	Z	50	28	17.6	16.7
01415	00	Z	50	30	14.5	13.3
02365	12	Z	50	30	10.4	7.2
02365	00	Z	50	24	13.6	10.5
02591	12	Z	50	29	18.2	15.3
02591	00	Z	50	26	20.4	19.2
02836	00	Z	50	30	7.6	4.3
02836	12	Z	50	30	8.6	6.3
02963	00	Z	50	27	10.5	9.7
02963	12	Z	50	29	19.0	7.9
03005	12	Z	50	30	11.8	8.3
03005	00	Z	50	30	9.7	8.5
03238	00	Z	50	26	10.3	8.2
03238	12	Z	50	1	6.3	6.3
03808	12	Z	50	29	20.1	14.8
03808	00	Z	50	29	15.5	12.8
03918	12	Z	50	6	25.5	25.1
03918	00	Z	50	28	18.4	16.8
03953	00	Z	50	26	15.1	8.8
03953	12	Z	50	27	40.1	24.8
04018	00	Z	50	20	6.4	4.3
04018	12	Z	50	21	9.0	7.1
04220	12	Z	50	21	9.9	8.7
04220	00	Z	50	21	10.1	9.3
04270	12	Z	50	30	9.8	8.5
04270	00	Z	50	30	7.5	6.2
04320	00	Z	50	30	12.4	10.3
04320	12	Z	50	30	14.8	13.2
04339	00	Z	50	30	13.7	6.4
04339	12	Z	50	29	14.6	11.0
04360	00	Z	50	21	32.2	31.2
04360	12	Z	50	23	43.8	42.6
06011	12	Z	50	27	17.1	11.8

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	00	Z	50	27	19.1	3.3
06260	00	Z	50	29	19.3	8.8
06260	12	Z	50	5	20.6	20.3
06610	00	Z	50	29	19.8	18.1
06610	12	Z	50	29	18.2	15.1
07110	12	Z	50	29	42.4	39.4
07110	00	Z	50	30	39.1	37.8
07510	00	Z	50	28	35.9	34.6
07510	12	Z	50	30	44.8	43.1
07645	12	Z	50	27	31.0	28.9
07645	00	Z	50	29	27.7	26.6
07761	12	Z	50	29	20.3	17.4
07761	00	Z	50	29	29.3	28.1
08001	00	Z	50	25	21.8	19.3
08001	12	Z	50	27	24.0	16.1
08221	00	Z	50	28	15.1	13.4
08221	12	Z	50	29	17.2	11.3
08302	00	Z	50	29	12.7	9.5
08302	12	Z	50	27	12.6	1.3
08508	12	Z	50	30	28.3	26.8
08522	12	Z	50	27	20.2	17.8
08579	12	Z	50	29	26.3	23.7
10035	00	Z	50	30	27.6	24.7
10035	12	Z	50	30	23.6	22.4
10393	12	Z	50	30	11.5	9.4
10393	00	Z	50	30	14.1	12.3
10410	12	Z	50	27	13.0	11.8
10410	00	Z	50	29	13.0	11.5
10739	00	Z	50	29	16.2	13.0
10739	12	Z	50	27	10.3	8.4
11035	12	Z	50	30	19.1	17.2
11035	00	Z	50	30	21.5	20.7
12982	00	Z	50	29	23.6	21.7
12982	12	Z	50	29	34.5	31.7
16080	12	Z	50	29	11.4	8.2
16080	00	Z	50	22	10.3	8.5
16245	00	Z	50	29	12.5	11.4
16245	12	Z	50	29	32.7	1.8
16320	12	Z	50	40	17.9	16.4
16320	00	Z	50	31	26.2	25.6
16429	00	Z	50	30	15.8	14.9
16429	12	Z	50	29	20.1	11.6
16622	00	Z	50	29	22.6	21.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	50	28	24.9	22.3
17607	12	Z	50	30	14.4	11.0
26435	00	Z	50	13	15.9	14.0
60018	12	Z	50	30	12.0	7.1
60018	00	Z	50	30	14.9	13.1
ASDE01	00	Z	50	1	11.9	11.9
ASDE01	12	Z	50	13	13.2	10.4
ASDE03	00	Z	50	3	108.4	90.1
ASDE03	12	Z	50	3	77.2	76.8
ASDK01	12	Z	50	11	40.4	19.0
ASDK01	00	Z	50	12	20.0	13.0
ASDK02	00	Z	50	3	7.3	6.3
ASDK02	12	Z	50	3	6.8	6.6
ASDK03	00	Z	50	8	26.0	21.9
ASDK03	12	Z	50	8	31.1	30.6
ASDK1	12	Z	50	11	38.1	9.7
ASDK1	00	Z	50	12	15.8	8.3
ASDK2	00	Z	50	3	7.0	5.0
ASDK2	12	Z	50	3	5.7	-3.4
ASDK3	00	Z	50	8	26.0	19.3
ASDK3	12	Z	50	8	25.9	25.0
ASES01	12	Z	50	16	45.5	42.6
ASEU01	12	Z	50	1	54.3	54.3
ASEU02	12	Z	50	7	50.2	49.6
ASEU02	00	Z	50	10	45.3	43.9
ASEU03	00	Z	50	5	24.1	18.6
ASEU03	12	Z	50	5	77.0	73.6
ASEU04	00	Z	50	7	9.2	-1.4
ASEU04	12	Z	50	7	13.2	-3.3
ASEU05	12	Z	50	6	34.6	33.0
ASEU05	00	Z	50	4	91.1	72.0
ASEU06	00	Z	50	9	15.8	7.4
ASEU06	12	Z	50	11	39.4	38.0
ASFR1	00	Z	50	17	23.6	19.2
ASFR1	12	Z	50	15	27.0	24.1
ASFR3	00	Z	50	7	25.9	23.1
ASFR3	12	Z	50	8	65.6	13.2
ASFR4	12	Z	50	16	29.6	26.0
ASFR4	00	Z	50	11	33.5	32.0
DBLK	12	Z	50	26	24.8	24.3
DBLK	00	Z	50	23	20.2	18.0

4.2 Table 14 - Radiosonde Monitoring Statistics (EUCOS):50 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 50 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	50	15	2.4	0.9	-0.1
01001	00	V	50	13	2.1	0.9	-0.2
01028	12	V	50	30	3.1	-0.3	-0.1
01028	00	V	50	30	3.1	-0.7	0.0
01400	12	V	50	18	3.5	1.4	-1.1
01400	00	V	50	9	2.1	0.0	-1.1
01415	12	V	50	28	2.8	-0.2	-0.1
01415	00	V	50	30	2.7	-0.4	0.0
02365	12	V	50	29	2.8	0.5	-0.5
02365	00	V	50	23	3.2	0.1	-0.9
02591	12	V	50	27	2.8	0.9	-0.1
02591	00	V	50	25	2.8	-0.1	0.2
02836	00	V	50	30	2.6	0.6	0.5
02836	12	V	50	30	2.7	0.5	0.5
02963	00	V	50	26	2.8	0.2	-0.3
02963	12	V	50	29	2.5	0.8	-0.1
03005	12	V	50	30	2.8	0.1	-0.7
03005	00	V	50	30	3.4	-0.4	-0.2
03238	00	V	50	26	2.9	-0.1	-0.1
03238	12	V	50	1	2.7	-1.0	2.5
03808	12	V	50	29	2.7	0.6	-0.8
03808	00	V	50	28	2.3	0.3	-0.2
03918	12	V	50	6	3.4	-0.7	0.0
03918	00	V	50	27	3.1	0.2	0.0
03953	00	V	50	26	2.9	0.7	-0.5
03953	12	V	50	27	3.1	0.8	-0.2
04018	00	V	50	19	2.8	0.4	-0.5
04018	12	V	50	18	2.8	0.0	0.0
04220	12	V	50	21	2.9	-0.3	0.5
04220	00	V	50	21	2.1	0.0	0.2
04270	12	V	50	30	2.9	-0.5	-0.3
04270	00	V	50	30	3.0	-0.3	0.0
04320	00	V	50	30	2.1	0.2	-0.8
04320	12	V	50	30	1.8	-0.1	0.1
04339	00	V	50	30	2.2	0.3	0.0
04339	12	V	50	29	2.6	0.0	0.2
04360	00	V	50	21	2.8	0.1	0.7
04360	12	V	50	23	2.7	0.2	-0.2
06011	12	V	50	27	5.6	0.9	-3.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	00	V	50	27	4.1	0.8	-2.1
06260	00	V	50	28	2.7	0.4	-0.3
06260	12	V	50	5	3.8	1.4	0.8
06610	00	V	50	28	3.1	0.1	-0.2
06610	12	V	50	29	2.9	0.0	0.2
07110	12	V	50	29	3.5	0.3	-0.2
07110	00	V	50	30	2.7	0.1	-0.3
07510	00	V	50	28	3.8	0.3	-0.9
07510	12	V	50	30	3.5	0.6	-0.1
07645	12	V	50	27	3.1	0.7	0.8
07645	00	V	50	29	3.0	0.3	0.2
07761	12	V	50	29	2.8	0.0	0.4
07761	00	V	50	29	3.3	-0.1	-0.5
08001	00	V	50	23	3.3	1.2	0.4
08001	12	V	50	27	3.4	0.6	-0.2
08221	00	V	50	28	3.8	0.2	0.3
08221	12	V	50	29	3.6	0.6	0.9
08302	00	V	50	29	3.6	0.0	0.0
08302	12	V	50	26	3.5	0.4	0.4
08508	12	V	50	29	3.1	0.9	0.2
08522	12	V	50	26	4.1	0.5	0.9
08579	12	V	50	29	3.8	1.2	-0.2
10035	00	V	50	30	3.0	0.9	0.0
10035	12	V	50	30	2.7	0.1	-0.6
10393	12	V	50	30	2.8	0.3	-0.2
10393	00	V	50	30	2.9	0.5	-0.5
10410	12	V	50	27	3.0	0.3	0.0
10410	00	V	50	29	2.9	0.4	0.1
10739	00	V	50	27	2.5	1.0	0.1
10739	12	V	50	27	3.1	0.3	-0.2
11035	12	V	50	30	2.8	0.6	-0.2
11035	00	V	50	29	3.8	0.4	0.9
12982	00	V	50	29	3.0	-0.1	-0.1
12982	12	V	50	29	3.4	0.3	-0.6
16080	12	V	50	29	3.5	-0.5	0.4
16080	00	V	50	22	3.5	0.1	0.2
16245	00	V	50	29	3.5	0.3	0.5
16245	12	V	50	29	3.6	0.8	1.2
16320	12	V	50	28	3.0	0.5	0.4
16320	00	V	50	24	3.7	0.7	-0.8
16429	00	V	50	30	4.0	0.6	0.2
16429	12	V	50	29	3.3	0.8	0.2
16622	00	V	50	28	4.0	-0.1	0.3

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	50	28	3.6	0.6	0.8
17607	12	V	50	28	3.7	0.8	0.6
26435	00	V	50	13	2.5	-0.2	-0.4
60018	12	V	50	30	4.0	0.2	1.0
60018	00	V	50	30	4.0	-0.7	0.6
ASDE01	00	V	50	1	1.9	1.6	-1.0
ASDE01	12	V	50	12	3.6	0.1	0.8
ASDE03	00	V	50	3	2.5	-0.6	-0.5
ASDE03	12	V	50	2	5.3	-0.1	4.3
ASDK01	12	V	50	11	2.4	-0.3	-0.1
ASDK01	00	V	50	11	3.3	-0.3	0.2
ASDK02	00	V	50	3	2.1	0.1	-0.9
ASDK02	12	V	50	3	3.4	-0.2	-0.6
ASDK03	00	V	50	8	3.3	1.0	0.9
ASDK03	12	V	50	8	2.4	0.3	0.9
ASDK1	12	V	50	11	2.3	-0.5	-0.6
ASDK1	00	V	50	11	3.3	-0.4	0.3
ASDK2	00	V	50	3	1.8	0.3	0.2
ASDK2	12	V	50	3	2.5	0.8	0.7
ASDK3	00	V	50	8	3.0	1.0	0.9
ASDK3	12	V	50	8	2.1	0.5	0.7
ASES01	12	V	50	15	4.1	0.6	1.6
ASEU01	12	V	50	1	0.8	0.6	-0.5
ASEU02	12	V	50	4	4.1	1.9	1.5
ASEU02	00	V	50	10	3.7	-0.9	-0.8
ASEU03	00	V	50	4	2.6	2.2	-0.4
ASEU03	12	V	50	4	1.7	-0.3	0.2
ASEU04	00	V	50	7	4.0	1.8	0.3
ASEU04	12	V	50	7	2.9	1.1	0.4
ASEU05	12	V	50	3	5.9	-1.2	5.0
ASEU05	00	V	50	3	4.2	1.3	1.2
ASEU06	00	V	50	8	1.9	0.0	0.8
ASEU06	12	V	50	9	2.6	0.5	0.1
ASFR1	00	V	50	10	3.7	-0.5	0.8
ASFR1	12	V	50	10	3.0	-0.1	0.9
ASFR3	00	V	50	6	3.0	-1.5	-1.3
ASFR3	12	V	50	8	2.8	-0.3	0.2
ASFR4	12	V	50	11	3.2	0.9	1.6
ASFR4	00	V	50	8	5.4	-1.4	0.4
DBLK	12	V	50	25	2.4	0.5	-0.4
DBLK	00	V	50	20	2.4	0.8	0.0

4.3 Table 15 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	100	15	3.2	0.1
01001	00	Z	100	14	4.6	-1.8
01028	12	Z	100	30	7.7	-3.9
01028	00	Z	100	30	5.2	-1.8
01400	12	Z	100	20	17.8	13.0
01400	00	Z	100	21	15.8	12.2
01415	12	Z	100	28	7.9	5.4
01415	00	Z	100	30	7.0	3.1
02365	12	Z	100	31	6.2	-2.7
02365	00	Z	100	30	7.7	-1.9
02591	12	Z	100	29	9.2	6.0
02591	00	Z	100	28	10.8	9.7
02836	00	Z	100	30	6.0	-4.1
02836	12	Z	100	30	4.8	-2.3
02963	00	Z	100	28	3.8	1.7
02963	12	Z	100	29	15.7	0.1
03005	12	Z	100	31	6.6	-1.8
03005	00	Z	100	30	3.6	-2.0
03238	00	Z	100	27	7.0	-1.4
03238	12	Z	100	1	3.7	-3.7
03808	12	Z	100	30	12.1	3.8
03808	00	Z	100	31	7.0	2.1
03918	12	Z	100	6	12.8	12.5
03918	00	Z	100	28	8.9	7.3
03953	00	Z	100	26	8.3	-0.9
03953	12	Z	100	27	18.4	9.2
04018	00	Z	100	22	5.6	-2.1
04018	12	Z	100	23	4.3	-0.4
04220	12	Z	100	21	3.2	1.9
04220	00	Z	100	21	3.0	1.5
04270	12	Z	100	30	4.1	1.6
04270	00	Z	100	30	4.9	1.5
04320	00	Z	100	30	5.1	1.7
04320	12	Z	100	30	5.6	3.1
04339	00	Z	100	30	11.1	-1.4
04339	12	Z	100	29	8.5	1.9
04360	00	Z	100	26	32.7	32.2
04360	12	Z	100	28	42.3	41.4
06011	12	Z	100	29	10.9	2.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	00	Z	100	28	13.0	-3.9
06260	00	Z	100	29	15.4	-0.3
06260	12	Z	100	5	8.0	6.5
06610	00	Z	100	30	12.0	10.2
06610	12	Z	100	30	10.1	5.3
07110	12	Z	100	29	23.6	21.8
07110	00	Z	100	30	20.5	19.3
07510	00	Z	100	29	23.5	22.0
07510	12	Z	100	30	29.0	28.0
07645	12	Z	100	28	17.8	16.5
07645	00	Z	100	29	16.5	15.2
07761	12	Z	100	29	9.6	6.7
07761	00	Z	100	30	14.0	12.7
08001	00	Z	100	27	12.4	8.5
08001	12	Z	100	27	14.0	6.8
08221	00	Z	100	29	9.1	6.0
08221	12	Z	100	30	10.0	1.7
08302	00	Z	100	30	6.5	2.5
08302	12	Z	100	29	12.9	-7.6
08508	12	Z	100	30	15.9	14.0
08522	12	Z	100	28	21.9	14.2
08579	12	Z	100	30	13.8	11.2
10035	00	Z	100	30	19.7	15.2
10035	12	Z	100	30	14.2	13.2
10393	12	Z	100	30	4.4	0.9
10393	00	Z	100	30	6.9	3.7
10410	12	Z	100	29	6.4	1.8
10410	00	Z	100	30	4.3	1.9
10739	00	Z	100	30	7.7	3.2
10739	12	Z	100	29	4.3	1.0
11035	12	Z	100	30	10.2	8.6
11035	00	Z	100	30	13.5	12.7
12982	00	Z	100	29	15.7	12.9
12982	12	Z	100	29	17.7	14.5
16080	12	Z	100	30	4.9	-0.9
16080	00	Z	100	30	4.8	1.6
16245	00	Z	100	30	6.8	3.5
16245	12	Z	100	30	31.1	-4.0
16320	12	Z	100	41	13.9	12.7
16320	00	Z	100	35	19.9	18.9
16429	00	Z	100	30	9.9	9.0
16429	12	Z	100	30	15.3	6.3
16622	00	Z	100	29	13.8	12.4

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	100	29	18.2	16.1
17607	12	Z	100	30	9.0	-0.1
26435	00	Z	100	15	8.5	4.9
60018	12	Z	100	30	7.6	2.8
60018	00	Z	100	30	10.2	7.2
ASDE01	00	Z	100	1	5.8	5.8
ASDE01	12	Z	100	15	8.6	3.2
ASDE03	00	Z	100	3	106.5	84.0
ASDE03	12	Z	100	3	59.8	59.4
ASDK01	12	Z	100	13	44.7	19.0
ASDK01	00	Z	100	14	15.5	4.8
ASDK02	00	Z	100	3	6.3	-2.2
ASDK02	12	Z	100	3	6.1	4.3
ASDK03	00	Z	100	11	25.8	21.5
ASDK03	12	Z	100	11	22.7	21.9
ASDK1	12	Z	100	11	35.6	2.1
ASDK1	00	Z	100	12	13.8	-1.1
ASDK2	00	Z	100	3	10.6	-6.5
ASDK2	12	Z	100	3	7.9	-7.3
ASDK3	00	Z	100	10	23.0	17.6
ASDK3	12	Z	100	9	14.8	13.9
ASES01	12	Z	100	21	31.5	28.8
ASEU01	12	Z	100	1	26.7	26.7
ASEU02	12	Z	100	10	43.9	43.6
ASEU02	00	Z	100	12	42.0	41.3
ASEU03	00	Z	100	6	12.7	7.3
ASEU03	12	Z	100	7	32.3	28.6
ASEU04	00	Z	100	7	7.9	-6.2
ASEU04	12	Z	100	8	10.1	-7.5
ASEU05	12	Z	100	8	28.4	26.5
ASEU05	00	Z	100	6	52.3	30.2
ASEU06	00	Z	100	11	15.6	8.9
ASEU06	12	Z	100	17	39.4	29.2
ASFR1	00	Z	100	17	13.5	10.1
ASFR1	12	Z	100	15	13.0	12.0
ASFR3	00	Z	100	10	13.0	10.1
ASFR3	12	Z	100	9	18.8	13.9
ASFR4	12	Z	100	17	23.1	21.0
ASFR4	00	Z	100	13	18.5	15.8
DBLK	12	Z	100	43	8.6	7.2
DBLK	00	Z	100	39	7.1	4.9

4.4 Table 16 - Radiosonde Monitoring Statistics (EUCOS): 100 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 100 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	100	15	2.1	-0.3	-0.2
01001	00	V	100	14	2.1	-0.3	-0.3
01028	12	V	100	30	2.3	-0.2	-0.6
01028	00	V	100	30	2.1	0.1	0.1
01400	12	V	100	19	2.4	0.5	-0.4
01400	00	V	100	16	3.0	-1.0	-0.5
01415	12	V	100	28	3.3	-0.3	-0.5
01415	00	V	100	30	4.1	-0.1	0.4
02365	12	V	100	30	2.9	0.2	-0.5
02365	00	V	100	30	2.5	0.1	-0.3
02591	12	V	100	29	3.3	0.8	-0.4
02591	00	V	100	28	3.0	0.8	-0.5
02836	00	V	100	30	2.5	0.2	0.0
02836	12	V	100	30	2.3	0.4	-0.4
02963	00	V	100	28	3.0	0.2	-0.5
02963	12	V	100	29	2.7	0.0	-0.1
03005	12	V	100	30	3.2	-0.6	0.1
03005	00	V	100	30	3.4	-0.5	-0.1
03238	00	V	100	27	5.5	1.2	0.7
03238	12	V	100	1	3.7	3.5	-1.2
03808	12	V	100	30	3.4	0.7	-0.2
03808	00	V	100	29	2.6	-0.1	0.0
03918	12	V	100	6	3.3	1.0	-2.3
03918	00	V	100	28	3.6	0.2	0.1
03953	00	V	100	26	3.3	0.5	-0.3
03953	12	V	100	27	3.5	1.1	0.2
04018	00	V	100	20	3.2	0.1	0.0
04018	12	V	100	22	2.8	0.1	-0.1
04220	12	V	100	21	1.8	-0.2	0.1
04220	00	V	100	21	2.3	-0.2	-0.2
04270	12	V	100	30	2.5	-0.2	0.2
04270	00	V	100	30	2.9	-0.9	0.7
04320	00	V	100	30	1.8	0.0	0.0
04320	12	V	100	30	1.8	0.3	0.1
04339	00	V	100	30	2.2	0.4	-0.5
04339	12	V	100	29	2.3	0.3	-0.6
04360	00	V	100	26	2.3	0.0	-0.7
04360	12	V	100	28	2.5	0.2	-0.1
06011	12	V	100	29	9.3	-0.7	-5.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	00	V	100	28	7.6	-0.2	-4.1
06260	00	V	100	28	3.9	0.8	0.3
06260	12	V	100	5	2.4	0.3	-0.1
06610	00	V	100	29	3.1	0.4	0.0
06610	12	V	100	30	3.5	-0.7	-0.6
07110	12	V	100	29	3.0	0.9	0.0
07110	00	V	100	30	2.5	0.9	0.1
07510	00	V	100	29	3.6	-0.5	0.5
07510	12	V	100	30	3.3	0.4	0.1
07645	12	V	100	28	3.8	0.5	-0.3
07645	00	V	100	29	4.0	-0.3	0.2
07761	12	V	100	29	3.8	0.0	0.4
07761	00	V	100	30	3.6	-0.4	0.3
08001	00	V	100	26	3.9	-0.7	0.5
08001	12	V	100	27	3.7	0.0	0.4
08221	00	V	100	29	4.0	-0.7	0.9
08221	12	V	100	30	4.5	-0.3	-0.1
08302	00	V	100	29	4.2	1.3	0.7
08302	12	V	100	29	3.3	0.1	-0.1
08508	12	V	100	29	3.8	0.3	0.4
08522	12	V	100	28	3.9	-0.8	0.8
08579	12	V	100	30	3.9	0.1	0.6
10035	00	V	100	30	3.4	0.0	0.1
10035	12	V	100	30	2.9	0.9	-0.1
10393	12	V	100	30	2.9	-0.4	0.2
10393	00	V	100	30	3.6	-0.2	-0.4
10410	12	V	100	27	3.5	-0.1	-1.3
10410	00	V	100	30	3.3	0.8	-0.1
10739	00	V	100	30	3.8	0.6	-0.2
10739	12	V	100	28	3.9	0.2	-0.9
11035	12	V	100	30	4.5	0.5	-0.1
11035	00	V	100	29	3.7	0.4	0.0
12982	00	V	100	29	3.4	0.8	-0.3
12982	12	V	100	29	3.5	-0.4	0.4
16080	12	V	100	30	3.8	-0.4	-0.4
16080	00	V	100	30	4.1	0.0	-0.5
16245	00	V	100	30	3.9	1.0	0.1
16245	12	V	100	29	3.8	0.8	0.2
16320	12	V	100	29	3.7	0.2	0.4
16320	00	V	100	26	3.9	-0.5	0.2
16429	00	V	100	30	3.3	1.2	0.3
16429	12	V	100	30	4.1	0.4	0.6
16622	00	V	100	29	3.7	1.4	-0.7

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	100	29	4.5	1.7	0.4
17607	12	V	100	30	5.0	1.3	-0.1
26435	00	V	100	15	2.5	-0.6	0.0
60018	12	V	100	30	4.0	0.2	-0.3
60018	00	V	100	30	4.7	-0.4	0.8
ASDE01	00	V	100	1	3.5	-1.9	-2.9
ASDE01	12	V	100	14	3.1	-0.2	-0.4
ASDE03	00	V	100	3	4.0	-1.2	0.6
ASDE03	12	V	100	3	5.9	1.9	-2.4
ASDK01	12	V	100	11	2.9	1.0	-0.3
ASDK01	00	V	100	13	2.5	0.4	1.2
ASDK02	00	V	100	3	2.3	0.6	1.5
ASDK02	12	V	100	3	4.1	0.8	1.9
ASDK03	00	V	100	10	3.5	-0.2	-1.1
ASDK03	12	V	100	10	3.1	0.4	-0.5
ASDK1	12	V	100	11	2.8	1.1	-0.5
ASDK1	00	V	100	12	2.3	0.8	0.8
ASDK2	00	V	100	3	2.4	0.7	1.7
ASDK2	12	V	100	3	3.7	-0.5	-1.3
ASDK3	00	V	100	10	3.4	-0.3	-0.9
ASDK3	12	V	100	9	2.4	0.2	-0.5
ASES01	12	V	100	15	3.6	-0.6	0.3
ASEU01	12	V	100	1	2.0	-1.8	0.9
ASEU02	12	V	100	9	3.3	0.2	0.0
ASEU02	00	V	100	10	4.3	-0.5	0.6
ASEU03	00	V	100	6	2.3	0.4	-0.5
ASEU03	12	V	100	3	2.8	-0.7	1.1
ASEU04	00	V	100	7	3.2	1.4	1.1
ASEU04	12	V	100	7	2.8	-0.2	-0.8
ASEU05	12	V	100	6	4.9	0.7	2.5
ASEU05	00	V	100	6	4.3	-0.1	0.2
ASEU06	00	V	100	10	4.8	-1.8	1.0
ASEU06	12	V	100	12	2.5	-0.2	0.7
ASFR1	00	V	100	10	3.2	-0.3	0.4
ASFR1	12	V	100	10	3.6	-0.5	0.0
ASFR3	00	V	100	6	4.8	-0.7	-0.6
ASFR3	12	V	100	8	2.8	-0.5	-0.1
ASFR4	12	V	100	11	3.9	0.9	1.2
ASFR4	00	V	100	10	3.6	-1.3	-0.8
DBLK	12	V	100	25	1.7	-0.7	-0.4
DBLK	00	V	100	20	1.7	-0.2	-0.4

4.5 Table 17 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	500	15	2.5	0.2
01001	00	Z	500	14	3.2	1.3
01028	12	Z	500	30	4.5	-0.3
01028	00	Z	500	30	3.3	-0.4
01400	12	Z	500	26	11.0	7.9
01400	00	Z	500	27	11.1	8.8
01415	12	Z	500	28	5.1	3.6
01415	00	Z	500	31	6.4	5.4
02365	12	Z	500	31	4.5	-0.5
02365	00	Z	500	30	4.3	-0.2
02591	12	Z	500	29	8.6	8.3
02591	00	Z	500	28	8.8	8.3
02836	00	Z	500	30	4.1	2.4
02836	12	Z	500	30	4.4	1.5
02963	00	Z	500	28	3.8	2.6
02963	12	Z	500	29	17.3	4.9
03005	12	Z	500	31	4.3	-1.6
03005	00	Z	500	30	3.5	-0.8
03238	00	Z	500	28	4.3	2.0
03238	12	Z	500	1	3.9	-3.9
03808	12	Z	500	30	12.8	4.2
03808	00	Z	500	31	3.8	2.5
03918	12	Z	500	6	12.0	11.1
03918	00	Z	500	28	9.6	9.0
03953	00	Z	500	30	9.0	-2.8
03953	12	Z	500	30	8.6	2.3
04018	00	Z	500	24	4.0	1.7
04018	12	Z	500	26	4.8	1.5
04220	12	Z	500	21	2.4	0.7
04220	00	Z	500	21	4.4	2.9
04270	12	Z	500	30	3.3	1.2
04270	00	Z	500	30	3.6	1.1
04320	00	Z	500	30	3.8	2.3
04320	12	Z	500	30	3.0	1.8
04339	00	Z	500	30	11.0	1.2
04339	12	Z	500	30	4.0	0.6
04360	00	Z	500	29	41.7	41.5
04360	12	Z	500	29	41.8	41.5
06011	12	Z	500	29	7.2	-1.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	00	Z	500	28	6.5	-1.2
06260	00	Z	500	29	15.1	0.4
06260	12	Z	500	5	3.9	3.4
06610	00	Z	500	30	6.6	5.7
06610	12	Z	500	30	6.1	3.9
07110	12	Z	500	31	9.0	7.8
07110	00	Z	500	30	8.7	7.9
07510	00	Z	500	29	12.6	11.5
07510	12	Z	500	30	15.0	14.3
07645	12	Z	500	30	8.8	7.9
07645	00	Z	500	29	8.1	7.2
07761	12	Z	500	29	3.0	1.0
07761	00	Z	500	30	4.8	2.1
08001	00	Z	500	27	8.7	7.6
08001	12	Z	500	27	8.1	6.5
08221	00	Z	500	29	6.7	5.7
08221	12	Z	500	30	6.0	4.6
08302	00	Z	500	30	4.0	0.6
08302	12	Z	500	30	6.2	-3.1
08508	12	Z	500	30	11.9	10.0
08522	12	Z	500	30	17.9	9.7
08579	12	Z	500	30	8.2	6.8
10035	00	Z	500	31	22.6	18.3
10035	12	Z	500	30	14.5	14.1
10393	12	Z	500	30	2.5	-0.1
10393	00	Z	500	30	4.3	2.3
10410	12	Z	500	30	3.4	0.8
10410	00	Z	500	30	3.7	2.5
10739	00	Z	500	32	5.2	3.4
10739	12	Z	500	29	4.3	0.5
11035	12	Z	500	30	6.6	5.4
11035	00	Z	500	31	9.2	8.6
12982	00	Z	500	29	8.7	6.2
12982	12	Z	500	29	7.2	4.0
16080	12	Z	500	30	4.0	-1.5
16080	00	Z	500	30	3.1	1.7
16245	00	Z	500	30	2.8	1.7
16245	12	Z	500	31	4.5	-1.3
16320	12	Z	500	44	13.6	12.9
16320	00	Z	500	38	17.4	16.8
16429	00	Z	500	30	8.0	7.3
16429	12	Z	500	30	16.0	7.7
16622	00	Z	500	30	10.6	10.2

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	500	29	12.2	8.5
17607	12	Z	500	30	4.7	3.6
26435	00	Z	500	15	6.5	5.1
60018	12	Z	500	30	4.6	1.4
60018	00	Z	500	30	3.3	1.5
ASDE01	00	Z	500	1	4.9	4.9
ASDE01	12	Z	500	15	5.7	0.7
ASDE03	00	Z	500	3	58.1	55.4
ASDE03	12	Z	500	3	46.4	46.2
ASDK01	12	Z	500	15	35.8	11.4
ASDK01	00	Z	500	14	15.4	1.6
ASDK02	00	Z	500	3	8.4	-0.7
ASDK02	12	Z	500	3	5.4	5.4
ASDK03	00	Z	500	11	28.5	26.9
ASDK03	12	Z	500	15	20.7	18.9
ASDK1	12	Z	500	12	29.0	-0.2
ASDK1	00	Z	500	12	11.3	-3.8
ASDK2	00	Z	500	3	12.0	-7.1
ASDK2	12	Z	500	3	6.5	-1.7
ASDK3	00	Z	500	10	22.8	21.9
ASDK3	12	Z	500	10	17.8	13.3
ASES01	12	Z	500	21	19.4	16.7
ASEU01	12	Z	500	1	6.4	6.4
ASEU02	12	Z	500	10	35.4	35.0
ASEU02	00	Z	500	12	37.4	37.1
ASEU03	00	Z	500	7	10.7	-1.2
ASEU03	12	Z	500	8	5.8	2.2
ASEU04	00	Z	500	7	8.7	-7.3
ASEU04	12	Z	500	8	6.2	-5.1
ASEU05	12	Z	500	8	7.8	7.3
ASEU05	00	Z	500	7	11.2	6.0
ASEU06	00	Z	500	13	7.7	-2.3
ASEU06	12	Z	500	17	8.1	2.8
ASFR1	00	Z	500	19	6.8	0.4
ASFR1	12	Z	500	15	6.3	5.2
ASFR3	00	Z	500	11	6.4	-2.1
ASFR3	12	Z	500	10	6.1	4.0
ASFR4	12	Z	500	18	9.0	8.3
ASFR4	00	Z	500	18	10.1	0.2
DBLK	12	Z	500	43	3.1	-0.5
DBLK	00	Z	500	39	3.4	-1.3

4.6 Table 18 - Radiosonde Monitoring Statistics (EUCOS): 500 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 500 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	500	15	1.7	-0.2	-0.4
01001	00	V	500	14	1.9	0.1	-0.9
01028	12	V	500	30	1.9	0.4	0.0
01028	00	V	500	30	2.3	0.0	-0.1
01400	12	V	500	26	2.3	0.0	0.0
01400	00	V	500	26	2.5	0.1	0.3
01415	12	V	500	28	3.0	0.4	0.1
01415	00	V	500	30	2.8	0.2	0.6
02365	12	V	500	30	3.3	0.4	-0.3
02365	00	V	500	30	3.0	0.6	-0.2
02591	12	V	500	29	2.4	-0.5	0.3
02591	00	V	500	28	2.6	0.2	-0.1
02836	00	V	500	30	2.4	0.3	0.0
02836	12	V	500	30	2.8	0.4	-0.1
02963	00	V	500	28	2.3	0.4	-0.7
02963	12	V	500	29	2.8	-0.1	-0.6
03005	12	V	500	30	2.9	0.9	-0.7
03005	00	V	500	30	2.9	-0.4	-0.6
03238	00	V	500	28	3.0	0.4	-0.6
03238	12	V	500	1	4.0	-3.3	2.2
03808	12	V	500	30	2.5	0.5	-0.2
03808	00	V	500	30	3.2	0.0	-0.3
03918	12	V	500	6	2.2	-0.1	-1.3
03918	00	V	500	28	2.6	-0.1	0.5
03953	00	V	500	30	3.4	-0.4	0.8
03953	12	V	500	30	3.5	0.2	0.6
04018	00	V	500	24	2.7	0.1	0.4
04018	12	V	500	26	2.9	0.2	-0.4
04220	12	V	500	21	2.1	0.0	0.0
04220	00	V	500	21	1.9	-0.4	0.4
04270	12	V	500	30	2.4	-0.5	-0.4
04270	00	V	500	30	2.2	0.6	-0.1
04320	00	V	500	30	1.8	0.1	-0.1
04320	12	V	500	30	2.4	-0.2	0.2
04339	00	V	500	30	2.3	0.2	0.1
04339	12	V	500	30	2.3	0.1	0.1
04360	00	V	500	28	2.3	0.3	0.5
04360	12	V	500	29	2.5	0.2	0.0
06011	12	V	500	29	15.4	-0.9	-9.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	00	V	500	28	15.3	-0.7	-8.7
06260	00	V	500	28	2.6	-0.2	0.2
06260	12	V	500	5	2.8	0.0	-1.3
06610	00	V	500	29	2.5	0.3	0.2
06610	12	V	500	30	3.0	0.3	-0.7
07110	12	V	500	30	2.6	0.4	-0.2
07110	00	V	500	30	2.6	0.6	0.5
07510	00	V	500	29	2.5	-0.3	0.1
07510	12	V	500	30	3.2	0.0	-0.4
07645	12	V	500	28	2.7	1.0	-0.3
07645	00	V	500	29	2.3	0.1	-0.2
07761	12	V	500	29	2.8	0.2	0.0
07761	00	V	500	30	2.3	-0.3	-0.7
08001	00	V	500	27	2.4	0.5	0.6
08001	12	V	500	26	2.8	0.5	-0.4
08221	00	V	500	29	3.0	-0.2	-0.2
08221	12	V	500	30	2.6	-0.2	-0.3
08302	00	V	500	30	2.8	0.4	0.4
08302	12	V	500	30	3.2	-0.9	0.5
08508	12	V	500	29	2.5	0.1	-0.1
08522	12	V	500	30	2.3	0.4	-0.3
08579	12	V	500	30	3.1	-0.1	-0.1
10035	00	V	500	30	2.5	0.0	-0.2
10035	12	V	500	30	2.8	0.3	0.2
10393	12	V	500	30	2.3	-0.2	-0.4
10393	00	V	500	30	2.9	0.8	-0.3
10410	12	V	500	30	2.5	0.4	-0.2
10410	00	V	500	30	2.7	0.4	0.2
10739	00	V	500	30	3.1	0.4	-0.1
10739	12	V	500	29	3.0	0.2	-0.2
11035	12	V	500	30	2.0	0.1	-0.4
11035	00	V	500	30	3.4	-0.1	-0.4
12982	00	V	500	29	2.3	-0.3	0.2
12982	12	V	500	29	3.1	0.1	-0.1
16080	12	V	500	30	2.9	1.1	-0.3
16080	00	V	500	30	2.3	0.6	-0.3
16245	00	V	500	30	2.5	0.6	0.1
16245	12	V	500	30	2.8	0.6	0.6
16320	12	V	500	30	2.6	0.7	0.0
16320	00	V	500	28	2.6	1.1	-0.4
16429	00	V	500	30	2.3	0.3	0.4
16429	12	V	500	30	2.2	0.0	-0.4
16622	00	V	500	30	2.4	0.5	0.0

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	500	29	2.1	0.0	0.3
17607	12	V	500	30	2.8	-0.1	-0.1
26435	00	V	500	15	2.8	-0.1	-0.3
60018	12	V	500	30	3.1	0.2	-0.3
60018	00	V	500	30	2.5	0.0	0.9
ASDE01	00	V	500	1	3.5	-2.1	-2.8
ASDE01	12	V	500	14	2.9	-0.2	0.7
ASDE03	00	V	500	3	3.3	1.3	0.2
ASDE03	12	V	500	3	6.0	3.3	-1.1
ASDK01	12	V	500	12	2.6	-0.6	0.0
ASDK01	00	V	500	13	2.5	0.2	-0.3
ASDK02	00	V	500	3	1.9	-0.4	1.0
ASDK02	12	V	500	3	2.5	-0.9	1.0
ASDK03	00	V	500	10	2.1	0.1	0.0
ASDK03	12	V	500	12	2.3	-1.1	0.5
ASDK1	12	V	500	12	3.5	-0.8	-0.4
ASDK1	00	V	500	12	3.4	0.9	-0.5
ASDK2	00	V	500	3	2.0	1.0	0.5
ASDK2	12	V	500	3	1.8	-0.2	0.9
ASDK3	00	V	500	10	2.6	0.9	0.1
ASDK3	12	V	500	10	3.1	-0.8	0.8
ASES01	12	V	500	15	2.4	0.5	-0.1
ASEU01	12	V	500	1	2.1	-0.9	-1.9
ASEU02	12	V	500	9	1.9	0.4	-0.9
ASEU02	00	V	500	10	2.1	-0.8	0.3
ASEU03	00	V	500	7	1.6	0.3	0.2
ASEU03	12	V	500	6	3.2	0.8	-1.2
ASEU04	00	V	500	7	3.5	1.0	0.1
ASEU04	12	V	500	6	2.3	0.5	-0.1
ASEU05	12	V	500	8	3.0	0.2	0.7
ASEU05	00	V	500	7	2.4	1.4	0.4
ASEU06	00	V	500	13	2.2	0.7	-0.9
ASEU06	12	V	500	15	2.6	-0.3	-0.5
ASFR1	00	V	500	12	2.4	-0.3	0.8
ASFR1	12	V	500	10	3.2	-0.5	0.1
ASFR3	00	V	500	7	4.3	0.6	-0.4
ASFR3	12	V	500	9	2.3	-0.3	0.2
ASFR4	12	V	500	12	2.8	-0.5	0.3
ASFR4	00	V	500	14	3.0	-0.3	0.9
DBLK	12	V	500	25	1.3	0.0	-0.3
DBLK	00	V	500	20	1.6	-0.2	-0.2

4.7 Table 19 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Geopotential height (metres)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : GEOPOTENTIAL HEIGHT (METRES)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
01001	12	Z	850	15	3.8	0.9
01001	00	Z	850	14	3.0	0.9
01028	12	Z	850	31	3.9	-0.8
01028	00	Z	850	30	2.7	-0.4
01400	12	Z	850	26	7.3	4.3
01400	00	Z	850	27	7.1	4.5
01415	12	Z	850	28	4.0	3.3
01415	00	Z	850	31	4.4	3.4
02365	12	Z	850	31	1.9	0.7
02365	00	Z	850	30	2.4	1.0
02591	12	Z	850	29	8.7	8.5
02591	00	Z	850	28	7.9	7.6
02836	00	Z	850	30	3.7	3.1
02836	12	Z	850	30	3.3	2.3
02963	00	Z	850	28	3.8	3.6
02963	12	Z	850	29	4.1	3.7
03005	12	Z	850	31	2.9	-1.4
03005	00	Z	850	30	3.9	-1.4
03238	00	Z	850	28	3.5	2.9
03238	12	Z	850	1	1.2	1.2
03808	12	Z	850	30	13.0	2.8
03808	00	Z	850	31	2.9	1.6
03918	12	Z	850	6	10.7	10.6
03918	00	Z	850	28	11.2	11.0
03953	00	Z	850	30	3.6	1.8
03953	12	Z	850	29	3.6	1.2
04018	00	Z	850	26	2.7	0.9
04018	12	Z	850	26	2.5	-0.2
04220	12	Z	850	21	3.3	2.2
04220	00	Z	850	21	3.4	2.8
04270	12	Z	850	30	2.1	0.9
04270	00	Z	850	30	2.8	1.2
04320	00	Z	850	30	4.5	3.2
04320	12	Z	850	30	3.6	2.3
04339	00	Z	850	30	11.5	2.9
04339	12	Z	850	30	3.9	1.6
04360	00	Z	850	29	41.9	41.9
04360	12	Z	850	30	42.0	41.9
06011	12	Z	850	30	3.3	2.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
06011	00	Z	850	29	3.7	2.7
06260	00	Z	850	29	15.3	-0.7
06260	12	Z	850	5	3.6	2.8
06610	00	Z	850	30	5.0	4.2
06610	12	Z	850	30	4.0	3.3
07110	12	Z	850	31	2.6	1.2
07110	00	Z	850	30	3.2	2.1
07510	00	Z	850	29	7.4	7.0
07510	12	Z	850	30	7.4	6.8
07645	12	Z	850	30	5.4	4.8
07645	00	Z	850	29	5.8	4.9
07761	12	Z	850	29	3.2	-2.2
07761	00	Z	850	30	3.0	-0.2
08001	00	Z	850	27	5.7	5.2
08001	12	Z	850	27	5.2	4.3
08221	00	Z	850	29	6.0	4.0
08221	12	Z	850	30	3.7	2.7
08302	00	Z	850	30	3.8	-1.8
08302	12	Z	850	30	3.6	-2.9
08508	12	Z	850	30	5.7	4.4
08522	12	Z	850	30	15.9	5.4
08579	12	Z	850	30	4.6	3.0
10035	00	Z	850	31	22.5	18.8
10035	12	Z	850	30	14.1	13.9
10393	12	Z	850	30	2.8	1.3
10393	00	Z	850	30	3.4	2.4
10410	12	Z	850	30	2.2	1.2
10410	00	Z	850	30	2.7	1.6
10739	00	Z	850	32	5.0	2.8
10739	12	Z	850	29	3.9	2.5
11035	12	Z	850	30	7.9	7.3
11035	00	Z	850	31	8.4	7.7
12982	00	Z	850	29	5.7	5.0
12982	12	Z	850	29	8.1	7.0
16080	12	Z	850	31	3.5	-0.2
16080	00	Z	850	30	3.0	0.4
16245	00	Z	850	30	2.6	0.3
16245	12	Z	850	31	2.2	-0.5
16320	12	Z	850	44	15.5	14.9
16320	00	Z	850	39	18.0	17.4
16429	00	Z	850	30	6.5	6.1
16429	12	Z	850	30	17.2	7.3
16622	00	Z	850	30	10.4	10.1

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	BIAS
16754	00	Z	850	30	10.0	5.9
17607	12	Z	850	30	3.5	3.1
26435	00	Z	850	15	4.0	3.2
60018	12	Z	850	30	4.8	-3.5
60018	00	Z	850	30	4.5	-3.5
ASDE01	00	Z	850	1	4.0	4.0
ASDE01	12	Z	850	15	6.4	-1.6
ASDE03	00	Z	850	3	43.7	43.5
ASDE03	12	Z	850	3	45.0	45.0
ASDK01	12	Z	850	15	31.7	7.6
ASDK01	00	Z	850	14	16.9	2.6
ASDK02	00	Z	850	3	9.8	-4.7
ASDK02	12	Z	850	3	3.3	2.8
ASDK03	00	Z	850	11	32.3	30.0
ASDK03	12	Z	850	15	21.5	19.5
ASDK1	12	Z	850	12	26.9	3.0
ASDK1	00	Z	850	12	14.3	3.2
ASDK2	00	Z	850	3	10.0	-8.4
ASDK2	12	Z	850	3	2.9	1.1
ASDK3	00	Z	850	10	29.8	28.2
ASDK3	12	Z	850	10	22.5	20.8
ASES01	12	Z	850	21	15.1	10.5
ASEU01	12	Z	850	1	4.3	4.3
ASEU02	12	Z	850	10	30.1	29.5
ASEU02	00	Z	850	12	30.8	30.4
ASEU03	00	Z	850	7	5.9	-1.1
ASEU03	12	Z	850	8	9.0	-3.2
ASEU04	00	Z	850	7	10.2	-9.4
ASEU04	12	Z	850	8	10.8	-10.5
ASEU05	12	Z	850	8	5.1	1.4
ASEU05	00	Z	850	7	6.7	-0.7
ASEU06	00	Z	850	13	10.0	-6.5
ASEU06	12	Z	850	17	6.5	-4.2
ASFR1	00	Z	850	19	2.7	-0.9
ASFR1	12	Z	850	15	2.6	-0.8
ASFR3	00	Z	850	11	3.2	-1.6
ASFR3	12	Z	850	10	4.0	-1.0
ASFR4	12	Z	850	18	2.0	-0.1
ASFR4	00	Z	850	18	5.0	-3.4
DBLK	12	Z	850	43	2.0	-0.9
DBLK	00	Z	850	40	3.7	-1.9

4.8 Table 20 - Radiosonde Monitoring Statistics (EUCOS): 850 hPa Wind (m/s)

RADIOSONDE MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND (M/S)
 LEVEL : 850 HPA
 AREA : 0 - 90N, 100W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
01001	12	V	850	15	3.5	-0.5	0.1
01001	00	V	850	14	3.8	0.0	0.7
01028	12	V	850	30	2.8	0.4	0.2
01028	00	V	850	30	2.6	0.1	-0.1
01400	12	V	850	26	2.4	-0.5	-0.1
01400	00	V	850	26	2.0	0.1	-0.1
01415	12	V	850	28	3.0	0.7	0.1
01415	00	V	850	30	2.8	0.4	0.4
02365	12	V	850	30	2.5	-0.2	0.1
02365	00	V	850	30	3.3	-1.0	0.2
02591	12	V	850	29	2.2	-0.4	-0.2
02591	00	V	850	28	2.7	0.1	0.2
02836	00	V	850	30	2.3	0.5	-0.1
02836	12	V	850	30	2.6	0.5	0.2
02963	00	V	850	28	2.2	-0.4	-0.2
02963	12	V	850	29	2.6	-0.3	0.2
03005	12	V	850	30	3.1	-0.6	0.6
03005	00	V	850	30	2.4	-0.1	0.5
03238	00	V	850	28	2.6	0.1	-0.5
03238	12	V	850	1	3.5	3.4	-0.6
03808	12	V	850	30	2.5	0.0	-0.1
03808	00	V	850	30	2.5	0.9	-0.1
03918	12	V	850	6	3.3	0.4	1.4
03918	00	V	850	28	2.9	0.1	0.4
03953	00	V	850	30	3.0	0.4	0.5
03953	12	V	850	29	2.3	0.1	0.1
04018	00	V	850	26	2.8	-0.1	-0.1
04018	12	V	850	26	3.4	-0.9	0.3
04220	12	V	850	21	2.5	-0.2	-0.2
04220	00	V	850	21	2.7	0.5	0.7
04270	12	V	850	30	3.3	-1.0	-0.1
04270	00	V	850	30	5.2	-1.3	-0.4
04320	00	V	850	30	2.5	0.6	-0.5
04320	12	V	850	30	2.6	-0.1	-0.7
04339	00	V	850	30	3.5	-0.2	-0.2
04339	12	V	850	30	3.4	0.6	-0.1
04360	00	V	850	28	3.8	0.4	0.3
04360	12	V	850	29	4.6	1.1	1.0
06011	12	V	850	30	9.9	-0.3	-5.6

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
06011	00	V	850	29	10.4	-0.2	-5.4
06260	00	V	850	28	2.5	0.6	-0.3
06260	12	V	850	5	3.1	-0.4	0.8
06610	00	V	850	29	3.8	1.9	-0.3
06610	12	V	850	30	2.8	0.1	0.8
07110	12	V	850	30	3.3	1.0	0.2
07110	00	V	850	30	2.7	0.1	-0.3
07510	00	V	850	29	3.4	-0.8	0.9
07510	12	V	850	30	3.7	1.0	0.1
07645	12	V	850	28	3.1	-0.7	0.2
07645	00	V	850	29	3.4	-0.2	0.5
07761	12	V	850	29	3.6	0.9	0.5
07761	00	V	850	30	3.8	0.0	-0.2
08001	00	V	850	27	2.3	0.0	0.0
08001	12	V	850	26	3.6	-0.3	-0.1
08221	00	V	850	29	5.0	-0.9	0.3
08221	12	V	850	30	2.2	-0.1	0.5
08302	00	V	850	30	2.9	-0.3	0.1
08302	12	V	850	30	2.8	0.1	0.4
08508	12	V	850	28	3.2	0.3	-0.3
08522	12	V	850	29	3.4	-0.4	-0.3
08579	12	V	850	30	3.2	-0.2	-0.3
10035	00	V	850	30	2.8	-0.2	-0.2
10035	12	V	850	30	2.3	0.8	-0.2
10393	12	V	850	30	3.8	0.0	-0.6
10393	00	V	850	30	4.3	0.2	-0.7
10410	12	V	850	30	2.5	0.0	-0.2
10410	00	V	850	30	2.8	0.6	0.0
10739	00	V	850	30	3.1	1.3	-0.1
10739	12	V	850	29	2.7	-0.1	0.5
11035	12	V	850	30	3.0	0.4	0.4
11035	00	V	850	30	3.5	0.8	-0.7
12982	00	V	850	29	3.2	0.2	0.0
12982	12	V	850	29	2.7	-0.3	0.3
16080	12	V	850	30	3.1	0.4	-0.9
16080	00	V	850	30	3.6	-0.6	-0.4
16245	00	V	850	30	2.2	0.0	-0.3
16245	12	V	850	30	2.4	-0.2	0.1
16320	12	V	850	30	2.8	0.2	0.0
16320	00	V	850	29	3.0	0.1	-0.7
16429	00	V	850	30	2.4	-0.2	-0.2
16429	12	V	850	30	2.9	0.4	0.6
16622	00	V	850	30	2.8	0.1	-0.5

RADIOSONDE MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	OBS RECD	RMS	UBIAS	VBIAS
16754	00	V	850	30	2.2	0.4	0.1
17607	12	V	850	30	3.3	0.8	-0.7
26435	00	V	850	15	2.3	-0.1	0.1
60018	12	V	850	30	3.7	0.2	1.0
60018	00	V	850	30	3.4	0.4	1.4
ASDE01	00	V	850	1	1.0	-0.7	-0.7
ASDE01	12	V	850	14	2.9	-0.3	-0.1
ASDE03	00	V	850	3	1.8	0.9	0.4
ASDE03	12	V	850	3	1.6	0.8	0.3
ASDK01	12	V	850	12	1.9	0.0	0.3
ASDK01	00	V	850	13	2.7	-0.5	0.4
ASDK02	00	V	850	3	2.4	1.1	0.1
ASDK02	12	V	850	3	1.6	-0.9	-0.9
ASDK03	00	V	850	10	1.8	0.3	-0.5
ASDK03	12	V	850	12	2.8	0.4	-0.3
ASDK1	12	V	850	12	1.8	-0.2	0.1
ASDK1	00	V	850	12	2.9	-0.2	0.1
ASDK2	00	V	850	3	3.0	-0.2	-1.1
ASDK2	12	V	850	3	2.8	-1.1	-2.0
ASDK3	00	V	850	10	2.5	-0.8	-1.0
ASDK3	12	V	850	10	3.0	0.4	0.2
ASES01	12	V	850	15	2.6	0.2	-0.2
ASEU01	12	V	850	1	31.8	19.2	-25.4
ASEU02	12	V	850	9	1.9	0.0	-1.0
ASEU02	00	V	850	10	2.0	0.0	-0.8
ASEU03	00	V	850	7	2.6	-1.2	1.5
ASEU03	12	V	850	6	2.5	0.0	-0.8
ASEU04	00	V	850	7	3.2	-1.2	-0.3
ASEU04	12	V	850	6	2.1	-1.0	-0.6
ASEU05	12	V	850	8	2.9	0.3	-0.6
ASEU05	00	V	850	7	2.7	0.9	-0.1
ASEU06	00	V	850	13	2.3	-0.1	0.5
ASEU06	12	V	850	15	3.1	0.9	0.1
ASFR1	00	V	850	12	2.3	-0.3	-0.2
ASFR1	12	V	850	10	2.3	-0.2	0.5
ASFR3	00	V	850	7	1.8	-0.3	-0.1
ASFR3	12	V	850	9	3.6	1.3	0.4
ASFR4	12	V	850	12	2.7	0.4	-0.3
ASFR4	00	V	850	14	2.9	-0.1	-0.5
DBLK	12	V	850	25	2.8	0.5	0.5
DBLK	00	V	850	21	3.0	0.2	-0.5

4.9 Table 21 - Drifter Monitoring Statistics (EUCOS): Surface pressure (hpa)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : SURFACE PRESSURE (HPA)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT = 15 HPA

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
03380	99	P	SUR	54	0	724	0	0.3	0.0	0.3
1300001	99	P	SUR	11	-23	678	0	0.4	-0.1	0.4
1300869	99	P	SUR	22	-58	720	0	0.3	0.1	0.3
1300871	99	P	SUR	24	-66	616	0	0.3	0.4	0.5
1300872	99	P	SUR	33	-53	716	0	0.3	0.3	0.5
1301502	99	P	SUR	20	-62	705	0	0.3	0.5	0.6
13869	99	P	SUR	22	-58	720	0	0.3	0.1	0.3
13871	99	P	SUR	24	-66	616	0	0.3	0.4	0.5
13872	99	P	SUR	33	-53	716	0	0.3	0.3	0.5
1501529	99	P	SUR	26	-22	708	0	0.3	0.4	0.5
1501531	99	P	SUR	18	-29	709	0	0.2	0.3	0.4
1501533	99	P	SUR	13	-28	708	0	0.3	0.2	0.3
1501534	99	P	SUR	23	-25	707	0	0.4	0.2	0.4
2100942	99	P	SUR	21	-54	682	0	0.2	0.3	0.4
21942	99	P	SUR	21	-54	682	0	0.2	0.3	0.4
2500622	99	P	SUR	75	5	720	33	2.2	-1.0	2.5
2500623	99	P	SUR	76	-4	721	0	1.6	0.0	1.6
25622	99	P	SUR	75	5	720	33	2.2	-1.0	2.5
25623	99	P	SUR	76	-4	713	0	1.6	0.0	1.6
2600565	99	P	SUR	80	4	97	0	0.5	-0.0	0.5
2600568	99	P	SUR	81	22	682	119	9.2	2.5	9.5
2601560	99	P	SUR	79	1	719	0	0.4	0.2	0.4
2601561	99	P	SUR	74	-2	218	15	1.1	0.9	1.5
26565	99	P	SUR	80	4	99	0	0.5	-0.0	0.5
26568	99	P	SUR	81	22	690	129	9.2	2.5	9.5
4100139	99	P	SUR	20	-38	684	0	0.2	-0.1	0.2
4100300	99	P	SUR	16	-57	718	0	0.3	0.4	0.5
4100506	99	P	SUR	28	-47	668	0	0.2	0.0	0.2
4100590	99	P	SUR	43	-27	712	0	0.4	-0.4	0.6
4100597	99	P	SUR	31	-54	720	0	0.3	0.2	0.4
4100707	99	P	SUR	14	-61	720	0	0.3	-0.9	1.0
4100729	99	P	SUR	36	-30	720	0	0.3	0.3	0.4
4100731	99	P	SUR	26	-67	719	0	0.3	0.2	0.3
4100975	99	P	SUR	29	-59	158	0	0.7	-0.4	0.8
4101700	99	P	SUR	36	-42	720	0	0.3	0.2	0.3
4101702	99	P	SUR	22	-52	719	0	0.3	0.4	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4101703	99	P	SUR	19	-53	718	0	0.3	0.7	0.7
4101704	99	P	SUR	18	-67	719	0	0.4	0.7	0.8
4101705	99	P	SUR	30	-48	720	0	0.2	0.1	0.3
4101706	99	P	SUR	31	-39	719	0	0.2	-0.3	0.4
4101707	99	P	SUR	40	-32	720	0	0.3	-0.0	0.3
4101708	99	P	SUR	33	-40	720	0	0.3	0.5	0.6
4101709	99	P	SUR	43	-21	718	0	0.4	0.4	0.5
4101741	99	P	SUR	22	-53	719	0	0.3	0.6	0.7
41040	99	P	SUR	15	-53	1431	0	0.4	-0.4	0.5
41041	99	P	SUR	14	-46	1378	0	0.3	0.2	0.4
41043	99	P	SUR	21	-65	1427	0	0.3	-0.3	0.4
41044	99	P	SUR	22	-59	1431	0	0.3	0.0	0.3
41046	99	P	SUR	24	-68	1435	0	0.3	0.2	0.4
41048	99	P	SUR	32	-70	1422	0	0.4	-0.1	0.4
41049	99	P	SUR	28	-63	720	0	0.3	0.5	0.5
41052	99	P	SUR	18	-65	1735	0	0.3	-1.2	1.2
41053	99	P	SUR	19	-66	1761	0	0.4	-0.4	0.5
41056	99	P	SUR	18	-66	1729	0	0.4	0.0	0.4
41300	99	P	SUR	16	-57	718	0	0.3	0.4	0.5
41506	99	P	SUR	28	-47	668	0	0.2	0.0	0.2
41590	99	P	SUR	43	-27	712	0	0.4	-0.4	0.6
41597	99	P	SUR	31	-54	720	0	0.3	0.2	0.4
41707	99	P	SUR	14	-61	720	0	0.3	-0.9	1.0
41729	99	P	SUR	36	-30	720	0	0.3	0.3	0.4
41731	99	P	SUR	26	-67	719	0	0.3	0.2	0.3
41975	99	P	SUR	29	-59	157	0	0.7	-0.4	0.8
42059	99	P	SUR	15	-68	1437	0	0.4	-0.2	0.5
42060	99	P	SUR	16	-63	1428	0	0.4	-0.1	0.4
42085	99	P	SUR	18	-67	1593	0	0.4	-0.8	0.9
42088	99	P	SUR	11	-61	1518	0	0.5	0.2	0.5
44005	99	P	SUR	43	-69	800	0	0.5	-0.2	0.5
4400510	99	P	SUR	48	-33	1441	0	0.5	0.3	0.6
4400513	99	P	SUR	54	-10	715	0	0.3	-0.4	0.5
4400517	99	P	SUR	26	-28	720	0	0.2	0.4	0.5
4400521	99	P	SUR	36	-25	706	0	0.3	-0.4	0.5
4400624	99	P	SUR	24	-65	664	0	0.3	-0.3	0.4
4400670	99	P	SUR	45	-43	419	0	0.5	-0.5	0.7
4400746	99	P	SUR	30	-22	719	0	0.2	0.5	0.5
4400765	99	P	SUR	61	-3	621	0	0.4	0.1	0.4
4400766	99	P	SUR	30	-16	719	0	0.3	0.1	0.3
4400768	99	P	SUR	25	-35	719	0	0.2	0.7	0.8
4400773	99	P	SUR	47	-6	720	0	0.4	0.8	0.9
4400776	99	P	SUR	28	-28	718	0	0.2	0.7	0.7

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4400777	99	P	SUR	36	-47	720	0	0.3	0.2	0.3
4400778	99	P	SUR	33	-17	719	0	0.3	0.5	0.6
4400779	99	P	SUR	54	-13	670	0	0.3	-0.0	0.3
44008	99	P	SUR	41	-69	723	0	0.5	-0.7	0.9
4400839	99	P	SUR	23	-65	719	0	0.3	-0.1	0.3
4400848	99	P	SUR	24	-47	719	0	0.2	0.3	0.4
4400857	99	P	SUR	41	-16	720	0	0.3	0.4	0.5
4400874	99	P	SUR	30	-34	719	0	0.2	0.3	0.3
4400887	99	P	SUR	31	-44	719	0	0.3	-0.1	0.3
4400891	99	P	SUR	32	-55	720	0	0.3	-0.8	0.9
4400896	99	P	SUR	24	-45	385	0	0.2	-0.5	0.6
4400901	99	P	SUR	55	-12	718	0	0.3	0.1	0.4
4400904	99	P	SUR	39	-18	715	0	0.3	-0.1	0.3
44011	99	P	SUR	41	-67	720	0	0.6	-0.9	1.0
4401500	99	P	SUR	34	-69	718	0	0.4	0.1	0.4
4401501	99	P	SUR	53	-22	720	0	0.4	0.1	0.4
4401503	99	P	SUR	32	-57	720	0	0.3	0.2	0.3
4401525	99	P	SUR	12	-57	665	0	0.5	0.1	0.5
4401527	99	P	SUR	19	-56	706	0	0.3	0.3	0.4
4401528	99	P	SUR	33	-36	720	0	0.3	0.5	0.5
4401529	99	P	SUR	25	-66	710	0	0.3	0.0	0.3
4401530	99	P	SUR	32	-52	716	0	0.3	-0.4	0.5
4401531	99	P	SUR	25	-61	704	0	0.3	0.5	0.5
4401534	99	P	SUR	37	-67	717	0	0.4	-0.2	0.4
4401535	99	P	SUR	49	-22	404	0	0.4	0.4	0.5
4401536	99	P	SUR	50	-46	684	0	0.5	0.2	0.5
4401537	99	P	SUR	38	-29	673	0	0.3	-0.5	0.6
4401538	99	P	SUR	40	-26	22	0	0.2	-1.6	1.6
4401539	99	P	SUR	37	-44	716	0	0.3	0.2	0.3
4401540	99	P	SUR	30	-65	713	0	0.3	0.2	0.4
4401541	99	P	SUR	31	-63	715	0	0.3	0.0	0.3
4401542	99	P	SUR	33	-56	717	0	0.3	0.4	0.5
4401543	99	P	SUR	29	-65	714	0	0.3	-0.1	0.3
4401546	99	P	SUR	46	-30	713	0	0.4	0.5	0.7
4401547	99	P	SUR	28	-70	711	0	0.3	-0.3	0.5
4401548	99	P	SUR	50	-28	715	0	0.5	-0.1	0.5
4401550	99	P	SUR	43	-45	703	0	0.4	-0.1	0.5
4401551	99	P	SUR	31	-38	705	0	0.2	0.4	0.5
4401552	99	P	SUR	45	-31	720	0	0.4	0.0	0.4
4401553	99	P	SUR	56	-46	720	0	0.4	0.2	0.5
4401554	99	P	SUR	58	-31	720	0	0.4	0.5	0.7
4401555	99	P	SUR	52	-33	720	0	0.5	-0.4	0.6
4401556	99	P	SUR	40	-58	720	0	0.4	-0.2	0.5

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4401557	99	P	SUR	45	-57	720	0	0.4	0.3	0.5
4401558	99	P	SUR	45	-57	720	0	0.4	0.1	0.4
4401559	99	P	SUR	45	-42	590	0	0.5	0.1	0.5
4401560	99	P	SUR	44	-46	564	0	0.5	0.4	0.6
4401561	99	P	SUR	44	-51	561	0	0.4	0.1	0.4
4401601	99	P	SUR	56	-48	645	0	0.4	0.0	0.4
4401602	99	P	SUR	46	-58	638	0	0.4	0.3	0.5
4401603	99	P	SUR	54	-37	647	0	0.4	0.3	0.5
4401605	99	P	SUR	53	-47	651	0	0.4	-0.2	0.5
4401606	99	P	SUR	50	-34	676	0	0.4	-0.2	0.5
4401609	99	P	SUR	44	-62	677	0	1.9	0.4	2.0
4401612	99	P	SUR	43	-41	642	0	0.4	0.5	0.7
4401613	99	P	SUR	44	-39	647	0	0.4	0.3	0.5
4401616	99	P	SUR	45	-53	687	0	0.4	0.2	0.5
4401629	99	P	SUR	46	-43	641	0	0.6	1.9	2.0
4401631	99	P	SUR	53	-29	677	0	0.4	-0.2	0.5
4401633	99	P	SUR	48	-38	675	0	0.5	0.1	0.5
4401634	99	P	SUR	58	-17	650	0	0.4	-0.2	0.4
4401754	99	P	SUR	62	-7	688	0	0.3	0.2	0.4
4401756	99	P	SUR	62	-20	677	0	0.3	0.4	0.5
4401757	99	P	SUR	63	-3	676	0	0.3	0.5	0.6
4401758	99	P	SUR	64	-2	627	0	0.3	0.4	0.5
44024	99	P	SUR	42	-66	957	0	0.4	-1.3	1.4
44027	99	P	SUR	44	-67	834	0	0.5	-0.2	0.6
44032	99	P	SUR	44	-69	720	0	0.4	-0.4	0.6
44033	99	P	SUR	44	-69	669	0	0.4	-0.4	0.6
44034	99	P	SUR	44	-68	718	0	0.5	-0.6	0.8
44139	99	P	SUR	44	-57	715	0	0.4	0.1	0.4
44150	99	P	SUR	43	-64	74	0	0.4	0.2	0.4
44258	99	P	SUR	45	-63	713	0	0.4	-0.0	0.4
44510	99	P	SUR	48	-33	1440	0	0.5	0.3	0.6
44513	99	P	SUR	54	-10	715	0	0.3	-0.4	0.5
44517	99	P	SUR	26	-28	720	0	0.2	0.4	0.5
44521	99	P	SUR	36	-25	706	0	0.3	-0.4	0.5
44624	99	P	SUR	24	-65	664	0	0.3	-0.3	0.4
44670	99	P	SUR	45	-43	627	0	0.5	-0.6	0.8
44746	99	P	SUR	30	-22	719	0	0.2	0.5	0.5
44765	99	P	SUR	61	-3	621	0	0.4	0.1	0.4
44766	99	P	SUR	30	-16	719	0	0.3	0.1	0.3
44768	99	P	SUR	25	-35	719	0	0.2	0.7	0.8
44773	99	P	SUR	47	-6	720	0	0.4	0.8	0.9
44776	99	P	SUR	28	-28	718	0	0.2	0.7	0.7
44777	99	P	SUR	36	-47	720	0	0.3	0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
44778	99	P	SUR	33	-17	719	0	0.3	0.5	0.6
44779	99	P	SUR	54	-13	670	0	0.3	-0.0	0.3
44839	99	P	SUR	23	-65	719	0	0.3	-0.1	0.3
44848	99	P	SUR	24	-47	719	0	0.2	0.3	0.4
44857	99	P	SUR	41	-16	720	0	0.3	0.4	0.5
44874	99	P	SUR	30	-34	719	0	0.2	0.3	0.3
44887	99	P	SUR	31	-44	719	0	0.3	-0.1	0.3
44891	99	P	SUR	32	-55	720	0	0.3	-0.8	0.9
44896	99	P	SUR	24	-45	385	0	0.2	-0.5	0.6
44901	99	P	SUR	55	-12	718	0	0.3	0.1	0.4
44904	99	P	SUR	39	-18	715	0	0.3	-0.1	0.3
45138	99	P	SUR	50	-66	713	0	0.6	-0.2	0.6
4700540	99	P	SUR	60	-7	524	2	1.5	1.8	2.3
4700546	99	P	SUR	42	-33	626	0	1.2	0.4	1.3
4700551	99	P	SUR	54	-28	640	66	4.8	-0.9	4.8
4700552	99	P	SUR	67	-63	574	0	3.9	0.1	3.9
4700555	99	P	SUR	46	-34	639	0	0.4	0.1	0.4
4700557	99	P	SUR	51	-19	642	0	0.4	-0.0	0.4
4700560	99	P	SUR	59	-9	419	0	0.3	0.3	0.4
4700562	99	P	SUR	60	-6	644	0	0.3	0.5	0.5
4700568	99	P	SUR	48	-12	626	0	0.4	0.4	0.6
4700574	99	P	SUR	44	-19	629	0	0.3	0.2	0.4
4701656	99	P	SUR	63	-59	659	0	0.4	-1.7	1.7
4701657	99	P	SUR	80	-65	632	0	0.5	-1.4	1.5
4701669	99	P	SUR	59	-62	78	0	0.3	0.3	0.4
4701675	99	P	SUR	59	-61	151	0	0.4	0.2	0.4
47540	99	P	SUR	60	-7	534	10	1.6	1.8	2.4
47546	99	P	SUR	42	-33	641	0	1.2	0.5	1.3
47551	99	P	SUR	54	-28	664	65	4.9	-1.1	5.0
47552	99	P	SUR	67	-63	667	0	4.0	0.2	4.0
47555	99	P	SUR	46	-34	658	0	0.4	0.1	0.4
47557	99	P	SUR	51	-19	659	0	0.4	-0.0	0.4
47560	99	P	SUR	59	-9	625	0	0.3	0.3	0.5
47562	99	P	SUR	60	-6	655	0	0.3	0.5	0.5
47568	99	P	SUR	48	-12	642	0	0.4	0.4	0.6
47574	99	P	SUR	44	-19	658	0	0.3	0.2	0.4
4800274	99	P	SUR	85	-52	660	0	0.4	0.5	0.6
4800276	99	P	SUR	84	-39	550	0	0.5	-0.2	0.5
4800280	99	P	SUR	86	-69	660	0	0.5	0.2	0.6
4800508	99	P	SUR	82	-8	2564	1	0.4	0.0	0.4
4800520	99	P	SUR	65	-40	96	0	0.4	0.0	0.4
4800600	99	P	SUR	57	-38	716	2	0.4	-0.2	0.4
4800631	99	P	SUR	86	-18	644	0	0.4	0.1	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
4800770	99	P	SUR	83	-21	550	0	0.5	-0.1	0.5
48274	99	P	SUR	85	-52	683	0	0.5	0.5	0.7
48276	99	P	SUR	84	-39	656	0	0.5	-0.2	0.5
48280	99	P	SUR	86	-69	675	0	0.6	0.2	0.6
48508	99	P	SUR	82	-8	2564	1	0.4	0.0	0.4
48520	99	P	SUR	65	-40	96	0	0.4	0.0	0.4
48600	99	P	SUR	57	-38	716	2	0.4	-0.2	0.4
48770	99	P	SUR	83	-21	673	0	0.5	-0.1	0.5
6100001	99	P	SUR	43	8	720	0	0.4	0.3	0.5
6100002	99	P	SUR	42	5	717	0	0.4	0.3	0.5
61001	99	P	SUR	43	8	720	0	0.4	0.3	0.5
61002	99	P	SUR	42	5	717	0	0.4	0.3	0.5
6101001	99	P	SUR	38	24	235	0	0.5	0.7	0.9
6101003	99	P	SUR	40	25	210	0	0.5	0.4	0.6
6101007	99	P	SUR	36	25	235	0	1.0	1.1	1.5
6101008	99	P	SUR	37	22	179	0	0.5	0.5	0.7
6200091	99	P	SUR	53	-5	720	0	0.4	0.0	0.4
6200092	99	P	SUR	51	-11	635	0	0.4	-0.1	0.5
6200093	99	P	SUR	55	-10	720	0	0.4	-0.2	0.5
6200094	99	P	SUR	52	-7	588	0	0.4	0.0	0.4
62001	99	P	SUR	45	-5	714	0	0.4	0.1	0.4
6200513	99	P	SUR	59	-32	720	0	0.4	-0.3	0.5
6200554	99	P	SUR	39	-17	715	0	0.3	0.3	0.4
6200559	99	P	SUR	54	-14	629	0	0.4	-0.6	0.7
6200940	99	P	SUR	32	-22	720	0	0.3	0.2	0.4
6200941	99	P	SUR	21	-46	719	0	0.2	-0.0	0.2
62023	99	P	SUR	51	-8	720	0	0.4	0.4	0.6
62027	99	P	SUR	49	-2	167	0	0.4	0.2	0.5
62029	99	P	SUR	49	-12	1258	1	0.7	-0.1	0.7
62030	99	P	SUR	50	-4	1076	0	0.3	-0.1	0.3
6203503	99	P	SUR	28	-23	712	0	0.3	0.2	0.3
6203504	99	P	SUR	27	-27	712	0	0.2	0.4	0.4
6203510	99	P	SUR	11	-42	708	0	0.3	0.1	0.3
6203518	99	P	SUR	64	-26	684	0	0.3	0.4	0.5
6203519	99	P	SUR	64	-34	687	0	0.3	0.3	0.5
6203522	99	P	SUR	62	-29	679	0	0.4	0.2	0.4
6203524	99	P	SUR	62	-29	685	0	0.3	0.6	0.7
6203526	99	P	SUR	68	-13	680	0	0.3	0.3	0.4
6203600	99	P	SUR	48	-26	589	0	0.4	0.0	0.4
6203601	99	P	SUR	47	-33	590	0	0.5	0.2	0.5
62050	99	P	SUR	50	-4	722	0	0.3	0.3	0.5
62086	99	P	SUR	55	6	2	0	0.1	-0.0	0.1
62095	99	P	SUR	53	-16	725	0	0.3	-0.2	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62102	99	P	SUR	58	2	725	0	0.4	0.3	0.5
62103	99	P	SUR	50	-3	723	0	0.3	0.6	0.7
62104	99	P	SUR	57	1	724	0	0.3	0.3	0.5
62105	99	P	SUR	55	-13	651	0	0.7	-0.3	0.7
62107	99	P	SUR	50	-6	1434	0	0.8	0.4	0.9
62111	99	P	SUR	58	0	724	0	0.5	1.5	1.5
62112	99	P	SUR	58	0	724	0	0.3	0.4	0.5
62113	99	P	SUR	58	0	724	0	0.4	0.4	0.6
62114	99	P	SUR	58	0	1435	0	0.4	0.4	0.5
62115	99	P	SUR	58	-3	718	0	0.4	0.2	0.5
62116	99	P	SUR	58	1	722	0	0.4	0.2	0.5
62117	99	P	SUR	58	0	723	0	0.3	0.3	0.5
62118	99	P	SUR	58	1	624	0	0.4	0.7	0.8
62119	99	P	SUR	57	2	723	0	0.4	0.3	0.5
62120	99	P	SUR	56	2	723	0	0.4	0.0	0.4
62121	99	P	SUR	54	3	724	0	0.4	0.5	0.6
62122	99	P	SUR	57	2	1438	0	0.4	0.3	0.5
62124	99	P	SUR	54	-4	725	0	0.4	0.1	0.4
62127	99	P	SUR	54	1	725	0	0.3	0.7	0.8
62128	99	P	SUR	59	1	719	0	0.4	0.4	0.5
62129	99	P	SUR	58	0	724	0	0.4	0.3	0.4
62130	99	P	SUR	59	1	725	0	0.3	0.2	0.4
62131	99	P	SUR	54	1	624	0	0.3	0.6	0.7
62132	99	P	SUR	56	2	724	0	0.4	0.6	0.7
62133	99	P	SUR	57	1	724	0	0.4	0.3	0.5
62134	99	P	SUR	58	1	725	0	0.3	0.5	0.6
62135	99	P	SUR	54	2	725	0	0.4	0.5	0.6
62136	99	P	SUR	54	3	699	0	0.4	0.8	0.9
62138	99	P	SUR	54	0	1438	0	0.4	1.0	1.1
62139	99	P	SUR	53	2	1432	0	0.4	0.5	0.7
62140	99	P	SUR	57	1	1430	0	0.4	0.3	0.5
62141	99	P	SUR	58	-4	704	0	0.4	-2.2	2.2
62143	99	P	SUR	58	2	724	0	0.4	0.7	0.8
62144	99	P	SUR	53	2	724	0	0.4	0.5	0.6
62145	99	P	SUR	53	3	1438	0	0.4	0.6	0.7
62146	99	P	SUR	57	2	720	0	0.4	0.5	0.6
62148	99	P	SUR	54	2	724	0	0.4	1.3	1.3
62149	99	P	SUR	54	1	724	0	0.3	0.9	0.9
62150	99	P	SUR	54	1	707	0	0.3	1.5	1.5
62151	99	P	SUR	57	2	1402	0	0.3	0.4	0.5
62152	99	P	SUR	57	2	723	0	0.4	0.6	0.7
62153	99	P	SUR	57	2	1438	0	0.4	0.5	0.6
62154	99	P	SUR	56	2	724	0	0.3	0.2	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
62155	99	P	SUR	58	1	644	0	0.3	0.6	0.7
62157	99	P	SUR	58	0	720	0	0.3	0.2	0.4
62160	99	P	SUR	57	2	1426	0	0.4	0.3	0.5
62161	99	P	SUR	58	1	715	0	0.4	0.1	0.4
62162	99	P	SUR	57	1	696	0	0.3	0.2	0.4
62163	99	P	SUR	48	-8	719	0	0.4	0.3	0.5
62164	99	P	SUR	57	1	719	0	0.3	0.5	0.6
62165	99	P	SUR	54	1	712	0	0.3	0.7	0.7
62168	99	P	SUR	58	1	607	0	0.4	0.3	0.5
62170	99	P	SUR	51	2	721	0	0.5	0.3	0.6
62296	99	P	SUR	53	2	725	0	0.3	0.3	0.5
62297	99	P	SUR	59	2	1435	0	0.3	0.3	0.4
62302	99	P	SUR	61	-2	725	0	0.3	0.1	0.4
62304	99	P	SUR	51	2	717	5	0.4	0.4	0.6
62305	99	P	SUR	50	0	703	1	0.4	0.3	0.5
62442	99	P	SUR	49	-16	702	0	0.3	-0.0	0.3
62513	99	P	SUR	59	-32	720	0	0.4	-0.3	0.5
62554	99	P	SUR	39	-17	715	0	0.3	0.3	0.4
62559	99	P	SUR	54	-14	629	0	0.4	-0.6	0.7
62940	99	P	SUR	32	-22	720	0	0.3	0.2	0.4
62941	99	P	SUR	21	-46	719	0	0.2	-0.0	0.2
6300646	99	P	SUR	69	39	720	0	0.4	0.4	0.5
6301552	99	P	SUR	79	19	717	0	0.9	0.0	0.9
6301553	99	P	SUR	81	19	720	0	0.3	0.3	0.5
6301554	99	P	SUR	67	2	720	0	0.3	-0.1	0.3
6301555	99	P	SUR	70	3	719	0	0.3	0.4	0.5
6301556	99	P	SUR	68	3	719	0	0.4	0.6	0.7
6301557	99	P	SUR	74	6	719	0	0.3	0.7	0.7
63055	99	P	SUR	61	2	725	0	0.3	0.1	0.3
63056	99	P	SUR	60	2	721	0	0.3	0.4	0.5
63057	99	P	SUR	59	2	724	0	0.3	0.1	0.3
63058	99	P	SUR	53	2	2155	0	0.4	0.5	0.6
63059	99	P	SUR	58	-1	718	0	0.3	0.7	0.7
63101	99	P	SUR	61	1	725	0	0.4	0.2	0.4
63102	99	P	SUR	61	1	725	0	0.3	0.2	0.4
63103	99	P	SUR	61	1	724	0	0.3	0.3	0.4
63104	99	P	SUR	61	2	713	0	0.3	0.6	0.7
63105	99	P	SUR	61	2	723	0	0.4	0.2	0.4
63108	99	P	SUR	61	2	725	0	0.4	0.1	0.4
63109	99	P	SUR	60	2	725	0	0.3	0.1	0.3
63110	99	P	SUR	60	2	725	0	0.3	-0.0	0.3
63111	99	P	SUR	61	2	1386	0	0.3	-0.1	0.4
63112	99	P	SUR	61	1	725	0	0.3	-0.2	0.3

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
63115	99	P	SUR	62	1	722	0	0.3	0.1	0.4
63117	99	P	SUR	61	1	1438	0	0.4	0.4	0.5
63118	99	P	SUR	58	1	703	0	0.4	0.0	0.4
63119	99	P	SUR	56	-3	5	0	0.3	1.1	1.1
63120	99	P	SUR	54	2	705	0	0.4	0.7	0.8
63646	99	P	SUR	69	39	720	0	0.4	0.4	0.5
6400524	99	P	SUR	67	13	720	0	0.4	0.5	0.7
6400526	99	P	SUR	49	-47	676	0	0.6	-0.1	0.6
6400528	99	P	SUR	69	37	720	0	0.4	0.3	0.5
6400551	99	P	SUR	53	-45	720	0	0.5	-0.3	0.5
6400562	99	P	SUR	64	-3	720	0	0.3	-0.1	0.3
6400757	99	P	SUR	63	-29	643	643	0.0	0.0	0.0
6401501	99	P	SUR	64	1	663	0	0.3	0.3	0.5
6401550	99	P	SUR	68	12	720	0	0.4	0.1	0.4
6401554	99	P	SUR	70	23	14	13	0.0	-13.8	13.8
6401555	99	P	SUR	68	1	719	0	0.3	0.4	0.5
6401556	99	P	SUR	68	-1	720	0	0.3	0.1	0.3
6401557	99	P	SUR	64	-23	720	0	0.4	0.2	0.4
6401558	99	P	SUR	60	-12	720	0	0.4	0.3	0.5
6401559	99	P	SUR	63	-21	720	0	0.3	0.3	0.5
64041	99	P	SUR	61	-3	710	0	0.4	0.2	0.5
64045	99	P	SUR	59	-12	1116	0	0.4	-0.1	0.4
64046	99	P	SUR	61	-4	723	0	0.3	0.1	0.3
64524	99	P	SUR	67	13	720	0	0.4	0.5	0.7
64526	99	P	SUR	49	-47	676	0	0.6	-0.1	0.6
64528	99	P	SUR	69	37	720	0	0.4	0.3	0.5
64551	99	P	SUR	53	-45	720	0	0.5	-0.3	0.5
64562	99	P	SUR	64	-3	720	0	0.3	-0.1	0.3
64757	99	P	SUR	63	-29	643	643	0.0	0.0	0.0
6500514	99	P	SUR	63	-15	720	0	0.4	0.1	0.4
6500519	99	P	SUR	70	33	718	0	0.4	-0.1	0.4
6500596	99	P	SUR	74	12	715	0	0.4	0.6	0.7
6500599	99	P	SUR	68	11	720	0	0.4	0.1	0.4
6500602	99	P	SUR	62	-13	720	0	0.4	0.4	0.5
6501551	99	P	SUR	58	-56	720	0	0.4	0.0	0.4
6501552	99	P	SUR	56	-53	719	0	0.4	0.4	0.6
6501553	99	P	SUR	55	-45	720	0	0.4	0.2	0.5
6501555	99	P	SUR	65	-52	720	0	0.5	-0.3	0.6
6501556	99	P	SUR	58	-43	720	0	0.4	0.4	0.5
65514	99	P	SUR	63	-15	720	0	0.4	0.1	0.4
65519	99	P	SUR	70	33	718	0	0.4	-0.1	0.4
65596	99	P	SUR	74	12	715	0	0.4	0.6	0.7
65599	99	P	SUR	68	11	720	0	0.4	0.1	0.4

DRIFTER MONITORING STATISTICS (EUCOS)
(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	SD	BIAS	RMS
65602	99	P	SUR	62	-13	720	0	0.4	0.4	0.5

4.10 Table 22 - Drifter Monitoring Statistics (EUCOS): Wind speed (m/s)

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND SPEED (M/S)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS

GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	SPEED	SUR	11	-23	678	0	0	1.1	0.7	1.3
1300002	99	SPEED	SUR	20	-23	720	0	0	0.9	0.3	1.0
4100139	99	SPEED	SUR	20	-38	684	0	0	0.8	0.1	0.8
4100300	99	SPEED	SUR	16	-57	718	0	0	0.8	-0.6	1.0
41040	99	SPEED	SUR	15	-53	1568	0	0	0.9	-0.1	0.9
41041	99	SPEED	SUR	14	-46	1380	0	0	0.8	-0.3	0.9
41043	99	SPEED	SUR	21	-65	1438	0	0	0.8	-0.4	0.9
41044	99	SPEED	SUR	22	-59	1430	0	0	0.9	-0.4	1.0
41046	99	SPEED	SUR	24	-68	1435	0	0	0.7	-0.5	0.9
41048	99	SPEED	SUR	32	-70	1421	0	0	1.3	0.0	1.3
41049	99	SPEED	SUR	28	-63	720	0	0	0.8	-0.2	0.8
41052	99	SPEED	SUR	18	-65	1735	0	0	0.8	-0.5	1.0
41053	99	SPEED	SUR	19	-66	1761	0	0	1.4	0.4	1.5
41056	99	SPEED	SUR	18	-66	1729	0	0	1.2	-0.8	1.4
41300	99	SPEED	SUR	16	-57	718	0	0	0.8	-0.6	1.0
42059	99	SPEED	SUR	15	-68	1453	0	0	1.0	-0.2	1.0
42060	99	SPEED	SUR	16	-63	1444	0	0	1.3	-0.2	1.3
42085	99	SPEED	SUR	18	-67	1596	0	0	1.2	-0.2	1.2
42088	99	SPEED	SUR	11	-61	1518	0	0	1.4	-2.5	2.8
44008	99	SPEED	SUR	41	-69	723	0	0	1.2	-0.8	1.5
44024	99	SPEED	SUR	42	-66	957	0	0	1.1	-0.6	1.2
44032	99	SPEED	SUR	44	-69	720	0	0	1.5	-1.2	1.9
44033	99	SPEED	SUR	44	-69	669	0	0	1.8	-0.8	1.9
44034	99	SPEED	SUR	44	-68	719	0	0	1.6	-1.7	2.3
44139	99	SPEED	SUR	44	-57	718	0	0	1.5	-0.3	1.5
44258	99	SPEED	SUR	45	-63	715	0	0	1.8	-0.7	1.9
45138	99	SPEED	SUR	50	-66	713	0	0	1.8	-0.3	1.8
6100001	99	SPEED	SUR	43	8	720	0	0	1.5	-0.3	1.5
6100002	99	SPEED	SUR	42	5	717	0	0	1.2	-0.3	1.3
61001	99	SPEED	SUR	43	8	720	0	0	1.6	-0.6	1.8
61002	99	SPEED	SUR	42	5	717	0	0	1.4	-0.8	1.6
6101001	99	SPEED	SUR	38	24	235	0	0	1.8	-0.8	2.0
6101003	99	SPEED	SUR	40	25	210	0	0	1.7	-0.8	1.9
6101007	99	SPEED	SUR	36	25	235	0	0	1.3	-0.5	1.4

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
6101008	99	SPEED	SUR	37	22	179	0	0	1.4	-1.3	1.9
6200091	99	SPEED	SUR	53	-5	463	0	0	1.5	-0.5	1.6
6200092	99	SPEED	SUR	51	-11	635	0	0	1.1	-0.1	1.1
6200093	99	SPEED	SUR	55	-10	720	0	0	1.2	-0.3	1.2
6200094	99	SPEED	SUR	52	-7	588	0	0	1.1	0.2	1.1
62001	99	SPEED	SUR	45	-5	714	0	0	1.2	0.5	1.2
62023	99	SPEED	SUR	51	-8	720	0	0	1.8	0.0	1.8
62027	99	SPEED	SUR	49	-2	169	0	0	1.2	0.2	1.2
62050	99	SPEED	SUR	50	-4	719	0	0	1.2	0.4	1.2
62086	99	SPEED	SUR	55	6	5	0	0	1.6	-0.4	1.6
62095	99	SPEED	SUR	53	-16	725	0	0	1.1	0.2	1.1
62102	99	SPEED	SUR	58	2	725	0	0	1.2	0.1	1.2
62103	99	SPEED	SUR	50	-3	723	0	0	1.6	0.9	1.9
62104	99	SPEED	SUR	57	1	724	0	0	1.3	-0.2	1.3
62105	99	SPEED	SUR	55	-13	627	0	0	1.4	0.2	1.4
62107	99	SPEED	SUR	50	-6	1434	0	0	1.3	0.9	1.5
62111	99	SPEED	SUR	58	0	724	0	0	1.6	-0.2	1.6
62112	99	SPEED	SUR	58	0	724	0	0	2.2	-1.3	2.6
62113	99	SPEED	SUR	58	0	724	0	0	1.5	0.5	1.6
62114	99	SPEED	SUR	58	0	1435	0	0	1.4	0.6	1.5
62117	99	SPEED	SUR	58	0	723	0	0	1.4	0.2	1.4
62118	99	SPEED	SUR	58	1	725	0	0	1.2	0.7	1.4
62119	99	SPEED	SUR	57	2	723	0	0	1.6	-0.1	1.6
62120	99	SPEED	SUR	56	2	724	0	0	1.4	0.4	1.5
62121	99	SPEED	SUR	54	3	724	0	0	1.3	0.2	1.3
62122	99	SPEED	SUR	57	2	1438	0	0	1.3	0.0	1.3
62128	99	SPEED	SUR	59	1	719	0	0	1.4	0.6	1.5
62129	99	SPEED	SUR	58	0	724	0	0	1.3	0.2	1.3
62131	99	SPEED	SUR	54	1	624	0	0	1.8	-0.2	1.8
62132	99	SPEED	SUR	56	2	724	0	0	1.5	-0.9	1.8
62133	99	SPEED	SUR	57	1	724	0	0	1.5	0.4	1.5
62134	99	SPEED	SUR	58	1	725	0	0	1.3	0.2	1.3
62140	99	SPEED	SUR	57	1	1430	0	0	1.2	0.0	1.2
62143	99	SPEED	SUR	58	2	724	0	0	1.9	-0.6	2.0
62144	99	SPEED	SUR	53	2	724	0	0	2.0	-0.2	2.0
62145	99	SPEED	SUR	53	3	1438	0	0	1.7	1.1	2.0
62146	99	SPEED	SUR	57	2	705	0	0	1.2	-0.1	1.2
62148	99	SPEED	SUR	54	2	724	0	0	2.0	-0.2	2.0
62149	99	SPEED	SUR	54	1	724	0	0	1.6	0.2	1.6
62150	99	SPEED	SUR	54	1	707	0	0	1.5	-0.2	1.5
62152	99	SPEED	SUR	57	2	723	0	0	1.7	-0.9	1.9

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND SPEED (M/S)

(CONTINU

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62153	99	SPEED	SUR	57	2	1167	0	0	2.4	-1.5	2.9
62154	99	SPEED	SUR	56	2	721	0	0	1.4	0.1	1.4
62155	99	SPEED	SUR	58	1	615	0	0	1.2	0.1	1.2
62163	99	SPEED	SUR	48	-8	719	0	0	1.1	0.1	1.1
62164	99	SPEED	SUR	57	1	719	0	0	1.3	-0.9	1.5
62165	99	SPEED	SUR	54	1	712	0	0	1.9	-0.6	2.0
62170	99	SPEED	SUR	51	2	721	0	0	1.9	1.6	2.5
62304	99	SPEED	SUR	51	2	710	0	0	1.8	1.0	2.1
62305	99	SPEED	SUR	50	0	703	0	0	1.8	1.2	2.1
62442	99	SPEED	SUR	49	-16	702	0	0	1.0	0.0	1.0
63055	99	SPEED	SUR	61	2	725	0	0	1.6	-1.0	1.8
63056	99	SPEED	SUR	60	2	688	0	0	1.3	0.2	1.3
63057	99	SPEED	SUR	59	2	724	0	0	1.6	0.0	1.7
63058	99	SPEED	SUR	53	2	1435	0	0	1.6	0.6	1.7
63101	99	SPEED	SUR	61	1	725	0	0	1.2	-0.2	1.2
63103	99	SPEED	SUR	61	1	724	0	0	1.3	-0.1	1.3
63104	99	SPEED	SUR	61	2	713	0	0	1.2	-0.0	1.2
63105	99	SPEED	SUR	61	2	723	0	0	1.2	0.1	1.2
63106	99	SPEED	SUR	61	2	723	0	0	1.2	0.1	1.2
63108	99	SPEED	SUR	61	2	725	0	0	1.5	0.0	1.5
63109	99	SPEED	SUR	60	2	718	0	0	1.3	0.4	1.4
63110	99	SPEED	SUR	60	2	725	0	0	1.4	-0.1	1.4
63112	99	SPEED	SUR	61	1	725	0	0	1.1	-0.3	1.1
63113	99	SPEED	SUR	61	2	724	0	0	1.1	-0.2	1.1
63115	99	SPEED	SUR	62	1	722	0	0	1.3	-0.3	1.4
63117	99	SPEED	SUR	61	1	1438	0	0	1.3	-0.1	1.3
63119	99	SPEED	SUR	56	-3	5	0	0	3.0	0.2	3.0
64041	99	SPEED	SUR	61	-3	711	0	0	1.2	0.0	1.2
66021	99	SPEED	SUR	55	14	695	0	0	1.5	-0.4	1.5
66022	99	SPEED	SUR	54	14	1186	0	0	1.3	-0.2	1.3
66024	99	SPEED	SUR	55	13	692	0	0	1.6	0.0	1.6

4.11 Table 23 - Drifter Monitoring Statistics (EUCOS): Wind direction

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 AREA : 10N - 90N, 70W - 40E
 PERIOD : JUN 2017
 STANDARD OF COMPARISON: FIRST-GUESS FIELD

TIME = 99 => AVERAGE OF ALL OBSERVATIONS
 GROSS ERROR LIMIT FOR VECTOR WIND = 25 M/S
 WIND SPEEDS > 3M/S USED

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
1300001	99	DIRN	SUR	11	-23	526	0	0	16.4	-1.2	16.5
1300002	99	DIRN	SUR	20	-23	715	0	0	10.7	1.6	10.8
41001	99	DIRN	SUR	35	-73	1059	0	0	18.8	5.6	19.6
4100139	99	DIRN	SUR	20	-38	683	0	0	9.5	3.6	10.2
41002	99	DIRN	SUR	32	-75	616	0	0	18.0	9.8	20.4
4100300	99	DIRN	SUR	16	-57	717	0	0	9.7	-16.3	18.9
41004	99	DIRN	SUR	33	-79	1000	0	0	20.1	2.2	20.2
41008	99	DIRN	SUR	31	-81	587	0	0	20.3	10.3	22.8
41009	99	DIRN	SUR	29	-80	886	0	0	25.0	5.3	25.6
41010	99	DIRN	SUR	29	-79	1079	0	0	22.8	1.7	22.9
41013	99	DIRN	SUR	33	-78	997	0	0	21.5	6.4	22.5
41024	99	DIRN	SUR	34	-79	430	0	0	15.8	-14.4	21.4
41025	99	DIRN	SUR	35	-75	555	0	0	15.2	0.9	15.2
41029	99	DIRN	SUR	33	-80	722	0	0	22.3	-6.6	23.3
41033	99	DIRN	SUR	32	-80	533	0	0	17.6	-3.4	18.0
41037	99	DIRN	SUR	34	-77	538	0	0	23.2	1.6	23.3
41038	99	DIRN	SUR	34	-78	465	0	0	23.5	3.0	23.7
41040	99	DIRN	SUR	15	-53	1568	0	0	7.5	-10.1	12.5
41041	99	DIRN	SUR	14	-46	1380	0	0	8.1	-9.5	12.5
41043	99	DIRN	SUR	21	-65	1423	0	0	10.0	-2.9	10.4
41044	99	DIRN	SUR	22	-59	1354	0	0	12.5	3.4	13.0
41046	99	DIRN	SUR	24	-68	1357	0	0	9.8	1.4	9.9
41047	99	DIRN	SUR	28	-72	1008	0	0	12.3	-6.4	13.8
41048	99	DIRN	SUR	32	-70	1035	0	0	25.5	-6.1	26.2
41049	99	DIRN	SUR	28	-63	491	0	0	13.5	9.5	16.5
41052	99	DIRN	SUR	18	-65	1731	0	0	9.9	8.4	13.0
41053	99	DIRN	SUR	19	-66	1590	0	0	12.6	5.7	13.8
41056	99	DIRN	SUR	18	-66	1691	0	0	13.3	5.3	14.3
41062	99	DIRN	SUR	36	-75	691	0	0	16.7	6.4	17.8
41063	99	DIRN	SUR	35	-76	774	0	0	14.4	-8.2	16.6
41064	99	DIRN	SUR	34	-77	506	0	0	18.8	-9.1	20.9
41300	99	DIRN	SUR	16	-57	717	0	0	9.7	-16.3	18.9

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
42003	99	DIRN	SUR	31	-80	37	0	0	20.6	-3.2	20.8
42013	99	DIRN	SUR	27	-83	561	0	0	26.7	-3.2	26.9
42022	99	DIRN	SUR	28	-84	460	0	0	72.5	55.6	91.3
42023	99	DIRN	SUR	26	-83	706	0	0	27.5	3.5	27.8
42036	99	DIRN	SUR	29	-85	356	0	0	23.0	-0.2	23.0
42056	99	DIRN	SUR	20	-85	1335	0	0	12.4	1.8	12.5
42057	99	DIRN	SUR	17	-81	1453	0	0	12.8	5.6	13.9
42058	99	DIRN	SUR	15	-75	1415	0	0	6.4	8.4	10.6
42059	99	DIRN	SUR	15	-68	1453	0	0	9.9	4.0	10.7
42060	99	DIRN	SUR	16	-63	1397	0	0	11.6	2.6	11.9
42085	99	DIRN	SUR	18	-67	1589	0	0	11.4	10.4	15.4
42088	99	DIRN	SUR	11	-61	1133	0	0	17.9	-12.0	21.5
44007	99	DIRN	SUR	44	-70	543	0	0	22.0	6.7	23.0
44008	99	DIRN	SUR	41	-69	545	0	0	13.9	22.4	26.3
44009	99	DIRN	SUR	39	-75	550	0	0	16.6	12.9	21.0
44013	99	DIRN	SUR	42	-71	578	0	0	24.4	19.0	30.9
44014	99	DIRN	SUR	37	-75	485	0	0	16.3	4.5	17.0
44022	99	DIRN	SUR	41	-74	215	0	0	26.0	12.2	28.7
44024	99	DIRN	SUR	42	-66	735	0	0	11.5	9.8	15.1
44025	99	DIRN	SUR	40	-73	605	0	0	22.8	9.9	24.9
44029	99	DIRN	SUR	43	-71	690	0	0	22.0	13.5	25.8
44030	99	DIRN	SUR	43	-70	488	0	0	21.7	10.8	24.2
44032	99	DIRN	SUR	44	-69	457	0	0	18.1	15.3	23.7
44033	99	DIRN	SUR	44	-69	322	0	0	23.6	4.4	24.0
44034	99	DIRN	SUR	44	-68	461	0	0	19.4	13.5	23.6
44039	99	DIRN	SUR	41	-73	313	0	0	20.3	9.1	22.2
44040	99	DIRN	SUR	41	-74	197	0	0	21.6	5.5	22.2
44041	99	DIRN	SUR	37	-77	207	0	0	17.6	6.1	18.6
44042	99	DIRN	SUR	38	-76	851	0	0	21.0	-19.4	28.6
44043	99	DIRN	SUR	39	-76	813	0	0	25.7	-7.3	26.7
44057	99	DIRN	SUR	40	-76	449	0	0	21.1	-7.3	22.3
44058	99	DIRN	SUR	38	-76	705	0	0	19.9	-28.0	34.4
44061	99	DIRN	SUR	39	-77	122	0	0	41.6	-8.5	42.5
44062	99	DIRN	SUR	39	-76	794	0	0	28.6	-22.7	36.5
44063	99	DIRN	SUR	39	-76	744	0	0	24.2	-17.2	29.7
44065	99	DIRN	SUR	40	-74	517	0	0	25.3	12.4	28.1
44066	99	DIRN	SUR	40	-73	636	0	0	17.9	10.0	20.5
44069	99	DIRN	SUR	41	-73	565	0	0	26.8	-0.1	26.8
44072	99	DIRN	SUR	37	-76	877	0	0	26.7	-14.5	30.3
44139	99	DIRN	SUR	44	-57	635	0	0	14.1	12.6	18.9
44258	99	DIRN	SUR	45	-63	565	0	0	16.2	10.1	19.1

DRIFTER MONITORING STATISTICS (EUCOS)

MONITORING CENTRE : ECMWF

ELEMENT MONITORED : WIND DIRECTION (DEGREES)

(CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
45003	99	DIRN	SUR	45	-83	403	0	0	27.4	15.8	31.6
45005	99	DIRN	SUR	42	-82	1012	0	0	24.5	9.9	26.4
45008	99	DIRN	SUR	44	-82	684	0	0	24.7	9.4	26.5
45012	99	DIRN	SUR	44	-77	471	0	0	31.1	14.5	34.3
45132	99	DIRN	SUR	43	-81	388	0	0	25.0	10.5	27.1
45135	99	DIRN	SUR	44	-77	678	0	0	23.8	4.7	24.2
45137	99	DIRN	SUR	46	-81	464	0	0	21.0	18.8	28.2
45138	99	DIRN	SUR	50	-66	397	0	0	21.0	1.3	21.1
45139	99	DIRN	SUR	43	-80	384	0	0	26.4	3.7	26.7
45142	99	DIRN	SUR	43	-79	409	0	0	19.4	2.6	19.5
45143	99	DIRN	SUR	45	-81	673	0	0	25.1	14.8	29.2
45147	99	DIRN	SUR	42	-83	58	0	0	164.9	10.0	165.2
45149	99	DIRN	SUR	44	-82	399	0	0	22.8	4.4	23.2
45152	99	DIRN	SUR	46	-80	389	0	0	23.3	-2.8	23.5
45154	99	DIRN	SUR	46	-83	478	0	0	22.5	12.5	25.7
45159	99	DIRN	SUR	44	-79	357	0	0	38.6	17.0	42.2
45162	99	DIRN	SUR	45	-83	370	0	0	31.9	3.3	32.1
45163	99	DIRN	SUR	44	-84	621	0	0	29.0	3.3	29.2
45164	99	DIRN	SUR	42	-82	306	0	0	32.7	-5.9	33.2
45165	99	DIRN	SUR	42	-83	912	0	0	26.2	13.0	29.3
45166	99	DIRN	SUR	45	-73	652	0	0	20.7	-46.9	51.3
45167	99	DIRN	SUR	42	-80	691	0	0	30.9	-11.0	32.8
45169	99	DIRN	SUR	42	-82	826	0	0	26.2	-9.1	27.7
45175	99	DIRN	SUR	46	-85	655	0	0	37.9	-14.0	40.4
45176	99	DIRN	SUR	42	-82	839	0	0	27.3	-10.7	29.3
45178	99	DIRN	SUR	45	-73	583	0	0	31.9	-9.4	33.3
6200091	99	DIRN	SUR	53	-5	383	0	0	13.4	4.7	14.2
6200092	99	DIRN	SUR	51	-11	582	0	0	9.5	6.5	11.5
6200093	99	DIRN	SUR	55	-10	665	0	0	9.9	0.5	9.9
6200094	99	DIRN	SUR	52	-7	533	0	0	10.7	2.3	11.0
62001	99	DIRN	SUR	45	-5	495	0	0	13.7	3.9	14.2
62023	99	DIRN	SUR	51	-8	684	0	0	15.6	9.4	18.2
62027	99	DIRN	SUR	49	-2	125	0	0	23.3	-4.5	23.8
62050	99	DIRN	SUR	50	-4	562	0	0	10.7	0.4	10.7
62095	99	DIRN	SUR	53	-16	682	0	0	9.9	6.6	11.9
62103	99	DIRN	SUR	50	-3	592	0	0	17.3	9.7	19.8
62105	99	DIRN	SUR	55	-13	575	0	0	13.1	4.6	13.9
62107	99	DIRN	SUR	50	-6	1219	0	0	17.4	1.9	17.5
62111	99	DIRN	SUR	58	0	603	0	0	14.5	-2.7	14.7
62112	99	DIRN	SUR	58	0	522	0	0	16.7	2.1	16.8
62114	99	DIRN	SUR	58	0	1239	0	0	13.5	-1.8	13.7

DRIFTER MONITORING STATISTICS (EUCOS)
 MONITORING CENTRE : ECMWF
 ELEMENT MONITORED : WIND DIRECTION (DEGREES)
 (CONTINUED)

WMO IDENT	OBS TIME	ELM	LEVEL	MEAN LAT	MEAN LONG	NUM OBS	NUM GROSS	% GROSS	SD	BIAS	RMS
62117	99	DIRN	SUR	58	0	621	0	0	14.1	0.4	14.1
62163	99	DIRN	SUR	48	-8	559	0	0	11.6	1.8	11.7
62305	99	DIRN	SUR	50	0	606	0	0	23.1	6.3	24.0
62442	99	DIRN	SUR	49	-16	671	0	0	11.3	-5.4	12.5
63119	99	DIRN	SUR	56	-3	3	0	0	12.9	-37.8	39.9
64041	99	DIRN	SUR	61	-3	623	0	0	12.1	7.8	14.4

4.12 Table 24 - List of Assimilated BUFR Encoded Radiosonde Stations

ASDE01	ASDE02	ASDE03	ASDK01	ASDK02	ASDK03	ASES01	ASEU01	ASEU02
ASEU03	ASEU04	ASEU05	ASEU06	ASFR1	ASFR3	ASFR4	DBLK	01001
01004	01010	01028	01241	01400	01415	01492	02185	02365
02527	02591	02836	02963	03005	03238	03354	03502	03808
03882	03918	03953	04220	04270	04320	04339	04417	06011
06260	06610	07110	07145	07510	07645	07761	08001	08023
08190	08221	08302	08430	08522	08579	10035	10113	10184
10238	10304	10393	10410	10548	10618	10739	10771	10868
10954	10962	11010	11035	11120	11240	11520	11747	11952
12120	12374	12425	12843	16045	16080	16113	16144	16245
16320	16429	16546	16622	16716	16754	17607	33008	43599
47102	47104	47138	47155	47169	47186	60018	61901	61980
61998	76743	76903	78897	81405	85442	85469	85586	85799
85934	89002	89564	89571	89611	89642	89859	91592	91925
91938	91948	91958	93112	93417	93817	93844	93997	94120
94150	94170	94203	94294	94299	94302	94312	94326	94332
94374	94403	94430	94461	94510	94578	94610	94637	94638
94653	94659	94672	94711	94767	94776	94802	94821	94866
94910	94975	94995	94996	94998	95527			

4.13 Table 25 - List of BUFR Encoded Radiosonde Stations with no TAC Counterpart

ASDE01	ASDE02	ASDE03	ASDK01	ASDK02	ASDK03	ASES01	ASEU01	ASEU02
ASEU03	ASEU04	ASEU05	ASEU06	ASFR1	ASFR3	ASFR4	DBLK	17607
33008	47155	76743	76903	94653	94767			

5 Annex - Explanations of figures and tables

5.1 General

All information presented in this report is based on data received at ECMWF before the appropriate analysis. Approximate cut-off times (UTC) are shown below:

Analysis	Obs Time	Cut-off
0000	2101-0300	1530 (16 hours)
1200	0901-1500	1900 (7 hours)

5.2 Data Availability

For each observation type/parameter the average number of reports received per day is displayed in boxes of 5 degrees square. The numbers plotted are the nearest integer values - e.g. if 40 reports were received during the month then the average daily value plotted will be 1. If the average number is greater than 1000 then 999 will be plotted. If the average number is less than 0.5 then the digit 0 will be plotted. If no observations were received then the box will be left blank.

5.3 Data Quality

The information presented on data quality is based on differences between observations and the values of the most recent ECMWF forecast ("first guess") of the same parameter. Depending on the time of the observation, the forecast range is between 9 and 15 hours. The ability of a modern data assimilation system to provide the diagnostic facilities to monitor the performance of the observational network is demonstrated by A. Hollingsworth et. al., *Monthly Weather Review*, Vol 114, No. 5, May 1986.

It should be noted that:

- (i) all results are based on software that may undergo further development;
- (ii) although the quality of the ECMWF first-guess fields is of a generally high standard this is only true to a limited extent in the tropics, where small-scale processes such as convection are of much greater importance than in mid-latitudes, and the observations will sometimes not be representative of the scales of motion given by the first-guess;
- (iii) the first-guess fields themselves will vary in accuracy depending on the density and quality of data, particularly in the upstream regions and over Antarctica and the southern hemisphere mid-latitudes. Direct comparisons between stations (or airlines) should preferably be restricted to observations in a reasonably homogeneous climatic region.

Tables 1-9 contain lists of SHIPs (including fixed marine platforms), DRIFTERS, TEMPs and TEMPs/PILOTs believed to have supplied suspect reports of surface pressure, geopotential height or wind during the month. The format of the tables is according to Recommendation 3 CBS-Ext(85) and the criteria for stations or data platforms to be classified as suspect are given at the top of each table. For tables 7 and 8 data for the worst

standard pressure level are shown. Units of RMS, standard deviation and bias are hPa in tables 1 and 4, m in table 7 and ms^{-1} in tables 2, 5 and 8. In tables 7 and 8 the station position is indicated; in the case of TEMPSHIPS and PILOTSHIPS this position is obtained from the first report of the month. The gross error limits for first-guess deviations of geopotential in table 7 are as follows:

Level	Geop
1000	100m
925	100m
850	100m
700	100m
500	150m
400	175m
300	200m
250	225m
200	250m
150	275m
100	300m
70	375m
50	400m
30	450m

The corresponding limits for wind (table 8) are:

Level	Wind
1000	35ms^{-1}
925	35ms^{-1}
850	35ms^{-1}
700	40ms^{-1}
500	45ms^{-1}
400	50ms^{-1}
300	60ms^{-1}
250	60ms^{-1}
200	50ms^{-1}
150	50ms^{-1}
100	45ms^{-1}

In table 7 the weighted RMS values at standard levels are calculated using the following weights:

Level	Weight
1000	3.70
925	3.55
850	3.40
700	2.90
500	2.20
400	1.90
300	1.60
250	1.50
200	1.37
150	1.19
100	1.00
70	0.87
50	0.80
30	0.64

Tables 10 and 11 provide geopotential and wind quality statistics (100 hPa level) for TEMPSHIPs and PILOTSHIPs received during the month. Units and display format are identical to those in tables 7 and 8 respectively. Tables 13, 14 (50 hPa), 15 and 16 (100 hPa), 17 and 18 (500hPa), 19 and 20 (850hPa) provide similar radiosonde statistics for the EUCOS area.

Tables 21-23 are similar to tables 4-6 with data coverage restricted to the EUCOS area.

Figures 14-18 show global charts of SATOB and aircraft wind quality, where the statistics have been averaged over latitude/longitude boxes of 5 degrees square, and the mean observed minus first-guess (or 'bias') wind vectors have been plotted. All observations in the specified layers have been used. For comparison the mean observed wind (from the SATOB reports only) for each layer is shown in figures 14 and 15. A reference value of wind speed is plotted in the top right corner of each figure. An arrow is only plotted if 10 or more observations have been received in that 5 degree square.

Table 12 provides quality statistics of aircraft wind observations in the layer 300-150 hPa stratified by airline carrier. The format and specifications of the table have been defined by NMC Washington, the lead centre for the monitoring of aircraft and satellite data.

Table 24 shows list of Assimilated BUFR Encoded Radiosonde Stations monitored within the month.

Table 25 shows list of BUFR Encoded Radiosonde Stations with no TAC Counterpart monitored within the month.